



ROTARY SWITCHES



✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

TE CONNECTIVITY (TE)

DRD16CE04=ROT DIP,16P

DRD

1-1825007-1

TE Internal Number: 1-1825007-1

Alias ID: DRD16CE04

[Always EU RoHS/ELV Compliant](#)

Number of Positions **16**

Actuator Style **Flush**

Switch Style **Rotary**

Switch Type **Rotary DIP**

Number of Switches **16**

Product Drawings

ROTARY DIP DRD E SERIES

PDF
English

CAD Files

3D PDF

PDF
3D

Customer View Model

2D_DXF.ZIP
English

Customer View Model

3D_IGS.ZIP
English

Customer View Model

3D_STP.ZIP
English

Catalog Pages/Data Sheets

SWITCHES_CORE_PROGRAM_CATALOG

PDF
English

Product Environmental Compliance

TE Material Declaration

MD_1-1825007-1_11062015113_dmtec

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Actuator Style

Flush

Switch Style

Rotary

Switch Type

Rotary DIP

| | | |
|----------------------------|--|------------------------|
| | Switch Type | Rotary Dir |
| | Sealed | Yes |
| | Code Type | BCD Complement |
| | Removable Tape Seal | Without |
| | Illuminated | No |
| | Product Type | Switch |
| Configuration Features | Number of Positions | 16 |
| | Number of Switches | 16 |
| Electrical Characteristics | Voltage Rating | 20 VAC [20 VDC] |
| Contact Features | Contact Mating Area Plating Material | Gold Flash |
| | Contact Base Material | Copper Alloy |
| | Solder Tail Contact Plating | Gold Flash over Nickel |
| Mechanical Attachment | Mounting Type | Through Hole |
| | Mounting Angle | Vertical |
| Housing Features | Housing Material | Thermoplastic |
| | Centerline | 2.54 mm [.1 in] |
| Usage Conditions | Oil-Tight | No |
| Industry Standards | UL Flammability Rating | UL 94V-0 |
| Packaging Features | Packaging Method | Tube |
| Product Compliance | Statement of Compliance PDF | |
| | VIEW ALL PRODUCT COMPLIANCE | |

