



Tapes that stick like nothing you have seen before!



General Info

Industrial environments present challenges in identification and require therefore labels with a high performance. DYMO daily invests in Research and Development to make sure we can offer the customer the right product for the right application.

No more labels that fall off, looking smeared or poorly written. DYMO has the right solution to your labeling needs!

Each material/ribbon combination is uniquely identified by a material number (MXXXX) for which a technical datasheet is created.



The DYMO 2 in 1 cassette principle:

ribbon and material in one cassette makes sure that you always have the correct combination for high-performance print results.



We know what type of labels you need!!!

A whole team of chemists and highly qualified lab people are working together in development and testing to ensure the durability of our labels under the most extreme conditions. This way we are sure to offer labels that can withstand the most tough environments.








Flexible Nylon Tape

The permanent solution for marking your wire and cables!

The combination of a **permanent adhesive** and a superior **flexible nylon** are the perfect solution for marking any curved surfaces. No more concerns about labels that pop off after a while. These labels remain firmly tightened around the cable!





Features

A strong adhesion and a **flexible nylon** material makes this tape the ideal solution for wire and cable marking even in environments where oil and dirt are present.



RhinoPRO Industrial Tapes

COLOUR	6 mm	9 mm	12 mm	19mm
white	-	-	•	•
yellow	-	-	•	•

Heat Shrink Tubing

Identify and protect your wire and cables!

Looking for a non-adhesive yet permanent solution to identify and protect your wire and cables at the same time? DYMO's heat shrink polyolefin tubes provide clean and permanent marking for a wide range of cable diameters. These sleeves are applied before connection and can be permanently positioned after connection when shrunk with a heat-gun.







Features

- 3:1 shrink ratio
- Conforms tightly to the wire when heat is applied
- Heat-shrinkable polyolefin
- Does not smudge or fade when printed.
- The legend remains legible even after exposure to abrasion, cleaning solvents or industrial fluids
- Flame retardant
- MIL-DTL-23053/5 classes 1 and 3

RECOMMENDED CABLE DIAMETER RANGE:

6mm: min. 1.18mm — max. 2.33mm 9mm: min. 1.73mm — max. 3.73mm 12mm: min. 2.97mm — max. 5.13mm 19mm: min. 4.64mm — max. 8.70mm



RhinoPRO Industrial Tapes

COLOUR	6 mm	9 mm	12 mm	19mm	
white	•	•	•	•	
yellow	•	•	•	•	

Non-adhesive Tag (Insert)

Versatile and strong solution

This non-adhesive polypropylen solution which is un-tearable offers a flexible way of providing high-quality on-the-spot labeling. You can cut the insert to the size you need that fits with any:

- patch panels
- modular component
- cable marking: label holder of your choice.







Features

■ Polypropylen material:

Rigid and untearable which makes it a very durable solution.
High print quality performance.

Easy to use:

the label can easily be removed and replaced from any holder.



RhinoPRO Industrial Tapes

COLOUR	6 mm	9 mm	12 mm	19mm
white	•	•	•	•
yellow	•	•	•	•

Coloured vinyl

Recognise your identification from a distance!

Coloured vinyl labels are a perfect solution if you want your identification to be clearly understood. The strong adhesive and the flexible material turns this vinyl tape ideal to be used for labels to stick onto many applications such as:

- machines and equipment (warnings and safety instructions)
- Buttons
- Barcode labeling
- Patch panels
- Outlets
- Wire and cables



Features

- The permanent adhesive and flexible vinyl makes it ideal to be used for any flat/curved or textured surface where colour is requested.
- Combination ribbon/material gives an outstanding scratch-, solvent-, oil and UV resistance
- Indoor and outdoor use



RhinoPRO Industrial Tapes

COLOUR	6 mm	9 mm	12 mm	19mm
white	-	•	•	•
yellow	-	•	•	•
orange	-	•	•	•
red	-	•	•	•
green	-	•	•	•



Permanent Polyester

For your toughest labeling challenges!

This permanent poleyster material has been developed for withstanding the most demanding needs in an industrial environment. Designed for application to extremely rough surfaces where increased adhesion and resistance to dirt and oils is required such as:

- Name-and rating plates
- Product/Equipment/Machine labeling
- Cabinet/Rack identification
- Patchpanel identification









Features

Super adhesive: perfect for surfaces requiring outstanding sticking and durability such as:

- Highly-textured and/or powder coated surfaces
- Material/ribbon combination results in an outstanding print quality and uv-oil-scratch- and chemical resistance
- Indoor and outdoor use



M1120/M1140

COLOUR	6 mm	9 mm	12 mm	19mm
white	-	•	•	•
metallic	-	•	•	•

Clear Polyester

The solution for integrated product labeling!

Clear polyester tape offers an esthetic way of labelling applications. The clear labels with the sharp printed black characters integrate very nice the structure and background of the application. Any text looks as if it was printed directly onto the surface.

The Clear polyester tape can be used onto:

- Outlets
- Patch panels
- **Faceplates**





Full backslit for easy peel





Features

- Clear polyester labels give a touch of professionalism to the labeling
- The ink is scratch-solvent, oil and UV resistant
- Fit for in- and outdoor use
- Permanent adhesive



RhinoPRO Industrial Tapes

COLOUR	6 mm	9 mm	12 mm	19mm
white	-	•	-	-

Packaging

The DYMO industrial tapes can be recognized by the dark gray cassettes.

All cassettes are flow-wrapped to give them extra protection.

They are packed in a single box that can be re-closed. 2 cassette labels give the information concerning the material type, size and color.

Industrial Materials



Quality

Innovation

Expertise

Durability









FLEXIBLE NYLON TAPES 12/19MM 3,5 METER LONG

ID1-12-1300	white	12 mm
ID1-19-1300	white	19 mm
ID1-12-1300YL	yellow	12 mm
ID1-19-1300YL	yellow	19 mm

PERMANENT POLYESTER TAPES 9/12/19MM 5,5 METER LONG

ID1-9-1120	white	9 mm
ID1-12-1120	white	12 mm
ID1-19-1120	white	19 mm
ID1-9-1140MT	metallic —	9 mm
ID1-12-1140MT	metallic	12 mm
ID1-19-1140MT	metallic	19 mm

COLOURED VINYL TAPES 9/12/19MM 5,5 METER LONG

ID1-9-1500YL	yellow	9 mm
ID1-12-1500YL	yellow	12 mm
ID1-19-1500YL	yellow	19 mm
ID1-9-1500OR	orange –	9 mm
ID1-12-1500OR	orange	12 mm
ID1-19-1500OR	orange	19 mm
ID1-9-1500RD	red -	9 mm
ID1-12-1500RD	red	12 mm
ID1-19-1500RD	red	19 mm
ID1-9-1500GN	green -	9 mm
ID1-12-1500GN	green	12 mm
ID1-19-1500GN	green	19 mm
ID1-9-1500	white	9 mm
ID1-12-1500	white	12 mm
ID1-19-1500	white	19 mm

CLEAR POLYESTER TAPES 9 MM 7 METER LONG

ID1-9-1100CL clear 9 mm

HEAT SHRINK TUBING 6/9/12/19MM 1,5 METER LONG

RP/ID1-6-1400	white	6 mm
RP/ID1-9-1400	white	9 mm
RP/ID1-12-1400	white	12 mm
RP/ID1-19-1400	white	19 mm
RP/ID1-6-1400YL	yellow -	6 mm
RP/ID1-9-1400YL	yellow	9 mm
RP/ID1-12-1400YL	yellow	12 mm
RP/ID1-19-1400YL	yellow	19 mm

NON-ADHESIVE TAG 6/9/12/19MM 5,5 METER LONG

RP/ID1-6-1600	white	6 mm
RP/ID1-9-1600	white	9 mm
RP/ID1-12-1600	white	12 mm
RP/ID1-19-1600	white	19 mm
RP/ID1-6-1600YL	yellow -	6 mm
RP/ID1-9-1600YL	yellow	9 mm
RP/ID1-12-1600YL	yellow	12 mm
RP/ID1-19-1600YL 🦰	yellow	19 mm



Phone numbers Call Center

More questions, just give us a call

Country	Acct number	Local route
Austria	(+43)	0 15 99 14 20 12
Belgium	(+32)	0 2713 38 08
Czech	(+420)	2 61 91 27 20
Denmark	(+45)	35 25 65 08
Finland	(+358)	09 2 29 07 04
France	(+33)	01 69 32 49 32
Germany	(+49)	0 69 66 56 85 29
Hungary	(+36)	14 24 66 00
Italy	(+39)	02 45 28 13 08
Norway	(+47)	22 97 17 10
Netherlands	(+31)	02 05 81 93 86
Poland	(+48)	22 874 30 50
Portugal	(+34)	9 16 62 31 49
Slovakia	(+420)	2 61 91 27 20
Spain	(+34)	9 16 62 31 49
Sweden	(+46)	0 86 32 00 57
Switzerland (German)	(+41)	0 13 42 04 66
United Kingdom	(+44)	020 7341 5529
Ireland		014 11 89 34
Fax number	(+31)	02 05 81 93 80

ESSELTE byba

Industriepark Noord 30 B-9100 Sint-Niklaas - BELGIUM

Tel. (+32) 03 760 34 11 - Fax (+32) 03 760 34 13

