



1-1634005-0 Product Details

[Share](#) [Print](#) [Email](#)

1-1634005-0

TE Internal Number: 1-1634005-0

Active

MMCX RF Connectors

[Converted to EU RoHS/ELV Compliant \(Statement of Compliance\)](#)
Product Highlights:

- Connector Style = Jack
- Applies To Coaxial Cable
- Coaxial Cable Type = Raychem 5030A1424, Raychem 5030F1314, Raychem CLFH-178, RG 178 B/U, RG 196 A/U, URM110
- Body Style = Straight
- RoHS compliant, ELV compliant

[View all Features](#)
Quick Links

- ▶ [Pricing & Availability](#)
- ▶ [Search for Tooling](#)
- ▶ [Product Feature Selector](#)
- ▶ [Contact Us About This Product](#)

[Add to My Part List](#) [Request Sample](#) [Find Similar Products](#) [Buy Product](#)

Documentation & Additional Information

Product Drawings:

- [MMCX STRAIGHT JACK CRIMP RG178 50 OHMS \(PDF, English\)](#)

Catalog Pages/Data Sheets:

- None Available

Product Specifications:

- None Available

Application Specifications:

- None Available

Instruction Sheets:

- None Available

CAD Files:

- None Available

Related Products:

- [Tooling](#)

[List all Documents](#)

Feedback

Product Features (Please use the Product Drawing for all design activity)

Product Type Features:

- Grade = Professional
- Dielectric Material = PTFE

Mechanical Attachment:

- Interchangeable Die Set Number = 9-1478248-0
- Hand Tool = 9-1478240-0

Electrical Characteristics:

- Connector Impedance (Ω) = 50

Termination Features:

- Crimp Type = Hex
- Coaxial Cable Termination Type = Solder/Clamp

Body Features:

- Body Style = Straight
- Body Material = Brass
- Body Plating = Gold
- Hexcrimp Dimension = 0.65 Sq + 2.8 + 3.4
- Ferrule Type = Hex

Contact Features:

- Center Contact Material = Beryllium Copper
- Center Contact Plating = Gold

Housing Features:

- Connector Style = Jack

Configuration Features:

- Coaxial Cable Type = Raychem 5030A1424, Raychem 5030F1314, Raychem CLFH-178, RG 178 B/U, RG 196 A/U, URM110
- Bulkhead Jack = No

Industry Standards:

- [RoHS/ELV Compliance](#) = RoHS compliant, ELV compliant
- [Lead Free Solder Processes](#) = Not relevant for lead free process
- RoHS/ELV Compliance History = Converted to comply with RoHS directive

Environmental:

- Operating Temperature (Max.) ($^{\circ}\text{C}$) = 165

Conditions for Usage:

- Applies To = Coaxial Cable

Packaging Features:

- Packaging Method = Individual
- Packaging Quantity = 50

Other:

- Brand = Greenpar

Corporate Information

- [About TE](#)
- [Investors](#)
- [News Room](#)
- [Supplier Portal](#)
- [Careers](#)
- [Terms & Conditions](#)
- [Privacy Policy](#)
- [AODA Accessibility Policy](#)
- [AODA Multi-Year Accessibility Plan](#)

Quick Links

- [Distributor Inventory](#)
- [Product Cross Reference](#)
- [Documents & Drawings](#)
- [Product Compliance Support Center](#)
- [Site Map](#)

Customer Support

- [Email or Chat With Us](#)
- [Find a Phone Number](#)
- [Knowledge Base](#)
- [Manage Your Account](#)

Keep Me Informed

