

Cable gland - HC-K-KV-M32(12-21)BK - 1407673

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Plastic screw connection up to 5 bar, thread length: 10 mm, cable diameter: 12 - 21 mm, WAF 36, screw connection: M32

Product Description

Plastic cable gland

Key Commercial Data

Packing unit	1 STK
Minimum order quantity	10 STK
GTIN	 4 046356 776417
GTIN	4046356776417
Weight per Piece (excluding packing)	30.000 g
Custom tariff number	39269097
Country of origin	Germany

Technical data

Dimensions

Length	40 mm
Wrench size, union nut	36 mm
Wrench size, support	36 mm
Hexagon angular dimension	40 mm
Length of the connecting thread	10 mm
External cable diameter	12 mm ... 21 mm

Ambient conditions

Degree of protection	IP68 (Up to 5 bar)
----------------------	--------------------

Cable gland - HC-K-KV-M32(12-21)BK - 1407673

Technical data

Ambient conditions

Ambient temperature (operation)	-20 °C ... 100 °C
---------------------------------	-------------------

General

Type of the screw connection	M32
No. of conductors	1
Material	PA
Cable gland material	PA
Shielded	No
Thread type on connection side	M32
Thread pitch	1.5 mm
Torque	7.5 Nm (Union nut) 7.5 Nm (Support)
Flammability rating according to UL 94	V2
Color	jet black RAL 9005

Standards and Regulations


Flammability rating according to UL 94	V2
--	----

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Drawings

Dimensional drawing



Dimensional drawing

Classifications

eCl@ss

eCl@ss 4.0	27141209
------------	----------

Cable gland - HC-K-KV-M32(12-21)BK - 1407673

Classifications

eCl@ss

eCl@ss 4.1	27141209
eCl@ss 5.0	27149109
eCl@ss 5.1	27143424
eCl@ss 6.0	27149109
eCl@ss 7.0	27149109
eCl@ss 8.0	27149109
eCl@ss 9.0	27144432

ETIM

ETIM 3.0	EC000441
ETIM 4.0	EC000441
ETIM 5.0	EC000441
ETIM 6.0	EC000441

UNSPSC

UNSPSC 6.01	31261502
UNSPSC 7.0901	31261502
UNSPSC 11	31261502
UNSPSC 12.01	31261502
UNSPSC 13.2	39121311

Approvals


Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		7500651.22.01.00246
-----	---	---------------------

Cable gland - HC-K-KV-M32(12-21)BK - 1407673

Accessories

Accessories

Flat nut

Nut - A-INL-M32-P-BK - 1411217



Nut, PA, for threads M32, Color: jet black RAL 9005

Sealing plugs

Closing cap - SEALING PLUG 17X17 RD - 1421861



Closing cap, PA, Color: red