






REVISIONS			
#	DESCRIPTION	DATE	BY
1	SEE SHEET 1	-	-





1674452-2 : AS SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.			
DIMENSIONS: IN MM	TOLERANCES UNLESS OTHERWISE SPECIFIED:	CHK	DATE
0 PLC	± 0.3	APD	NAME
1 PLC	± 0.3	PROD. SPEC	37
2 PLC	± 0.3	ALL: 1/2	USB CONNECTOR
3 PLC	± 0.3	APPLICATION SPEC	RECEPTACLE TYPE
4 PLC	± 0.3	4.7/1/2	
FINISH	± 3	WEIGHT	
MATERIAL	1/2	CAGE CODE	DRAWING NO
1/2	1/2	A3	00779
CUSTOMER DRAWING		SCALE	5:1
		SHEET	3 OF 4
		REV	0
		RESTRICTED	20

APPLICATION PRODUCT:1674452-2

LOC	DIST	REV	DESCRIPTION	DATE	BY	APP'D
J						
P	LTR		SEE SHEET 1			



*THIS DIMENSIONS ARE NOT CONSIDERATION
PANEL TOLERANCE AND PANEL ASSEMBLY TOLERANCE.

RECOMMENDED PANEL DIMENSION

□ PATTERN, LAND, VIA HOLE, MOUNT, PROHIBITION AREA.
□ ONLY THE LAND FOR SOLDERING OF FRONT SHELL IS OK.

RECOMMENDED LAYOUT OF P.C.B
(CONNECTOR MOUNTING SIDE)
RECOMMENDED THICKNESS:1.0~1.2mm

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG		tyco Electronics		Tyco Electronics AMP K.K.	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPROD		Kawasaki, Japan	
0 PLC 1 PLC 2 PLC 3 PLC		±0.3 ±0.3 ±0.3 ±0.3		PRODUCT SPEC AU-17K		SIZE A3	
FINISH AL7		ANGLES ±3		APPLICATION SPEC 1.77mm(17K)		CAGE CODE 00779	
MATERIAL 443		WEIGHT		DRAWING NO 1674452		RESTRICTED TO	
CUSTOMER DRAWING		SCALE 5:1		SHEET 4		REV 0	