




Left Side

Connector(s): LC-Duplex Secure
Mode: MM
Housing Color: Green
Geom. Spec: N/A

Fiber Path

A - _____ - B
B - _____ - A


Right Side

Connector(s): SC-Duplex
Mode: MM
Housing Color: Beige
Geom. Spec: N/A

Notes:

- 1 Product and Processing must meet requirements of Tyco Electronics Standard 230-702
- 2 Includes dust caps (not shown on print).
- 3 IL tested at 1300nm.
- 4 Label 2 will not be present on any cable assembly less than 5 meters long.

REVISION RECORD		DATE	BY	APPROVED
A	Rev Per EC#	None	1/11/2008	-
P	LTR			



DIMENSIONS:
meters

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 P.L.C. ± .
1 P.L.C. ± .
2 P.L.C. ± .
3 P.L.C. ± .
4 P.L.C. ± .

Restricted To:

DWG	Cable Assy Configurator		MATERIAL	HEAT TREAT	
CHK	Dave Fennell		AMP Tyco Electronics, Inc. Harrisburg, PA 17105-3608		
AP'D	Dave Fennell				
NAME	FO C/A - 2 fiber, 50/125, OFNR (Riser) jacket, LC-Duplex Secure to SC-Duplex				
SCALE	NTS	SIZE	A2	DRAWING NO	C- 1905995
SHEET	1 of 4		REV	A	

THIS DRAWING IS A CONTROLLED DOCUMENT.

LOC
CE
DIST
16

CAC Customer Layout Rev: D

	A	Rev Per EC# None	1/11/2008	-	D
P	LTR	REVISION RECORD	DATE	DIN	AP

Qty	U of M	Description	Item No
2	piece	Trace Label	10
2	piece	CONN SUBASSY, MM, SC 1.6MM	9
4	piece	Eyelet/Shrink tube assembly - White	8
2	piece	SC Duplex Clip	7
AR	meter	2 fiber, 50/125, 2.0mm, Twinzip, Orange, OFNR (Riser)	6
2	piece	2.5mm ferrule cover	5
2	piece	SC Simplex Housing, Beige	4
2	piece	LC Connector Assy, 1.6mm-2.0mm, MM	3
1	piece	LC Duplex clip, black	2
4	piece	LC. SC. FC Straight Boot. Beige	1

DIMENSIONS: meters		TOLERANCES UNLESS OTHERWISE SPECIFIED		DR		Tyco Electronics, Inc. Harrisburg, PA 17105-3608	
 0 P/LC ± 1 P/LC ± 2 P/LC ± 3 P/LC ± 4 P/LC ±		Dave Fennell Dave Fennell		AMP FO C/A - 2 fiber, 50/125, OFNR (Riser) jacket, LC-Duplex Secure to SC-Duplex		APVD Dave Fennell	
Restricted To:		SCALE NTS		SIZE A2		DRAWING NO C- 1905995	
						SHEET 2 of 4	
						REV A	

A

THIS DRAWING IS A CONTROLLED DOCUMENT.

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION. IT MAY NOT BE DISCLOSED TO ANY OTHERS WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA.

LOC
CE
DIST
16

CAC Customer Layout Rev: D

8

7

6

5

4

3

2

1

Label 1

Per specification 107-1645-1



Trace # - Bar Code

Trace # - Human Readable


Part Number

Country of Origin

This label is used on all lengths on this drawing.

Label 2

Per specification 107-1645-1



Trace # - Bar Code

Trace # - Human Readable

Part Number

Country of Origin

This label is used on all lengths on this drawing.

DIMENSIONS:	
meters	

TOLERANCES UNLESS OTHERWISE SPECIFIED:	
0 P.L.C.	± .
1 P.L.C.	± .
2 P.L.C.	± .
3 P.L.C.	± .
4 P.L.C.	± .

Restricted To:

DW Cable Assy Configurator		MATERIAL	HEAT TREAT	
CHK	Dave Fennell	-	-	
APVD	Dave Fennell	AMP Tyco Electronics, Inc. Harrisburg, PA 17105-3608		
NAME	FO C/A - 2 fiber, 50/125, OFNR (Riser) jacket, LC-Duplex Secure to SC-Duplex			
SCALE	SIZE	DRAWING NO.	SHEET	REV
NTS	A2	C- 1905995	4 of 4	A

D

C

B

A