




CONTACT ORIENTATION  
ON REEL FOR AUTO  
CRIMP MACHINE




**SECTION A-A**  
CONDUCTOR WINGS



**SECTION B-B**  
INSULATION WINGS

REV  
G 1062-16-01 \*\*

REVISIONS			
SYM	DESCRIPTION	DATE	APPROVED
D	REVISED PER E.O. A14783	01-17-95	R.D.R.
E	REDESIGNED/REDRAWN PER E.O. P16391	11-05-99	R.D.R.
F	REVISED PER E.O. P16998	12-08-00	R.D.R.
G	REVISED PER E.O. P19555	7-11-07	RDR



7. CONTACT BODY MATERIAL CONTAINS 94% COPPER MINIMUM. CONTACT SLEEVE IS STAINLESS STEEL.
  6. WHEN \*\* = 22 PLATING IS NICKEL.  
\*\* = 44 PLATING IS GOLD.
  5. SEE 0425-015-0000 FOR CONTACT PERFORMANCE AND WIRE APPLICATION CHARACTERISTICS.
  4. THIS CONTACT MAY BE CRIMPED WITH DCT16-02-00 AUTOMATIC DIE, DTT-16-00 OR DTT-16-01 HAND TOOLS. SEE DRAWING 0425-203-0000 FOR APPLICABLE WIRE SIZE, INSULATION DIAMETER RANGE, AND CRIMPING INFORMATION.
  3. ONE REEL CONTAINS APPROXIMATELY 4000 CONTACTS.
  2. DIMENSIONAL TOLERANCE:  $\pm .025$  [0.63].
  1. DIMENSIONS ARE IN INCHES [mm].
- NOTES: UNLESS OTHERWISE SPECIFIED

SIGNATURE & DATE	
DR	M. BLUM 11/03/99
CHK	[Signature] 7/11/07
PE	D. Meyer 7/10/07
APPD	R. Reed 7-11-07
SCALE	NONE WT

STAMPED CONTACT  
SOCKET  
SIZE 16

ENVELOPE

EP	MATL. CODE
<b>The Deutch Company</b> DEUTSCH I.P.D. 3850 INDUSTRIAL AVE. HEMET, CALIF. 92545	
<b>B</b>	<b>1062-16-01 **</b>
DWG SIZE	CODE 11139 SHEET   OF