

## Series Indicator compact.

www.eao.com



## Series 14

## *Indicator compact.*

Compact, high-intensity illuminated, reliable LED indicator for safe status indication, for use in many types of applications including machinery, industrial automation, robotics and special vehicles.

EAO, the Expert Partner for innovative, intuitive and reliable Human Machine Interfaces (HMIs), has added an innovative indicator to its Series 14. It offers homogeneous LED illumination, an easy-to-mount PIT terminal, a very low back panel depth of just 9.5 mm and 180° all-round visibility – even from great distances.

Indicators must function reliably, especially when used to signal operational status. OEMs and end users continue to demand ever more compact devices with the miniaturisation of operator devices. Even with these restrictive design principles, high-intensity and homogeneous illumination, a strong level of front protection, all-round visibility, and a robust construction are still a must.

EAO Series 14 indicators comply with these requirements, allowing for operating temperatures from  $-25\,^{\circ}\mathrm{C}$  to  $+60\,^{\circ}\mathrm{C}$ . The robust front protection (up to IP69K) and the IK07 impact resistance make this indicator ideal for use in harsh environments – in interior and exterior spaces along with applications where high levels of humidity and extreme temperature fluctuations are present.

With a minimal back panel depth of just 9.5 mm, a small outer diameter of 33.5 mm, and a polyamide seal, these units function reliably once mounted in even the most confined spaces.

Thanks to its front or rear-mounting ability, these indicators offer ease and flexibility with panel installation. Once secured to the panel by use of a fixing nut or a screw thread in the mounting cut-out, the cable is then connected quickly by use of practical push-in terminals (PIT). These units can handle an operational voltage range between 14 and 32 VAC/DC, with a current consumption of less than 50 mA.

The standard range of options includes red, blue, green, orange and white LEDs, which offer a lifetime of more than 50000 operating hours. EAO Value Added Services are possible with customisation options including colours, operating voltage and connectors and cables.

If compact design, high-intensity illumination and maximum reliability are needed, the Series 14 short indicator is the perfect choice.

## Advantages.

- · High-intensity illumination
- · Compact, space-saving design
- 180° all-round visibility
- · Easy mounting with reliable PIT terminal
- IP69K protection

#### Typical applications

- Machinery and industrial automation
- Robotics
- Heavy duty and special vehicles
- Rail vehicles

#### Mechanical characteristics

- Back panel depth: 9.5 mmOuter diameter: 33.5 mm
- Height: 28.5 mm

#### Electrical characteristics

- Terminal: Push-in terminal (PIT); 0.75 mm²
- Operating voltage: 14 to 32 VAC/DC
- Current consumption: <50 mA</li>


#### Degree of protection


• IP65, IP67, IP69K front protection

#### Standards and directives


· CE, UL

#### Dimensions






#### Mounting cut-out



All dimensions in mm.





# EAO reserves the right to change specifications without further notice.

### **EAO** Contact.

## Your centre of excellence.

#### Headquarters

#### EAO Holding AG

Tannwaldstrasse 88 CH-4600 Olten Telephone +41 62 286 92 00 info@eao.com

#### **Manufacturing Companies**

#### Switzerland

EAO AG Tannwaldstrasse 88 CH-4600 Olten Telephone +41 62 286 91 11 info@eao.com

EAO Systems AG Tannwaldstrasse 88 CH-4600 Olten Telephone +41 62 286 91 11 sales.esy@eao.com

#### China

EAO (Guangzhou) Ltd.
3/F, Block G4, South China
New Materials Innovation Park
31 Kefeng Road,
Guangzhou Science City,
CN-Guangzhou, PRC
Telephone +86 20 3229 0390
sales.ecn@eao.com

#### Germany

EAO Automotive GmbH & Co. KG Richard-Wagner-Straße 3 DE-08209 Auerbach/Vogtland Telephone +49 3744 8264 0 sales.esa@eao.com

#### North America

EAO Corporation
One Parrott Drive
Shelton
US-CT 06484
Telephone +1 203 951 4600
sales.eus@eao.com

#### Sales Companies

#### China

EAO (Guangzhou) Ltd.
3/F, Block G4, South China
New Materials Innovation Park
31 Kefeng Road,
Guangzhou Science City,
CN-Guangzhou, PRC
Telephone +86 20 3229 0390
sales.ecn@eao.com

EAO (Shanghai) Office Rm. 403, Block 5#, CIFI Century Square, Lane 28, NO. 21, Danba Road, Putuo District CN-Shanghai PRC Telephone +86 21 6095 0717 sales.ecn@eao.com

#### France

EAO France SAS 5, rue Henri François FR-77330 Ozoir-la-Ferrière Telephone +33 1 64 43 37 37 sales.efr@eao.com

#### Germany, Austria, Poland, Czech Republic

EAO GmbH Langenberger Straße 570 DE-45277 Essen Telephone +49 201 8587 0 sales.ede@eao.com

#### Hong Kong (Asia Pacific)

EAO (Far East) Ltd. Unit A1, 1/F, Block A Tin On Industrial Building 777 Cheung Sha Wan Road Lai Chi Kok, Kln HK-Hong Kong Telephone +852 27 86 91 41 sales.ehk@eao.com

#### Italy

EAO Italia S.r.I.
Centro Direzionale Summit –
Palazzo D1
Via Brescia, 28
IT-20063 Cernusco sul Naviglio (MI)
Telephone +39 02 92 471934
sales.eit@eao.com

#### Japan

EAO Japan Co. Ltd. Net 1 Mita Bldg. 3F 3-1-4 Mita Minato-ku JP-Tokyo 108-0073 Telephone +81 3 5444 5411 sales.ejp@eao.com

#### Netherlands, Belgium

EAO Benelux B.V. Kamerlingh Onnesweg 46 NL-3316 GL Dordrecht Telephone +31 78 653 17 00 sales.enl@eao.com

#### North America

EAO Corporation One Parrott Drive Shelton US-CT 06484 Telephone +1 203 951 4600 sales.eus@eao.com

#### Sweden

EAO Svenska AB Box 7032 SE-121 07 Stockholm-Globen Telephone +46 8 683 86 60 sales.esw@eao.se

#### Switzerland

EAO Schweiz AG Tannwaldstrasse 86 CH-4600 Olten Telephone +41 62 286 95 00 sales.ech@eao.com

#### United Kingdom

EAO Ltd.
Highland House
Albert Drive
Burgess Hill
GB-West Sussex RH15 9TN
Telephone +44 1444 236 000
sales.euk@eao.com