

RELAYS, CONTACTORS & SWITCHES

HALF-SIZE RELAYS





✓ Active

<u>±</u>

PRODUCT DRAWING



3D PDF

TE CONNECTIVITY (TE)

HFW1201K45M = M39016/6-109M

CII | HFW Half-Size Relay

HFW1201K45M

TE Internal Number: 2-1617031-1 Mil-Spec: M39016/6-109M

Not EU RoHS or ELV Compliant Find Compliant Alternatives

Contact Arrangement 2 Form C, DPDT, 2 C/O

Input Voltage (VDC) 26.5

Contact Current Rating (A) 2

Coil Voltage Rating (VDC) 26.5

Coil Resistance (Ω) 700

Product Drawings TYPE HFW RELAY

PDF **English**

CAD Files 3D PDF

PDF

Customer View Model

2D_DXF.ZIP English

Customer View Model

3D_IGS.ZIP English

Customer View Model

3D_STP.ZIP **English**

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features Coil Latching Without

Product Type Relay

MOSFET Driver Without


Relay Type Military/Aerospace High Performance

Enclosure Type Hermetically Sealed

Configuration Features Transistor Driver Without

Electrical Characteristics	Input Voltage (VDC)	26.5	
	Coil Voltage Rating (VDC)	26.5	
	Coil Resistance (Ω)	700	
	Coil Power Rating (DC) (mW)	1003	
	Coil Suppression Diode	Without	
	Actuating System	DC	
	Vibration	30G's, 10 – 3000Hz	
	Coil Magnetic System	Non-Polarized, Monostable	
	Coil Power Measurement	Milliwatts	
	Coil Polarity Protection Diode	Without	
	Shock	100G's, 6ms	
Contact Features	Contact Arrangement	2 Form C, DPDT, 2 C/O	
Contact Features	Contact Arrangement Contact Current Rating (A)	2 Form C, DPDT, 2 C/O	
Contact Features			
Contact Features Termination Features			
	Contact Current Rating (A)	2	
	Contact Current Rating (A)	2	
Termination Features	Contact Current Rating (A) Termination Type	PC Pins	
Termination Features	Contact Current Rating (A) Termination Type	PC Pins	
Termination Features Mechanical Attachment	Contact Current Rating (A) Termination Type Mounting Type	PC Pins Printed Circuit Board	

CUSTOMERS ALSO BOUGHT



VIEW ALL PRODUCT COMPLIANCE