






LOC	DIST	REVISIONS					
H	-	P	LTR	DESCRIPTION	DATE	OWN	APVD
			B	ECR-13-000236	07JAN2013	PW	DH
			C	ECR-13-001863	12MAR2013	PW	DH




1 PART NUMBER 2173089-1.
2 DRAWING REPRESENTS PART VERSION "V7".
3 PLATING:
1,2µm MIN. NICKEL ALL OVER
0,8µm MIN. GOLD ON CONTACT POINTS
3,0µm MIN. TIN ON SOLDER AREA
4 SURFACE TEXTURE Ra 1,9µm (TOOL TEXTURE
SPARK ERODED ACCORDING TO VDI 3400-24/27)
COLOUR: BLACK (PANTONE 3U2X).
5 MARKING: RECESSED MOLD CAVITY ID.
6 MARKING: RECESSED INJECTION GATE.
7 MARKING: VERSION (VX), PROCESS ID (##),
PRODUCTION DATE (YYMMDDX).
8 COPLANARITY 0,08 MAX, ALL CONTACTS AND HOUSING.




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG P. Willems 14APR2011 CHK M. Gosselink 14APR2011 APVD M. Halberstadt 14APR2011		 TE Connectivity		TYPED BY: _____ CHECKED BY: _____ DATE: _____	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0,2 1 PLC ±0,1 2 PLC ±0,05 4 PLC ± ANGLES ± MATERIAL FINISH		NAME RECEPTACLE CONNECTOR 3 POSITION, SMD BATTERY BLOCK		SIZE A2	
		PRODUCT SPEC 108-19276 APPLICATION SPEC -		CAGE CODE 00779		DRAWING NO C-2173089	
WEIGHT -		RESTRICTED TO -		SCALE 5.1		SHEET 1 OF 3	
Customer Drawing		REV C		DATE 14APR2011		BY M. Halberstadt	

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
H	-		-	SEE SHEET 1	-	-	-



SCALE 10:1



PWB LAYOUT
(AREA UNDER CONNECTOR FREE OF SOLDER SCREEN)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±0,2

1 PLC ±0,1

2 PLC ±0,05

3 PLC ±-

4 PLC ±-

ANGLES ±-

FINISH

MATERIAL

-

DWN 14APR2011
P.Willems

CHK 14APR2011
M.Gosselink

APVD 14APR2011
D.Halberstadt

PRODUCT SPEC

108-19276

APPLICATION SPEC

-

WEIGHT

-

Customer Drawing

TE Connectivity

NAME

RECEPTACLE CONNECTOR
3 POSITION, SMD
BATTERY BLOCK

SIZE

A2

CAGE CODE

00779

DRAWING NO

2173089

RESTRICTED TO

-

SCALE

15:1

SHEET

2

OF

3

REV

C

P	LTR	DESCRIPTION	DATE	DWN	APVD
-		SEE SHEET 1	-	-	-

D

D

C

C

B




B

A

A

NOTES:

- REEL DIMENSION: 330x90x24.4
- QTY PER REEL: 1700PCS



USER UNREEL DIRECTION →

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±0,2
1 PLC	±0,1
2 PLC	±0,05
3 PLC	±
4 PLC	±
ANGLES	±
FINISH	±

MATERIAL

-

DWN

P. Willems

14APR2011

CHK

M. Gosselink

14APR2011

APVD

D. Halberstadt

14APR2011

PRODUCT SPEC

108-19276

APPLICATION SPEC

-

WEIGHT

-

Customer Drawing

TE Connectivity

RECEPTACLE CONNECTOR
3 POSITION, SMD
BATTERY BLOCK

SIZE

A2

CAGE CODE

00779

DRAWING NO

C=2173089

RESTRICTED TO

-

SCALE

15:1

SHEET

3

OF

3

REV

C

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2173089-1](#)