

## Components of electronic housing - BC 107,6 OT U11 KMGY - 2896076

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Upper part for installation housing BC, width: 107.6 mm, wiring space depth: 11 mm

The illustration shows the gray version



### Key commercial data

Packing unit	1 1
Weight per Piece (excluding packing)	37.92 GRM
Custom tariff number	85472000
Country of origin	Germany

### Technical data

#### General

Housing type	Component housing
Housing material	polycarbonate
Color	light gray

#### Dimensions

Length	89.7 mm
Constructional height	62.2 mm
Width	107.6 mm

#### Technical data

Inflammability class according to UL 94	V0
---	----

# Components of electronic housing - BC 107,6 OT U11 KMGY - 2896076

## Classifications

### eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506
eCl@ss 6.0	27180802
eCl@ss 7.0	27182702
eCl@ss 8.0	27182702

### ETIM

ETIM 2.0	EC001031
ETIM 3.0	EC001031
ETIM 4.0	EC001031
ETIM 5.0	EC000886

### UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

## Approvals

### Approvals

---

#### Approvals

UL Recognized / GOST / GOST

---

#### Ex Approvals

---

Approvals submitted

---

### Approval details

# Components of electronic housing - BC 107,6 OT U11 KMGY - 2896076

## Approvals


UL Recognized

GOST

GOST

## Drawings

Dimensioned drawing



The dimensional drawing shows the item along with the lower part of the housing (terminal installation depth 11.1 mm) and the housing cover