

Antenna - RAD-900-ANT-OMNI-2-N - 2904802

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Omnidirectional antenna, 868/900 MHz, 2 dBi, linear vertical polarization, N (female), IP66

Why buy this product

- ✓ Small antennas are suitable for applications with a shorter range
- ✓ Large antennas are suitable for applications requiring longer range

RoHS

Key Commercial Data

Packing unit	1 STK
Weight per Piece (excluding packing)	1.000 g
Custom tariff number	85177019
Country of origin	China

Technical data

Dimensions

Height	84 mm
Diameter	36 mm

Ambient conditions

Degree of protection	IP66
Ambient temperature (operation)	-40 °C ... 70 °C
Ambient temperature (storage/transport)	-40 °C ... 70 °C

General

With connecting cable	No
Frequency range	900 MHz
	868 MHz ... 960 MHz

Antenna - RAD-900-ANT-OMNI-2-N - 2904802


Technical data

General

Horizontal beamwidth	360 °
Vertical beamwidth	50 °
Polarization	vertical
Impedance	50 Ω
Gain	2.15 dBi
Connection method	Type N (female)
Material	Xenoy 5720U-7014

Drawings

Dimensional drawing



Classifications

eCl@ss

eCl@ss 4.1	27230207
eCl@ss 5.1	19070102
eCl@ss 6.0	27061805
eCl@ss 8.0	19070105
eCl@ss 9.0	19070105

ETIM

ETIM 4.0	EC000416
ETIM 5.0	EC001698
ETIM 6.0	EC001698

UNSPSC

UNSPSC 13.2	43221715
-------------	----------

Accessories

Accessories

Antenna - RAD-900-ANT-OMNI-2-N - 2904802

Accessories

Mounting material

Mounting material - RAD-ANT-VAN-MKT - 2885870



Mounting material for wall mounting of OMNI omnidirectional antenna with protection against vandals