



1. CHARACTERISTIC IMPEDANCE: 100±10 OHMS
 (MEASURED DIFFERENTIALLY)

2 LABEL INFORMATION:



3 LABEL INFORMATION:



4. SEE SHEET 2 FOR WIRING SCHEMATIC.


5. ROHS COMPLIANCE: PRODUCT AND PROCESSING MEETS REQUIREMENTS OF
 TE CONNECTIVITY SPECIFICATION TEC-138-702.

24 AWG	15 ^{+0.12} ₋₀ METERS	1-2111654-5
28 AWG	10 ^{+0.12} ₋₀ METERS	1-2111654-0
30 AWG	7 ^{+0.1} ₋₀ METERS	2111654-7
CABLE GAUGE	L	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DIN	G GARRETT	05DEC2012
mm	0 PLC ± -	CHK	S HERNDON	05DEC2012
	1 PLC ± -	APVD	S HERNDON	05DEC2012
	2 PLC ± -	NAME	CABLE ASSY,SFP+ TO SFP+	
	3 PLC ± -	PRODUCT SPEC	-	
	4 PLC ± -	APPLICATION SPEC	-	
	ANGLES ± -	SIZE	CAGE CODE	DRAWING NO
MATERIAL	FINISH	WEIGHT	A1 00779	2111654
		CUSTOMER DRAWING	SCALE 1:1	SHEET 1 OF 2

TE Connectivity



THIS DRAWING IS A CONTROLLED DOCUMENT.		DIN G. GARRETT 05DEC2012	TE Connectivity
DIMENSIONS: mm		CHK S. HERNDON 05DEC2012	
		APVD S. HERNDON 05DEC2012	NAME CABLE ASSY,SFP+ TO SFP+
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	APPLICATION SPEC
0. PLC ± - 1. PLC ± - 2. PLC ± - 3. PLC ± - 4. PLC ± - ANGLES ± -		WEIGHT	RESTRICTED TO
MATERIAL		SIZE A1	CAGE CODE 00779
FINISH		DRAWING NO. 2111654	SCALE 1:1
CUSTOMER DRAWING		SHEET 2	OF 2
		REV A	