

Mounting brackets - PSD-S ME BR-SM/2S - 2700161

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Angle for two-sided floor mounting, concealed cable routing, black

Why buy this product

- With concealed cable routing



Key Commercial Data

Packing unit	1 STK
GTIN	4 046356 491518
GTIN	4046356491518
Weight per Piece (excluding packing)	75.200 g
Custom tariff number	39269097
Country of origin	Germany

Technical data

Dimensions

Diameter	70 mm
Height	98 mm

Ambient conditions

Ambient temperature (operation)	-30 °C 60 °C

General

Material	PA A3 x 2G5
Color	black



Mounting brackets - PSD-S ME BR-SM/2S - 2700161

Technical data

General


Weight	71 g
Mounting position	any
Mounting type	Base mounting
Assembly instructions	Seal is supplied with
Scope of delivery	4 x lens sheet screw 3 x seal

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Drawings

Dimensional drawing



Classifications

eCl@ss

eCl@ss 4.0	27143203
eCl@ss 4.1	27143203
eCl@ss 5.0	27371232
eCl@ss 5.1	27371232
eCl@ss 6.0	27371232
eCl@ss 7.0	27371232
eCl@ss 8.0	27371233
eCl@ss 9.0	27371233

ETIM

ETIM 3.0	EC001152
ETIM 4.0	EC001152
ETIM 5.0	EC001153



Mounting brackets - PSD-S ME BR-SM/2S - 2700161

Classifications

ETIM			
ETIM 6.0		EC001153	
UNSPSC			
UNSPSC 6.01		43172015	
UNSPSC 7.0901		43201404	
UNSPSC 11		39121311	
UNSPSC 12.01		39121311	
UNSPSC 13.2		39121311	
Approvals			
Approvals			
Approvals			
EAC / EAC			
Ex Approvals			
Approval details			
EAC	EAC		RU *- DE.A*30.B.00237

Phoenix Contact 2017 © - all rights reserved http://www.phoenixcontact.com

EAC

EHC

EAC-Zulassung