

## FLKM 50-PA-S400(3-48)

Order No.: 2294908

The illustration shows version FLKM 50-PA-S400

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2294908>VARIOFACE front adapter, for Siemens SIMATIC® S7-400, only  
analog

### Commercial data

GTIN (EAN)	4017918156350
sales group	I600
Pack	2 pcs.
Customs tariff	85369010
Weight/Piece	0.196 KG
Catalog page information	Page 214 (IF-2009)

### Product notes

WEEE/RoHS-compliant since:  
07/14/2009

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### General

Nominal voltage $U_N$	< 50 V AC
	60 V DC
Channels which can be connected	32
Connection type, plug connector	Flat-ribbon cable plug connector in acc. with IEC 60603-13

Number of plug connectors	1
No. of positions, plug connector	50
Number of positions	50
Ambient temperature (operation)	-20 °C ... 50 °C
Ambient temperature (storage/transport)	-20 °C ... 70 °C
Mounting position	Any
Standards/regulations	IEC 60664
	DIN EN 50178
	IEC 62103
Max. permissible current	1 A (per path)
Pollution degree	2
Surge voltage category	II
Supported controller	SIEMENS S7-400
Supported I/O card	431-0HH0-0AB0
	431-1KF00-0AB0
	431-1KF10-0AB0
	431-1KF20-0AB0
	431-7KF00-0AB0
	431-7KF10-0AB0
	431-7QH00-0AB0
	432-1HF00-0AB0

#### Certificates / Approvals




Certification

GOST

**Diagrams/Drawings**

Circuit diagram

Connection scheme FLKM 50-PA-S400 (3-48)



**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2010 Phoenix Contact  
Technical modifications reserved;