

# FLKM S115/S400/SO155


Order No.: 2307248



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2307248>

The FLKM S115/S400/SO adapter links a SIMATIC® S5 connector directly with the basic SIMATIC® S7 400 card. Conversion: 6ES5 420-7LA11 / 6ES5 430-7LA11 on 6ES7-421-1BL01-0AA0 or 6ES5 441-7LA11 / 6ES5 451-7LA11 on 6ES7 422-1BL01-0AA0

## Commercial data

GTIN (EAN)	 4 017918 985554
sales group	I600
Pack	1 pcs.
Customs tariff	85369010
Catalog page information	Page 242 (IF-2011)

## Product notes

WEEE/RoHS-compliant since:  
01/01/2003



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

## Technical data


### General

Nominal voltage $U_N$	24 V AC/DC
Ambient temperature (operation)	-20 °C ... 50 °C
Ambient temperature (storage/transport)	-20 °C ... 70 °C

Mounting position	Vertical
Standards/regulations	DIN EN 50178
	IEC 62103
Max. permissible current	4 A (per path)
	4 A (per connection, supply via separate power supply)

**Diagrams/Drawings**

Circuit diagram



Connection scheme: FLKM S115/S400/SO155

**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2011 Phoenix Contact  
Technical modifications reserved;