


2000-200

6U CompactPCI Prototyping Board



photo

zoom

FEATURES

- Plated holes for 2mm J1-5 pressfit connectors
 - Plated holes for RJ45 (3), DB25, DB9, VGA, PS/2, USB
 - Plated holes with traces connected to every connector pin (for installing headers or soldering components)
 - Labeled bus bars for all cPCI voltages
 - 11 additional bus bars for ground
 - Prototyping area with plated holes on 0.1" grid
 - Multi-layer design
 - Board does not include connectors
-

Category	Name	Short Description
PCI Extenders, Prototyping Boards & Development Tools \ Connectors	2000-64PCI	cPCI to PCI Passive Adapter
PCI Extenders, Prototyping Boards & Development Tools \ Development Tools	2000-7586	PCI to CompactPCI Adapter Adapts Standard 32 Bit, 5 volt PCI Cards to CompactPCI Form Factor. For use with CompactPCI Backplane.
CompactPCI backplanes, extenders, adapters \ Prototyping Boards	2000-50	3U CompactPCI Prototyping Board. The perfect board for developing mechanical and functional CompactPCI hardware designs.
CompactPCI backplanes, extenders, adapters \ Prototyping Boards	2000-80	6U, 80mm CompactPCI Rear I/O Prototyping Board. The perfect board for developing mechanical and functional CompactPCI hardware designs. <ul style="list-style-type: none"> ● Plated holes for 2mm J1 - J5 pressfit connectors ● Plated holes for RJ45(3), DB25, & DB9 connectors ● Plated holes with traces connected to every connector pin (for monitoring signals or soldering components) ● Labeled bus bars for all cPCI voltages ● Additional bus bars for ground ● Prototyping area with plated holes on 0.1" grid

6U CompactPCI Prototyping Board.

The perfect board for developing mechanical and functional CompactPCI hardware designs. Designated areas for all cPCI connectors and 6 other commonly used connectors. All connector through holes extend to dedicated through holes for signal monitoring or soldering components.

[CompactPCI backplanes, extenders, adapters \ Prototyping Boards](#)

[2000-200](#)

6U CompactPCI Prototyping Board with pressfit connectors, 2mm headers, and ejector handle.

J1-5 pressfit connectors loaded. Plated holes next to pressfit connectors are loaded with 2mm headers for easy connection to logic analyzer. Ejector handles/faceplate installed.

[CompactPCI backplanes, extenders, adapters \ Prototyping Boards](#)

[2000-200-Loaded](#)

3U CompactPCI Extender

Supports both 32 and 64 bit transfers.

[CompactPCI backplanes, extenders, adapters \ Extender Cards - Passive](#)

[2000-EXTM-LF](#)

Multi-layer design with full ground and power planes.

All power rails fused with standard 3AG fuses. Lead-free version (-LF)

6U CompactPCI Extender

Supports both 32 and 64 bit transfers.

[CompactPCI backplanes, extenders, adapters \ Extender Cards - Passive](#)

[2000-6U-EXTM-LF](#)

Multi-layer design with full ground and power planes.

All power rails fused with standard 3AG fuses.