

D

C

B




A

D

C


B



A



-1 ; AS SHOWN
THE NUMBER OF PINS
SIGNAL 112P
POWER 4P
SIGNAL 8P
VOID 20P

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M.TANAKA 12MAY2008	Tyco Electronics Corporation Kawasaki, Japan	
DIMENSIONS: 単位: 特 mm		CHK I.IGARASHI 12MAY2008	NAME 0.8 DOCKING CONNECTOR H=11.8 PLUG 140P/POWER 4P WITH SHUTTER	
TOLERANCES UNLESS OTHERWISE SPECIFIED 一般公差		APVD T.FUTATSUGI 12MAY2008	SIZE A2	
GENERAL TOLERANCE 一般公差 10 ≥ : ±0.2 30 ≥ > 10: ±0.25 100 ≥ > 30: ±0.3 ANGLES: ±3°		PRODUCT SPEC 製品規格	CAGE CODE 00779	DRAWING NO 番号 C=2040928
MATERIAL 材料		APPLICATION SPEC 取付適用規格	WEIGHT	RESTRICTED TO
FINISH 仕上		CUSTOMER DRAWING		
SCALE 尺度 4:1		SHEET 1 OF 4		
REV A				











GENERAL TOLERANCE
一般公差

10	≥	±0.2
30	≥ > 10	±0.25
100	≥ > 30	±0.3
ANGLES: ±3°		

2040928

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
J		—	—	SEE SHEET 1	—	—



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	Tyco Electronics Tyco Electronics Corporation Kawasaki, Japan			
DIMENSIONS: 単位: 特 mm		CHK				
		APVD	NAME 名称			
		PRODUCT SPEC 製品規格	0.8 DOCKING CONNECTOR H=11.8 PLUG 140P/POWER 4P WITH SHUTTER			
		APPLICATION SPEC 取付適用規格	SIZE	CAGE CODE	DRAWING NO 番号	RESTRICTED TO
		WEIGHT	A2	00779	C=2040928	
MATERIAL 材料		CUSTOMER DRAWING		SCALE 尺度	SHEET 4 of 4	REV A

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2040928-1](#)