

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

—, —, —

© COPYRIGHT — By —

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD

—

—

SEE SHEET 1

—

—

—

CONTACT LAYOUT

M12—Females 4—pole

5(PE)

3(—)

2

4(N/O)—(S1)

1(+)

CIRCUIT DIAGRAM

gn/ye

blue (—)

brown (+)

white

green

1

2

for 1 signal per port

gn/ye

blue (—)

brown (+)

white

green

yellow

gray

pink

red

black

violet

1

2

3

4

5

6

7

8

4xM12

8xM12

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

MATERIAL

—

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ± —

1 PLC ± —

2 PLC ± —

3 PLC ± —

4 PLC ± —

ANGLES ± —

FINISH —

DWN 16JAN2014

SATHISH KUMAR .G

CHK 16JAN2014

B.VELDHOVEN

APVD 16JAN2014

A.VAN ZANDVOORT

PRODUCT SPEC

—

APPLICATION SPEC

—

WEIGHT

—

CUSTOMER DRAWING

TE

TE Connectivity

NAME

DISTR BOX M12 4POS 8WAY PNP

—

—

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=2273157

—

SCALE

SHEET

REV

NTS

2 OF 2

A

1470—19 (3/11)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2273157-3](#)