


# ASI IO ME DIO 4/4 AB


Order No.: 2773542



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2773542>


Digital input/output module, according to specification 3.0, degree of protection IP20, 4 digital inputs, 24 V DC, 4 digital outputs, 24 V DC, COMBICON plugs included



Commercial data	
GTIN (EAN)	 4 046356 295284
Note	Made-to-order
sales group	L113
Pack	1 pcs.
Customs tariff	85389091
Catalog page information	Page 273 (AX-2011)

**Product notes**

WEEE/RoHS-compliant since:  
11/26/2010



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
<b>AS-Interface</b>	
Slave type	A/B slave
AS-i specification	3.0
IO code	7
ID1 code	7

ID2 code	7
ID code (hex)	A
ID code (dec.)	10
AS-i profile	S-7.A.7
Required master specification	>= 3.0

#### General data

Width	22.5 mm
Height	102 mm
Depth	105 mm

#### Certificates / Approvals



Certification

CUL Listed, UL Listed

#### Accessories

Item	Designation	Description
<b>Cable/conductor</b>		
2741341	ASI CC ADR CAB CINCH	Cinch connecting cable, for addressing FLX ASI M12 devices
<b>Handheld operator panel</b>		
2741338	ASI CC ADR	Manual addressing device, for AS-i modules

**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2011 Phoenix Contact  
Technical modifications reserved;