


PAS-1

Order No.: 2765615

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2765615>

Equipotential busbar

Commercial data	
GTIN (EAN)	 4 017918 066475
sales group	J981
Pack	1 pcs.
Customs tariff	85389099
Catalog page information	Page 60 (TT-2011)

Product notes

WEEE/RoHS-compliant since:
02/23/2006

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Product description

The equipotential busbar, PAS-1 is designed for the main equipotential bonding in accordance with DIN VDE 0185. PAS-1 has a contact bar in the form of a comb. Nine loose slide-on terminal blocks are available for connecting round conductors with a cross section of 2.5 mm² to 95 mm². In addition, a 4 x 30 mm steel strip can be connected using the double terminal block (2), see figure below. A label can be found in the sealable plastic cover, on which the identification of the conductors connected can be entered. PAS-1 has the VDE mark of conformity in accordance with DIN VDE 0618-1:1989-08.

Technical data

General

Connection method	Screw connection
Conductor cross section solid min.	2.5 mm ²
Conductor cross section solid max.	95 mm ²
Length	149.00 mm
Width	59.00 mm
Height	49.00 mm
Color	black

Certificates / Approvals




Certification


VDE-PZI

Diagrams/Drawings

Dimensioned drawing



Schematic diagram



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;