



THIS DRAWING IS A CONTROLLED DOCUMENT
REV 10
9C-5061



Left Side
Connector(s): LC-Duplex Secure
Mode: MM
Housing Color: Yellow
Geom. Spec: N/A



Right Side
Connector(s): LC-Duplex
Mode: MM
Housing Color: Beige
Geom. Spec: N/A

- Notes:
- 1 IL tested at 1300nm.
 - 2 Product and Processing must meet requirements of Tyco Electronics Standard 230-702
 - 3 Label 2 will not be present on any cable assembly less than 5 meters long.
 - 4 Includes dust caps (not shown on print).

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS, INC. IT IS NOT TO BE DISCLOSED TO ANY OTHER PERSONS OR ORGANIZATIONS WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA.

LOC
CE
DIST
16

	A	Rev Per EC#	RELEASE	3/17/2009	-	JB			
P	LTR	REVISION RECORD		DATE	DN	APVD			

DIMENSIONS: meters	TOLERANCES UNLESS OTHERWISE SPECIFIED:
	0 P.L.C. ± .
	1 P.L.C. ± .
	2 P.L.C. ± .
	3 P.L.C. ± .
	4 P.L.C. ± .

Restricted To:

DIN		Cable Assy Configurator		MATERIAL	HEAT TREAT				
CHK		James Barry		 Tyco Electronics, Inc. Harrisburg, PA 17105-3608					
APVD		James Barry							
NAME									
FO C/A - 2 fiber, 50/125, OFNP (Plenum) jacket, LC-Duplex Secure to LC-Duplex									
SCALE	NTS	SIZE	A2	DRAWING NO	C- 1905362	SHEET	1 of 3	REV	A

8 7 6 5 4 3 2 1

ON 2/10/20

THIS DRAWING IS A CONTROLLED DOCUMENT.

LOC
CE
DIST
16

CAC Customer Layout Rev: D


Qty	U of M	Description	Item No.
2	piece	Trace Label	7
4	piece	Eyelet/Shrink tube assembly - White	6
AR	meter	2 fiber, 50/125, 1.8mm, Twinzip, Yellow, OFNP (Plenum)	5
2	piece	LC Connector Assy, 1.6mm-2.0mm, MM	4
2	piece	LC Connector Assy, MM	3
2	piece	LC Duplex clip, black	2
4	piece	LC, SC, FC Straight Boot, Beige	1

	A	Rev Per EC#	RELEASE	3/17/2009	-		JE
P	LTR		REVISION RECORD	DATE	DIN	AP	

DIMENSIONS;
meters



Restricted To:

DPN Cable Assy Configurator		MATERIAL -		HEAT TREAT -	
CHK James Barry					
APVD James Barry					
NAME FO C/A - 2 fiber, 50/125, OFNP (Plenum) jacket, LC-Duplex Secure to LC-Duplex					
SCALE NTS		SIZE A2		DRAWING NO C- 1905362	
				SHEET 2 of 3	
				REV A	

D

C

B

A

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION. IT MAY NOT BE DISCLOSED TO ANY OTHERS WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA.

THIS DRAWING IS A CONTROLLED DOCUMENT.

LOC
CE
DIST
16

CAC Customer Layout Rev: D

8 7 6 5 4 3 2 1

	A	Rev Per EC#	RELEASE	3/17/2009	-	JB	
P	LTR	REVISION RECORD		DATE	DIN	APVD	

DIMENSIONS: meters

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 P.L.C. ± .
1 P.L.C. ± .
2 P.L.C. ± .
3 P.L.C. ± .
4 P.L.C. ± .

Restricted To:

DIN		Cable Assy Configurator		MATERIAL	HEAT TREAT				
OK		James Barry		 Tyco Electronics, Inc. Harrisburg, PA 17105-3608					
APVD		James Barry							
NAME		FO C/A - 2 fiber, 50/125, OFNP (Plenum) jacket, LC-Duplex Secure to LC-Duplex							
SCALE	NTS	SIZE	A2	DRAWING NO	C- 1905362	SHEET	3 of 3	REV	A

Label 1

Per specification 107-1645-1



Trace # - Bar Code
Trace # - Human Readable
Part Number
Country of Origin

This label is used on all lengths on this drawing.

Label 2

Per specification 107-1645-1



Trace # - Bar Code
Trace # - Human Readable
Part Number
Country of Origin

This label is used on all lengths on this drawing.

D
C
B
A