


# EMG 15-LG/SET

Order No.: 2942975



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2942975>

Electronic housing set, consisting of electronic housing and printed circuit termination blocks, pitch 5

Commercial data	
GTIN (EAN)	 4 017918 080938
sales group	F001
Pack	10 pcs.
Customs tariff	85369010
Catalog page information	Page 569 (CC-2011)

### Product notes

WEEE/RoHS-compliant since:  
08/06/2004



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

## Technical data

General	
Housing type	Component housing
Housing material	Polycarbonate fiber reinforced
Color	green

**Dimensions / positions**

Length	75 mm
Width	15 mm
Number of positions	6
Pitch	5 mm

**Technical data**

Ambient temperature (operation)	-40 °C ... 125 °C
Inflammability class acc. to UL 94	V0
Power dissipation at 20°C in the horizontal mounting position	1.2 W 1.3 W 7.5 mm
	1.4 W 1.5 W 15 mm
	2 W 2.7 W 52 mm

**Accessories**

Item	Designation	Description
------	-------------	-------------

**Assembly**

2941510	EMG-KA	Terminal block/screw cover, set consisting of 50 strips each for terminal blocks and screw openings, 1 strip covers 12 terminal points.
---------	--------	---

**General**

2947857	P 1-EMG 15	PCB for assembling electronic components
---------	------------	--

**Marking**

2947035	EMG-GKS 12	Equipment marker, width 12 mm
---------	------------	-------------------------------

**Additional products**

Item	Designation	Description
------	-------------	-------------

**Assembly**


2947828	EMG 15-H 7,5MM KLAR	Covering hood, for the contact and dust-protected encapsulation of the components, in transparent design. Height: 7.5 mm, width: 15 mm
2947831	EMG 15-H 15MM KLAR	Covering hood, for the contact and dust-protected encapsulation of the components, in transparent design. Height: 15 mm, width: 15 mm
2947844	EMG 15-H 52MM GN	Covering hood, for the contact and dust-protected encapsulation of the components, in green design. Height: 52 mm, width: 15 mm

**Article Sets**


Item	Designation	Description
<b>Allgemein</b>		
2908508	EMG 15-LG	Electronic housing, with universal foot, for PCB insertion, without screw connection terminal blocks and cover
1712698	MKDS 3/ 3-EMG 15	PC terminal block, Nominal current: 24 A, Nom. voltage: 400 V, Pitch: 5 mm, Number of positions: 3, Connection method: Screw connection, Mounting: Soldering, Conductor/PCB connection direction: 0 °, Color: green, Matches EMG 15 component housing

**Diagrams/Drawings**

Dimensioned drawing



1 = Top edge of the PCB  
 B = Housing width



Pitch 5 mm  
 a = Area for mounting components, 38 mm in the hood  
 b = Area for mounting components, 45 mm in the housing

**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2011 Phoenix Contact  
Technical modifications reserved;