

PART NO.

2226TG

REVISIONS								
ECN #	REV	DESCRIPTION	DRAWN	DATE	CHECKD	DATE	APPRVD	DATE
-	Α	RELEASED	SID	02/5/12	AMU	02/5/12		16/5/12


 0.2 ± 0.05


 1.2 ± 0.1

 1.5 ± 0.1


RoHS

Compliant













Tolerance:

 $.X = \pm 0.2$ $.XX = \pm 0.15$

Important Notice: This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should observe the the substability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for dark or personal rignyr resulting from its negligence.

TOLERANCES:

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.

DRAWN BY:	DATE:
SID	02/05/12
CHECKED BY:	DATE:
AMU	02/05/12
APPROVED BY:	DATE:
	16/05/12

DRAWING TITLE:

2.54 mm Wire to Board Crimp Terminal

SIZE A	DWG NO.	M10002779	ELECTRONIC FILE 1448953_DWG				REV A
SCALE: NTS		U.O.M.: mm		SHEET:	1	OF	2



PART NO.

2226TG

REVISIONS								
ECN # REV DESCRIPTION		DRAWN	DATE	CHECKD	DATE	APPRVD	DATE	
-	Α	RELEASED	SID	02/5/12	AMU	02/5/12		16/5/12

Specifications:

Current Rating : 3 A ac / dc Voltage Rating : 250 V ac / dc

Maximum Contact Resistance : 15 m Ω

Withstanding Voltage : 600 V ac / minute
Operating Temperature Range : -25°C to +105°C
Application Wires : #26 to #30 AWG
Insulation Outer Diameter : Ø0.9 - 1.5 mm

Mates With 2226 series housing

Mates and Finish


Contact : Brass

Finish : Tin or selective gold plated

Part Number Table

Description	Part Number		
Crimp Terminal, 24-28 AWG	2226TG		

Part Number Explanation:



Terminal : T : Terminal

Selective Gold Plated : G : Selective Gold Plated

www.element14.com www.farnell.com www.newark.com

Important Notice: This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Multicomp is the registered trademark of the Group. © Premier Farnell plc 2012.

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE FOR REFERENCE PURPOSES ONLY.
SPECIFIED,
DIMENSIONS ARE
FOR REFERENCE
PURPOSES ONLY.
l

TOLERANCES:

DRAWN BY:	DATE:
SID	02/05/12
CHECKED BY:	DATE:
AMU	02/05/12
APPROVED BY:	DATE:
	16/05/12

DRAWI	DRAWING TITLE:						
2.54 mm Wire to Board Crimp Terminal							
SIZE	DWG NO.	M10002779	ELECTRONIC FILE 1448953_DWG		REV A		
SCAL	E: NTS	U.O.M.: mm		SHEET: 2 C)F 2		