

► General data



Relay module, with 1 plug-in base for industrial relays size 1, contact: 4 PDT

Order number	2950967
Type	EMG 45-RELS/IR1

Barcode number	4017918084158
Unit pack	5 Pcs.
Customs tariff	85364190990

► Technical data

Connection data


Min. conductor cross section, rigid	0.2 mm ²
Conductor cross section, rigid max.	4 mm ²
Conductor cross section flexible min.	0.2 mm ²
Max. conductor cross section, flexible	2.5 mm ²
Min. conductor cross section AWG/kcmil	24
Conductor cross section AWG/kcmil max	12
Type of connection	Screw connection
Stripping length	8 mm
Screw thread	M 3

General data

Length	75 mm
Width	45 mm
Height	82.5 mm
Color	green
Insulating material	PC-F
Ambient temperature (operation)	-20 °C ... 50 °C
Standards/regulations	IEC 60 664/IEC 60 664 A/DIN VDE 0110, contamination class 2, surge voltage category III, DIN VDE 0109-11: 1987-12, draft, DIN VDE 0160 (in relevant parts)
Installation position	Any
Assembly instructions	In rows with zero spacing

► Drawings

Circuit diagram



▶ Accessories

Item	Designation	Description
Marking		
2947035	EMG-GKS 12	Equipment marker, width 12 mm

► Address

Phoenix Contact GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel + 49 - (0) 52 35 - 3-00
Fax + 49 - (0) 52 35 - 3-4 12 00
www.phoenixcontact.com

© Phoenix Contact
Technical modifications reserved