




42375											
ENG. NO: A-42375-0002/0036						ENG. NO: A-42375-0037/0071					
HEADER NUMBER:		42312-0036				HEADER NUMBER:		42312-0036			
PIN NUMBER:		42663-ABA154				PIN NUMBER:		42663-ABB208			
PIN LENGTH: L		.455 / 11.56				PIN LENGTH: L		.455 / 11.56			
MATING LENGTH: M		.240 / 6.09				MATING LENGTH: M		.240 / 6.09			
GOLD POINT: G		N/A				GOLD POINT: G		.100 / 2.54			
PC TAIL LENGTH: P		.125 / 3.18				PC TAIL LENGTH: P		.125 / 3.18			
TIN: T		OVERALL				TIN: T		.100 / 3.18			
CKTS:		2-36				CKTS:		2-36			
KINKS:		NO				KINKS:		NO			
VOIDED CKTS:		NONE				VOIDED CKTS:		NONE			
PACKAGING:		BULK PK-40873-0041				PACKAGING:		BULK PK-40873-0041			
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
02	22-28-4020	A-42375-0002	20	22-28-4200	A-42375-0020	02	22-28-4023	A-42375-0037	20	22-28-4203	A-42375-0055
03	22-28-4030	A-42375-0003	21	22-28-4210	A-42375-0021	03	22-28-4033	A-42375-0038	21	22-28-4213	A-42375-0056
04	22-28-4040	A-42375-0004	22	22-28-4220	A-42375-0022	04	22-28-4043	A-42375-0039	22	22-28-4223	A-42375-0057
05	22-28-4050	A-42375-0005	23	22-28-4230	A-42375-0023	05	22-28-4053	A-42375-0040	23	22-28-4233	A-42375-0058
06	22-28-4060	A-42375-0006	24	22-28-4240	A-42375-0024	06	22-28-4063	A-42375-0041	24	22-28-4243	A-42375-0059
07	22-28-4070	A-42375-0007	25	22-28-4250	A-42375-0025	07	22-28-4073	A-42375-0042	25	22-28-4253	A-42375-0060
08	22-28-4080	A-42375-0008	26	22-28-4260	A-42375-0026	08	22-28-4083	A-42375-0043	26	22-28-4263	A-42375-0061
09	22-28-4090	A-42375-0009	27	22-28-4270	A-42375-0027	09	22-28-4093	A-42375-0044	27	22-28-4273	A-42375-0062
10	22-28-4100	A-42375-0010	28	22-28-4280	A-42375-0028	10	22-28-4103	A-42375-0045	28	22-28-4283	A-42375-0063
11	22-28-4110	A-42375-0011	29	22-28-4290	A-42375-0029	11	22-28-4113	A-42375-0046	29	22-28-4293	A-42375-0064
12	22-28-4120	A-42375-0012	30	22-28-4300	A-42375-0030	12	22-28-4123	A-42375-0047	30	22-28-4303	A-42375-0065
13	22-28-4130	A-42375-0013	31	22-28-4310	A-42375-0031	13	22-28-4133	A-42375-0048	31	22-28-4313	A-42375-0066
14	22-28-4140	A-42375-0014	32	22-28-4320	A-42375-0032	14	22-28-4143	A-42375-0049	32	22-28-4323	A-42375-0067
15	22-28-4150	A-42375-0015	33	22-28-4330	A-42375-0033	15	22-28-4153	A-42375-0050	33	22-28-4333	A-42375-0068
16	22-28-4160	A-42375-0016	34	22-28-4340	A-42375-0034	16	22-28-4163	A-42375-0051	34	22-28-4343	A-42375-0069
17	22-28-4170	A-42375-0017	35	22-28-4350	A-42375-0035	17	22-28-4173	A-42375-0052	35	22-28-4353	A-42375-0070
18	22-28-4180	A-42375-0018	36	22-28-4360	A-42375-0036	18	22-28-4183	A-42375-0053	36	22-28-4363	A-42375-0071
19	22-28-4190	A-42375-0019				19	22-28-4193	A-42375-0054			
REV: T15		ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008			TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY					SHEET No. - 2 -	
DOCUMENT NUMBER: SD- 42375-001					CREATED / REVISED BY: MKIPPER			CHECKED BY: JBELL		APPROVED BY: FSMITH	
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC											

42375									
ENG. NO: A-42375-0072/0106									
HEADER NUMBER:		42312-0036							
PIN NUMBER:		42663-ABB228							
PIN LENGTH: L		.455 / 11.56							
MATING LENGTH: M		.240 / 6.09							
GOLD POINT: G		.100 / 2.54							
PC TAIL LENGTH: P		.125 / 3.18							
TIN: T		.100 / 2.54							
CKTS:		2-36							
KINKS:		NO							
VOIDED CKTS:		NONE							
PACKAGING:		BULK PK-40873-0041							
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER				
02	22-28-4026	A-42375-0072	20	22-28-4206	A-42375-0090				
03	22-28-4036	A-42375-0073	21	22-28-4216	A-42375-0091				
04	22-28-4046	A-42375-0074	22	22-28-4226	A-42375-0092				
05	22-28-4056	A-42375-0075	23	22-28-4236	A-42375-0093				
06	22-28-4066	A-42375-0076	24	22-28-4246	A-42375-0094				
07	22-28-4076	A-42375-0077	25	22-28-4256	A-42375-0095				
08	22-28-4086	A-42375-0078	26	22-28-4266	A-42375-0096				
09	22-28-4096	A-42375-0079	27	22-28-4276	A-42375-0097				
10	22-28-4106	A-42375-0080	28	22-28-4286	A-42375-0098				
11	22-28-4116	A-42375-0081	29	22-28-4296	A-42375-0099				
12	22-28-4126	A-42375-0082	30	22-28-4306	A-42375-0100				
13	22-28-4136	A-42375-0083	31	22-28-4316	A-42375-0101				
14	22-28-4146	A-42375-0084	32	22-28-4326	A-42375-0102				
15	22-28-4156	A-42375-0085	33	22-28-4336	A-42375-0103				
16	22-28-4166	A-42375-0086	34	22-28-4346	A-42375-0104				
17	22-28-4176	A-42375-0087	35	22-28-4356	A-42375-0105				
18	22-28-4186	A-42375-0088	36	22-28-4366	A-42375-0106				
19	22-28-4196	A-42375-0089							
REV: T15		ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008		TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY				SHEET No. - 3 -	
DOCUMENT NUMBER: SD- 42375-001				CREATED / REVISED BY: MKIPPER		CHECKED BY: JBELL		APPROVED BY: FSMITH	
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC									

42375									
ENG. NO: A-42375-0142/0176						ENG. NO: A-42375-0177/0211			
HEADER NUMBER:		42312-0036							
PIN NUMBER:		42663-ATB208							
PIN LENGTH: L		.530 / 13.46							
MATING LENGTH: M		.320 / 8.13							
GOLD POINT: G		.140 / 3.56							
PC TAIL LENGTH: P		.120 / 3.05							
TIN: T		.135 / 3.43							
CKTS:		2-36							
KINKS:		NO							
VOIDED CKTS:		NONE							
PACKAGING:		BULK PK-40873-0041							
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS
02	22-28-4024	A-42375-0142	20	22-28-4204	A-42375-0160	02	22-28-4027	A-42375-0177	20
03	22-28-4034	A-42375-0143	21	22-28-4214	A-42375-0161	03	22-28-4037	A-42375-0178	21
04	22-28-4044	A-42375-0144	22	22-28-4224	A-42375-0162	04	22-28-4047	A-42375-0179	22
05	22-28-4054	A-42375-0145	23	22-28-4234	A-42375-0163	05	22-28-4057	A-42375-0180	23
06	22-28-4064	A-42375-0146	24	22-28-4244	A-42375-0164	06	22-28-4067	A-42375-0181	24
07	22-28-4074	A-42375-0147	25	22-28-4254	A-42375-0165	07	22-28-4077	A-42375-0182	25
08	22-28-4084	A-42375-0148	26	22-28-4264	A-42375-0166	08	22-28-4087	A-42375-0183	26
09	22-28-4094	A-42375-0149	27	22-28-4274	A-42375-0167	09	22-28-4097	A-42375-0184	27
10	22-28-4104	A-42375-0150	28	22-28-4284	A-42375-0168	10	22-28-4107	A-42375-0185	28
11	22-28-4114	A-42375-0151	29	22-28-4294	A-42375-0169	11	22-28-4117	A-42375-0186	29
12	22-28-4124	A-42375-0152	30	22-28-4304	A-42375-0170	12	22-28-4127	A-42375-0187	30
13	22-28-4134	A-42375-0153	31	22-28-4314	A-42375-0171	13	22-28-4137	A-42375-0188	31
14	22-28-4144	A-42375-0154	32	22-28-4324	A-42375-0172	14	22-28-4147	A-42375-0189	32
15	22-28-4154	A-42375-0155	33	22-28-4334	A-42375-0173	15	22-28-4157	A-42375-0190	33
16	22-28-4164	A-42375-0156	34	22-28-4344	A-42375-0174	16	22-28-4167	A-42375-0191	34
17	22-28-4174	A-42375-0157	35	22-28-4354	A-42375-0175	17	22-28-4177	A-42375-0192	35
18	22-28-4184	A-42375-0158	36	22-28-4364	A-42375-0176	18	22-28-4187	A-42375-0193	36
19	22-28-4194	A-42375-0159				19	22-28-4197	A-42375-0194	
REV: T15		ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008			TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY				SHEET No. - 4 -
DOCUMENT NUMBER: SD- 42375-001					CREATED / REVISED BY: MKIPPER		CHECKED BY: JBELL		APPROVED BY: FSMITH
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC									

42375											
ENG. NO: A-42375-0212/0246						ENG. NO: A-42375-0247/0281					
HEADER NUMBER:		42312-0036				HEADER NUMBER:		42312-0036			
PIN NUMBER:		42663-AMA154				PIN NUMBER:		42663-AMB208			
PIN LENGTH: L		.505 / 12.83				PIN LENGTH: L		.505 / 12.83			
MATING LENGTH: M		.295 / 7.49				MATING LENGTH: M		.295 / 7.49			
GOLD POINT: G		N/A				GOLD POINT: G		.140 / 3.56			
PC TAIL LENGTH: P		.120 / 3.05				PC TAIL LENGTH: P		.120 / 3.05			
TIN: T		OVERALL				TIN: T		.135 / 3.43			
CKTS:		2-36				CKTS:		2-36			
KINKS:		NO				KINKS:		NO			
VOIDED CKTS:		NONE				VOIDED CKTS:		NONE			
PACKAGING:		BULK PK-40873-0041				PACKAGING:		BULK PK-40873-0041			
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
02	22-28-4022	A-42375-0212	20	22-28-4202	A-42375-0230	02	22-28-4025	A-42375-0247	20	22-28-4205	A-42375-0265
03	22-28-4032	A-42375-0213	21	22-28-4212	A-42375-0231	03	22-28-4035	A-42375-0248	21	22-28-4215	A-42375-0266
04	22-28-4042	A-42375-0214	22	22-28-4222	A-42375-0232	04	22-28-4045	A-42375-0249	22	22-28-4225	A-42375-0267
05	22-28-4052	A-42375-0215	23	22-28-4232	A-42375-0233	05	22-28-4055	A-42375-0250	23	22-28-4235	A-42375-0268
06	22-28-4062	A-42375-0216	24	22-28-4242	A-42375-0234	06	22-28-4065	A-42375-0251	24	22-28-4245	A-42375-0269
07	22-28-4072	A-42375-0217	25	22-28-4252	A-42375-0235	07	22-28-4075	A-42375-0252	25	22-28-4255	A-42375-0270
08	22-28-4082	A-42375-0218	26	22-28-4262	A-42375-0236	08	22-28-4085	A-42375-0253	26	22-28-4265	A-42375-0271
09	22-28-4092	A-42375-0219	27	22-28-4272	A-42375-0237	09	22-28-4095	A-42375-0254	27	22-28-4275	A-42375-0272
10	22-28-4102	A-42375-0220	28	22-28-4282	A-42375-0238	10	22-28-4105	A-42375-0255	28	22-28-4285	A-42375-0273
11	22-28-4112	A-42375-0221	29	22-28-4292	A-42375-0239	11	22-28-4115	A-42375-0256	29	22-28-4295	A-42375-0274
12	22-28-4122	A-42375-0222	30	22-28-4302	A-42375-0240	12	22-28-4125	A-42375-0257	30	22-28-4305	A-42375-0275
13	22-28-4132	A-42375-0223	31	22-28-4312	A-42375-0241	13	22-28-4135	A-42375-0258	31	22-28-4315	A-42375-0276
14	22-28-4142	A-42375-0224	32	22-28-4322	A-42375-0242	14	22-28-4145	A-42375-0259	32	22-28-4325	A-42375-0277
15	22-28-4152	A-42375-0225	33	22-28-4332	A-42375-0243	15	22-28-4155	A-42375-0260	33	22-28-4335	A-42375-0278
16	22-28-4162	A-42375-0226	34	22-28-4342	A-42375-0244	16	22-28-4165	A-42375-0261	34	22-28-4345	A-42375-0279
17	22-28-4172	A-42375-0227	35	22-28-4352	A-42375-0245	17	22-28-4175	A-42375-0262	35	22-28-4355	A-42375-0280
18	22-28-4182	A-42375-0228	36	22-28-4362	A-42375-0246	18	22-28-4185	A-42375-0263	36	22-28-4365	A-42375-0281
19	22-28-4192	A-42375-0229				19	22-28-4195	A-42375-0264			
REV: T15		ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008			TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY					SHEET No. - 5 -	
DOCUMENT NUMBER: SD- 42375-001					CREATED / REVISED BY: MKIPPER			CHECKED BY: JBELL		APPROVED BY: FSMITH	
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC											

42375									
ENG. NO: A-42375-0282/0316						ENG. NO: A-42375-0317/0351			
HEADER NUMBER:		42312-0036							
PIN NUMBER:		42663-AMB228							
PIN LENGTH: L		.505 / 12.83							
MATING LENGTH: M		.295 / 7.49							
GOLD POINT: G		.140 / 3.56							
PC TAIL LENGTH: P		.120 / 3.05							
TIN: T		.135 / 3.43							
CKTS:		2-36							
KINKS:		NO							
VOIDED CKTS:		NONE							
PACKAGING:		BULK PK-40873-0041							
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS
02	22-28-4028	A-42375-0282	20	22-28-4208	A-42375-0300	02	22-28-5020	A-42375-0317	20
03	22-28-4038	A-42375-0283	21	22-28-4218	A-42375-0301	03	22-28-5030	A-42375-0318	21
04	22-28-4048	A-42375-0284	22	22-28-4228	A-42375-0302	04	22-28-5040	A-42375-0319	22
05	22-28-4058	A-42375-0285	23	22-28-4238	A-42375-0303	05	22-28-5050	A-42375-0320	23
06	22-28-4068	A-42375-0286	24	22-28-4248	A-42375-0304	06	22-28-5060	A-42375-0321	24
07	22-28-4078	A-42375-0287	25	22-28-4258	A-42375-0305	07	22-28-5070	A-42375-0322	25
08	22-28-4088	A-42375-0288	26	22-28-4268	A-42375-0306	08	22-28-5080	A-42375-0323	26
09	22-28-4098	A-42375-0289	27	22-28-4278	A-42375-0307	09	22-28-5090	A-42375-0324	27
10	22-28-4108	A-42375-0290	28	22-28-4288	A-42375-0308	10	22-28-5100	A-42375-0325	28
11	22-28-4118	A-42375-0291	29	22-28-4298	A-42375-0309	11	22-28-5110	A-42375-0326	29
12	22-28-4128	A-42375-0192	30	22-28-4308	A-42375-0310	12	22-28-5120	A-42375-0327	30
13	22-28-4138	A-42375-0293	31	22-28-4318	A-42375-0311	13	22-28-5130	A-42375-0328	31
14	22-28-4148	A-42375-0294	32	22-28-4328	A-42375-0312	14	22-28-5140	A-42375-0329	32
15	22-28-4158	A-42375-0295	33	22-28-4338	A-42375-0313	15	22-28-5150	A-42375-0330	33
16	22-28-4168	A-42375-0296	34	22-28-4348	A-42375-0314	16	22-28-5160	A-42375-0331	34
17	22-28-4178	A-42375-0297	35	22-28-4358	A-42375-0315	17	22-28-5170	A-42375-0332	35
18	22-28-4188	A-42375-0298	36	22-28-4368	A-42375-0316	18	22-28-5180	A-42375-0333	36
19	22-28-4198	A-42375-0299				19	22-28-5190	A-42375-0334	
REV: T15		ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008			TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY				SHEET No. - 6 -
DOCUMENT NUMBER: SD- 42375-001					CREATED / REVISED BY: MKIPPER		CHECKED BY: JBELL		APPROVED BY: FSMITH
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC									

42375									
ENG. NO: A-42375-0352/0386						ENG. NO: A-42375-0387/0421			
HEADER NUMBER:		42312-0036				HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-ADB208				PIN NUMBER:		42663-ADB228	
PIN LENGTH: L		.465 / 11.81				PIN LENGTH: L		.465 / 11.81	
MATING LENGTH: M		.240 / 6.09				MATING LENGTH: M		.240 / 6.09	
GOLD POINT: G		.100 / 2.54				GOLD POINT: G		.100 / 2.54	
PC TAIL LENGTH: P		.135 / 3.43				PC TAIL LENGTH: P		.135 / 3.43	
TIN: T		.100 / 2.54				TIN: T		.100 / 2.54	
CKTS:		2-36				CKTS:		2-36	
KINKS:		SMES-42003				KINKS:		SMES-42003	
VOIDED CKTS:		NONE				VOIDED CKTS:		NONE	
PACKAGING:		BULK PK-40873-0041				PACKAGING:		BULK PK-40873-0041	
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS
02	22-28-5023	A-42375-0352	20	22-28-5203	A-42375-0370	02	22-28-5026	A-42375-0387	20
03	22-28-5033	A-42375-0353	21	22-28-5213	A-42375-0371	03	22-28-5036	A-42375-0388	21
04	22-28-5043	A-42375-0354	22	22-28-5223	A-42375-0372	04	22-28-5046	A-42375-0389	22
05	22-28-5053	A-42375-0355	23	22-28-5233	A-42375-0373	05	22-28-5056	A-42375-0390	23
06	22-28-5063	A-42375-0356	24	22-28-5243	A-42375-0374	06	22-28-5066	A-42375-0391	24
07	22-28-5073	A-42375-0357	25	22-28-5253	A-42375-0375	07	22-28-5076	A-42375-0392	25
08	22-28-5083	A-42375-0358	26	22-28-5263	A-42375-0376	08	22-28-5086	A-42375-0393	26
09	22-28-5093	A-42375-0359	27	22-28-5273	A-42375-0377	09	22-28-5096	A-42375-0394	27
10	22-28-5103	A-42375-0360	28	22-28-5283	A-42375-0378	10	22-28-5106	A-42375-0395	28
11	22-28-5113	A-42375-0361	29	22-28-5293	A-42375-0379	11	22-28-5116	A-42375-0396	29
12	22-28-5123	A-42375-0362	30	22-28-5303	A-42375-0380	12	22-28-5126	A-42375-0397	30
13	22-28-5133	A-42375-0363	31	22-28-5313	A-42375-0381	13	22-28-5136	A-42375-0398	31
14	22-28-5143	A-42375-0364	32	22-28-5323	A-42375-0382	14	22-28-5146	A-42375-0399	32
15	22-28-5153	A-42375-0365	33	22-28-5333	A-42375-0383	15	22-28-5156	A-42375-0400	33
16	22-28-5163	A-42375-0366	34	22-28-5343	A-42375-0384	16	22-28-5166	A-42375-0401	34
17	22-28-5173	A-42375-0367	35	22-28-5353	A-42375-0385	17	22-28-5176	A-42375-0402	35
18	22-28-5183	A-42375-0368	36	22-28-5363	A-42375-0386	18	22-28-5186	A-42375-0403	36
19	22-28-5193	A-42375-0369				19	22-28-5196	A-42375-0404	
REV: T15		ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008			TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY				SHEET No. - 7 -
DOCUMENT NUMBER: SD- 42375-001					CREATED / REVISED BY: MKIPPER		CHECKED BY: JBELL		APPROVED BY: FSMITH
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC									

42375									
ENG. NO: A-42375-0422/0456						ENG. NO: A-42375-0457/0491			
HEADER NUMBER:		42312-0036				HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-AYA154				PIN NUMBER:		42663-AYB208	
PIN LENGTH: L		.545 / 13.84				PIN LENGTH: L		.545 / 13.84	
MATING LENGTH: M		.320 / 8.13				MATING LENGTH: M		.320 / 8.13	
GOLD POINT: G		N/A				GOLD POINT: G		.140 / 3.56	
PC TAIL LENGTH: P		.135 / 3.43				PC TAIL LENGTH: P		.135 / 3.43	
TIN: T		OVERALL				TIN: T		.135 / 3.43	
CKTS:		2-36				CKTS:		2-36	
KINKS:		SMES-42003				KINKS:		SMES-42003	
VOIDED CKTS:		NONE				VOIDED CKTS:		NONE	
PACKAGING:		BULK PK-40873-0041				PACKAGING:		BULK PK-40873-0041	
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS
02	22-28-5021	A-42375-0422	20	22-28-5201	A-42375-0440	02	22-28-5024	A-42375-0457	20
03	22-28-5031	A-42375-0423	21	22-28-5211	A-42375-0441	03	22-28-5034	A-42375-0458	21
04	22-28-5041	A-42375-0424	22	22-28-5221	A-42375-0442	04	22-28-5044	A-42375-0459	22
05	22-28-5051	A-42375-0425	23	22-28-5231	A-42375-0443	05	22-28-5054	A-42375-0460	23
06	22-28-5061	A-42375-0426	24	22-28-5241	A-42375-0444	06	22-28-5064	A-42375-0461	24
07	22-28-5071	A-42375-0427	25	22-28-5251	A-42375-0445	07	22-28-5074	A-42375-0462	25
08	22-28-5081	A-42375-0428	26	22-28-5261	A-42375-0446	08	22-28-5084	A-42375-0463	26
09	22-28-5091	A-42375-0429	27	22-28-5271	A-42375-0447	09	22-28-5094	A-42375-0464	27
10	22-28-5101	A-42375-0430	28	22-28-5281	A-42375-0448	10	22-28-5104	A-42375-0465	28
11	22-28-5111	A-42375-0431	29	22-28-5291	A-42375-0449	11	22-28-5114	A-42375-0466	29
12	22-28-5121	A-42375-0432	30	22-28-5301	A-42375-0450	12	22-28-5124	A-42375-0467	30
13	22-28-5131	A-42375-0433	31	22-28-5311	A-42375-0451	13	22-28-5134	A-42375-0468	31
14	22-28-5141	A-42375-0434	32	22-28-5321	A-42375-0452	14	22-28-5144	A-42375-0469	32
15	22-28-5151	A-42375-0435	33	22-28-5331	A-42375-0453	15	22-28-5154	A-42375-0470	33
16	22-28-5161	A-42375-0436	34	22-28-5341	A-42375-0454	16	22-28-5164	A-42375-0471	34
17	22-28-5171	A-42375-0437	35	22-28-5351	A-42375-0455	17	22-28-5174	A-42375-0472	35
18	22-28-5181	A-42375-0438	36	22-28-5361	A-42375-0456	18	22-28-5184	A-42375-0473	36
19	22-28-5191	A-42375-0439				19	22-28-5194	A-42375-0474	
REV: T15		ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008			TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY				SHEET No. - 8 -
DOCUMENT NUMBER: SD- 42375-001					CREATED / REVISED BY: MKIPPER		CHECKED BY: JBELL		APPROVED BY: FSMITH
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC									

42375									
ENG. NO: A-42375-0492/0526					ENG. NO: A-42375-0527/0561				
HEADER NUMBER:		42312-0036			HEADER NUMBER:		42312-0036		
PIN NUMBER:		42663-AYB228			PIN NUMBER:		42663-ARA154		
PIN LENGTH: L		.545 / 13.84			PIN LENGTH: L		.520 / 13.21		
MATING LENGTH: M		.320 / 8.13			MATING LENGTH: M		.295 / 7.49		
GOLD POINT: G		.140 / 3.56			GOLD POINT: G		N/A		
PC TAIL LENGTH: P		.135 / 3.43			PC TAIL LENGTH: P		.135 / 3.43		
TIN: T		.135 / 3.43			TIN: T		OVERALL		
CKTS:		2-36			CKTS:		2-36		
KINKS:		SMES-42003			KINKS:		SMES-42003		
VOIDED CKTS:		NONE			VOIDED CKTS:		NONE		
PACKAGING:		BULK PK-40873-0041			PACKAGING:		BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS
02	22-28-5027	A-42375-0492	20	22-28-5207	A-42375-0510	02	22-28-5022	A-42375-0527	20
03	22-28-5037	A-42375-0493	21	22-28-5217	A-42375-0511	03	22-28-5032	A-42375-0528	21
04	22-28-5047	A-42375-0494	22	22-28-5227	A-42375-0512	04	22-28-5042	A-42375-0529	22
05	22-28-5057	A-42375-0495	23	22-28-5237	A-42375-0513	05	22-28-5052	A-42375-0530	23
06	22-28-5067	A-42375-0496	24	22-28-5247	A-42375-0514	06	22-28-5062	A-42375-0531	24
07	22-28-5077	A-42375-0497	25	22-28-5257	A-42375-0515	07	22-28-5072	A-42375-0532	25
08	22-28-5087	A-42375-0498	26	22-28-5267	A-42375-0516	08	22-28-5082	A-42375-0533	26
09	22-28-5097	A-42375-0499	27	22-28-5277	A-42375-0517	09	22-28-5092	A-42375-0534	27
10	22-28-5107	A-42375-0500	28	22-28-5287	A-42375-0518	10	22-28-5102	A-42375-0535	28
11	22-28-5117	A-42375-0501	29	22-28-5297	A-42375-0519	11	22-28-5112	A-42375-0536	29
12	22-28-5127	A-42375-0502	30	22-28-5307	A-42375-0520	12	22-28-5122	A-42375-0537	30
13	22-28-5137	A-42375-0503	31	22-28-5317	A-42375-0521	13	22-28-5132	A-42375-0538	31
14	22-28-5147	A-42375-0504	32	22-28-5327	A-42375-0522	14	22-28-5142	A-42375-0539	32
15	22-28-5157	A-42375-0505	33	22-28-5337	A-42375-0523	15	22-28-5152	A-42375-0540	33
16	22-28-5167	A-42375-0506	34	22-28-5347	A-42375-0524	16	22-28-5162	A-42375-0541	34
17	22-28-5177	A-42375-0507	35	22-28-5357	A-42375-0525	17	22-28-5172	A-42375-0542	35
18	22-28-5187	A-42375-0508	36	22-28-5367	A-42375-0526	18	22-28-5182	A-42375-0543	36
19	22-28-5197	A-42375-0509				19	22-28-5192	A-42375-0544	
REV: T15		ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008			TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY				SHEET No. - 9 -
DOCUMENT NUMBER: SD- 42375-001				CREATED / REVISED BY: MKIPPER		CHECKED BY: JBELL		APPROVED BY: FSMITH	
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC									

42375									
ENG. NO: A-42375-0562/0596					ENG. NO: A-42375-0597/0631				
HEADER NUMBER:		42312-0036			HEADER NUMBER:		42312-0036		
PIN NUMBER:		42663-ARB208			PIN NUMBER:		42663-ARB228		
PIN LENGTH: L		.520 / 13.21			PIN LENGTH: L		.520 / 13.21		
MATING LENGTH: M		.295 / 7.49			MATING LENGTH: M		.295 / 7.49		
GOLD POINT: G		.140 / 3.56			GOLD POINT: G		.140 / 3.56		
PC TAIL LENGTH: P		.135 / 3.43			PC TAIL LENGTH: P		.135 / 3.43		
TIN: T		.135 / 3.43			TIN: T		.135 / 3.43		
CKTS:		2-36			CKTS:		2-36		
KINKS:		SMES-42003			KINKS:		SM ES-42003		
VOIDED CKTS:		NONE			VOIDED CKTS:		NONE		
PACKAGING:		BULK PK-40873-0041			PACKAGING:		BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS
02	22-28-5025	A-42375-0562	20	22-28-5205	A-42375-0580	02	22-28-5028	A-42375-0597	20
03	22-28-5035	A-42375-0563	21	22-28-5215	A-42375-0581	03	22-28-5038	A-42375-0598	21
04	22-28-5045	A-42375-0564	22	22-28-5225	A-42375-0582	04	22-28-5048	A-42375-0599	22
05	22-28-5055	A-42375-0565	23	22-28-5235	A-42375-0583	05	22-28-5058	A-42375-0600	23
06	22-28-5065	A-42375-0566	24	22-28-5245	A-42375-0584	06	22-28-5068	A-42375-0601	24
07	22-28-5075	A-42375-0567	25	22-28-5255	A-42375-0585	07	22-28-5078	A-42375-0602	25
08	22-28-5085	A-42375-0568	26	22-28-5265	A-42375-0586	08	22-28-5088	A-42375-0603	26
09	22-28-5095	A-42375-0569	27	22-28-5275	A-42375-0587	09	22-28-5098	A-42375-0604	27
10	22-28-5105	A-42375-0570	28	22-28-5285	A-42375-0588	10	22-28-5108	A-42375-0605	28
11	22-28-5115	A-42375-0571	29	22-28-5295	A-42375-0589	11	22-28-5118	A-42375-0606	29
12	22-28-5125	A-42375-0572	30	22-28-5305	A-42375-0590	12	22-28-5128	A-42375-0607	30
13	22-28-5135	A-42375-0573	31	22-28-5315	A-42375-0591	13	22-28-5138	A-42375-0608	31
14	22-28-5145	A-42375-0574	32	22-28-5325	A-42375-0592	14	22-28-5148	A-42375-0609	32
15	22-28-5155	A-42375-0575	33	22-28-5335	A-42375-0593	15	22-28-5158	A-42375-0610	33
16	22-28-5165	A-42375-0576	34	22-28-5345	A-42375-0594	16	22-28-5168	A-42375-0611	34
17	22-28-5175	A-42375-0577	35	22-28-5355	A-42375-0595	17	22-28-5178	A-42375-0612	35
18	22-28-5185	A-42375-0578	36	22-28-5365	A-42375-0596	18	22-28-5188	A-42375-0613	36
19	22-28-5195	A-42375-0579				19	22-28-5198	A-42375-0614	
REV: T15		ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008			TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY				SHEET No. - 10 -
DOCUMENT NUMBER: SD- 42375-001				CREATED / REVISED BY: MKIPPER		CHECKED BY: JBELL		APPROVED BY: FSMITH	
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC									

42375									
ENG. NO: A-42375-0667/0699									
HEADER NUMBER:		42312-0036							
PIN NUMBER:		42663-ABB208							
PIN LENGTH: L		.455 / 11.56							
MATING LENGTH: M		.240 / 6.09							
GOLD POINT: G		.100 / 2.54							
PC TAIL LENGTH: P		.125 / 3.18							
TIN: T		.100 / 2.54							
CKTS:		4-36							
KINKS:		NO							
VOIDED CKTS:		4							
PACKAGING:		BULK PK-40873-0041							
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER				
02			20	42375-0683	A-42375-0683				
03			21	42375-0684	A-42375-0684				
04	42375-0667	A-42375-0667	22	42375-0685	A-42375-0685				
05	42375-0668	A-42375-0668	23	42375-0686	A-42375-0686				
06	22-30-3060	A-42375-0669	24	42375-0687	A-42375-0687				
07	42375-0670	A-42375-0670	25	42375-0688	A-42375-0688				
08	42375-0671	A-42375-0671	26	42375-0689	A-42375-0689				
09	42375-0672	A-42375-0672	27	42375-0690	A-42375-0690				
10	42375-0673	A-42375-0673	28	42375-0691	A-42375-0691				
11	42375-0674	A-42375-0674	29	42375-0692	A-42375-0692				
12	22-30-3120	A-42375-0675	30	42375-0693	A-42375-0693				
13	42375-0676	A-42375-0676	31	42375-0694	A-42375-0694				
14	42375-0677	A-42375-0677	32	42375-0695	A-42375-0695				
15	42375-0678	A-42375-0678	33	42375-0696	A-42375-0696				
16	42375-0679	A-42375-0679	34	42375-0697	A-42375-0697				
17	42375-0680	A-42375-0680	35	42375-0698	A-42375-0698				
18	42375-0681	A-42375-0681	36	42375-0699	A-42375-0699				
19	42375-0682	A-42375-0682							
REV: T15		ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008			TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY				SHEET No. - 11 -
DOCUMENT NUMBER: SD- 42375-001					CREATED / REVISED BY: MKIPPER		CHECKED BY: JBELL		APPROVED BY: FSMITH
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC									

ENG. NO: A-42375-0836/0870

HEADER NUMBER:		42312-0036			
PIN NUMBER:		42663-BSA154			
PIN LENGTH: L		.630 / 16.00			
MATING LENGTH: M		.405/10.29			
GOLD POINT: G		N/A			
PC TAIL LENGTH: P		.135/3.43			
TIN: T		OVERALL			
CKTS:		2-36			
KINKS:		YES			
VOIDED CKTS:		NONE			
PACKAGING:		BULK PK-40873-0041			
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER
02		A-42375-0836	20	22-30-3203	A-42375-0854
03	22-30-3033	A-42375-0837	21	22-30-3213	A-42375-0855
04	22-30-3043	A-42375-0838	22	22-30-3223	A-42375-0856
05	22-30-3053	A-42375-0839	23	22-30-3233	A-42375-0857
06	22-30-3063	A-42375-0840	24	22-30-3243	A-42375-0858
07	22-30-3073	A-42375-0841	25	22-30-3253	A-42375-0859
08	22-30-3083	A-42375-0842	26	22-30-3263	A-42375-0860
09	22-30-3093	A-42375-0843	27	22-30-3273	A-42375-0861
10	22-30-3103	A-42375-0844	28	22-30-3283	A-42375-0862
11	22-30-3113	A-42375-0845	29	22-30-3293	A-42375-0863
12	22-30-3123	A-42375-0846	30	22-30-3303	A-42375-0864
13	22-30-3133	A-42375-0847	31	22-30-3313	A-42375-0865
14	22-30-3143	A-42375-0848	32	22-30-3323	A-42375-0866
15	22-30-3153	A-42375-0849	33	22-30-3333	A-42375-0867
16	22-30-3163	A-42375-0850	34	22-30-3343	A-42375-0868
17	22-30-3173	A-42375-0851	35	22-30-3353	A-42375-0869
18	22-30-3183	A-42375-0852	36	22-30-3363	A-42375-0870
19	22-30-3193	A-42375-0853			

REV: T15	<u>ECR/ECN INFORMATION:</u> EC No.: UCP2009-1249 DATE: 12/2/2008	<u>TITLE:</u> KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY			<u>SHEET No.</u> - 12 -
<u>DOCUMENT NUMBER:</u> SD- 42375-001		<u>CREATED / REVISED BY:</u> MKIPPER	<u>CHECKED BY:</u> JBELL	<u>APPROVED BY:</u> FSMITH	

TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC

42375									
ENG. NO: A-42375-0871/0904					ENG. NO: A-42375-0973/1001				
HEADER NUMBER:		42312-0036			HEADER NUMBER:		42312-0036		
PIN NUMBER:		42663-ATA154			PIN NUMBER:		42663-ABA154		
PIN LENGTH: L		.530 / 13.46			PIN LENGTH: L		.455 / 11.56		
MATING LENGTH: M		.320 / 8.13			MATING LENGTH: M		.240 / 6.09		
GOLD POINT: G		N/A			GOLD POINT: G		N/A		
PC TAIL LENGTH: P		.120 / 3.05			PC TAIL LENGTH: P		.125 / 3.18		
TIN: T		OVERALL			TIN: T		OVERALL		
CKTS:		3-36			CKTS:		8-36		
KINKS:		NO			KINKS:		NO		
VOIDED CKTS:		2			VOIDED CKTS:		3,8		
PACKAGING:		BULK PK-40873-0041			PACKAGING:		BULK PK-40873-0041		
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS
02			20	22-30-3204	A-42375-0888	02			20
03	22-30-3034	A-42375-0871	21	22-30-3214	A-42375-0889	03			21
04	22-30-3044	A-42375-0872	22	22-30-3224	A-42375-0890	04			22
05	22-30-3054	A-42375-0873	23	22-30-3234	A-42375-0891	05			23
06	22-30-3064	A-42375-0874	24	22-30-3244	A-42375-0892	06			24
07	22-30-3074	A-42375-0875	25	22-30-3254	A-42375-0893	07			25
08	22-30-3084	A-42375-0876	26	22-30-3264	A-42375-0894	08	42375-0973	A-42375-0973	26
09	22-30-3094	A-42375-0877	27	22-30-3274	A-42375-0895	09	42375-0974	A-42375-0974	27
10	22-30-3104	A-42375-0878	28	22-30-3284	A-42375-0896	10	22-30-3107	A-42375-0975	28
11	22-30-3114	A-42375-0879	29	22-30-3294	A-42375-0897	11	42375-0976	A-42375-0976	29
12	22-30-3124	A-42375-0880	30	22-30-3304	A-42375-0898	12	42375-0977	A-42375-0977	30
13	22-30-3134	A-42375-0881	31	22-30-3314	A-42375-0899	13	42375-0978	A-42375-0978	31
14	22-30-3144	A-42375-0882	32	22-30-3324	A-42375-0900	14	42375-0979	A-42375-0979	32
15	22-30-3154	A-42375-0883	33	22-30-3334	A-42375-0901	15	42375-0980	A-42375-0980	33
16	22-30-3164	A-42375-0884	34	22-30-3344	A-42375-0902	16	42375-0981	A-42375-0981	34
17	22-30-3174	A-42375-0885	35	22-30-3354	A-42375-0903	17	42375-0982	A-42375-0982	35
18	22-30-3184	A-42375-0886	36	22-30-3364	A-42375-0904	18	42375-0983	A-42375-0983	36
19	22-30-3194	A-42375-0887				19	42375-0984	A-42375-0984	
REV: T15		ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008			TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY				SHEET No. - 13 -
DOCUMENT NUMBER: SD- 42375-001				CREATED / REVISED BY: MKIPPER		CHECKED BY: JBELL		APPROVED BY: FSMITH	
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC									

42375									
ENG. NO: A-42375-1105/1139						ENG. NO: 42375-1244/1278			
HEADER NUMBER:		42312-0036				HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-ABB208				PIN NUMBER:		42663-ABA154	
PIN LENGTH: L		.455 / 11.56				PIN LENGTH: L		.455 / 11.56	
MATING LENGTH: M		.240 / 6.09				MATING LENGTH: M		.240 / 6.09	
GOLD POINT: G		.100 / 2.54				GOLD POINT: G		N/A	
PC TAIL LENGTH: P		.125 / 3.18				PC TAIL LENGTH: P		.125 / 3.18	
TIN: T		.100 / 2.54				TIN: T		OVERALL	
CKTS:		2-36				CKTS:		2-36	
KINKS:		NO				KINKS:		NO	
VOIDED CKTS:		2				VOIDED CKTS:		2	
PACKAGING:		BULK PK-40873-0041				PACKAGING:		BULK PK-40873-0041	
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	ITEM NUMBER	CKTS	ITEM NUMBER
02	42375-1105	A-42375-1105	20	42375-1123	A-42375-1123	02	42375-1244	20	42375-1262
03	42375-1106	A-42375-1106	21	42375-1124	A-42375-1124	03	42375-1245	21	42375-1263
04	42375-1107	A-42375-1107	22	42375-1125	A-42375-1125	04	42375-1246	22	42375-1264
05	42375-1108	A-42375-1108	23	42375-1126	A-42375-1126	05	42375-1247	23	42375-1265
06	42375-1109	A-42375-1109	24	42375-1127	A-42375-1127	06	42375-1248	24	42375-1266
07	42375-1110	A-42375-1110	25	42375-1128	A-42375-1128	07	42375-1249	25	42375-1267
08	42375-1111	A-42375-1111	26	42375-1129	A-42375-1129	08	42375-1250	26	42375-1268
09	22-30-3099	A-42375-1112	27	42375-1130	A-42375-1130	09	42375-1251	27	42375-1269
10	42375-1113	A-42375-1113	28	42375-1131	A-42375-1131	10	42375-1252	28	42375-1270
11	42375-1114	A-42375-1114	29	42375-1132	A-42375-1132	11	42375-1253	29	42375-1271
12	42375-1115	A-42375-1115	30	42375-1133	A-42375-1133	12	42375-1254	30	42375-1272
13	42375-1116	A-42375-1116	31	42375-1134	A-42375-1134	13	42375-1255	31	42375-1273
14	42375-1117	A-42375-1117	32	42375-1135	A-42375-1135	14	42375-1256	32	42375-1274
15	42375-1118	A-42375-1118	33	42375-1136	A-42375-1136	15	42375-1257	33	42375-1275
16	42375-1119	A-42375-1119	34	42375-1137	A-42375-1137	16	42375-1258	34	42375-1276
17	42375-1120	A-42375-1120	35	42375-1138	A-42375-1138	17	42375-1259	35	42375-1277
18	42375-1121	A-42375-1121	36	42375-1139	A-42375-1139	18	42375-1260	36	42375-1278
19	42375-1122	A-42375-1122				19	42375-1261		
REV: T15		ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008			TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY				SHEET No. - 14 -
DOCUMENT NUMBER: SD- 42375-001					CREATED / REVISED BY: MKIPPER		CHECKED BY: JBELL		APPROVED BY: FSMITH
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC									

42375			
ENG. NO: 42375-1349/1382			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-ABA154	
PIN LENGTH: L		.455 / 11.56	
MATING LENGTH: M		.230 / 5.84	
GOLD POINT: G		N/A	
PC TAIL LENGTH: P		.135 / 3.43	
TIN: T		OVERALL	
CKTS:		3-36	
KINKS:		SMES-42003	
VOIDED CKTS:		2	
PACKAGING:		BULK PK-40873-0041	
CKTS	ITEM NUMBER	CKTS	ITEM NUMBER
02		20	42375-1366
03	42375-1349	21	42375-1367
04	42375-1350	22	42375-1368
05	42375-1351	23	42375-1369
06	42375-1352	24	42375-1370
07	42375-1353	25	42375-1371
08	42375-1354	26	42375-1372
09	42375-1355	27	42375-1373
10	42375-1356	28	42375-1374
11	42375-1357	29	42375-1375
12	42375-1358	30	42375-1376
13	42375-1359	31	42375-1377
14	42375-1360	32	42375-1378
15	42375-1361	33	42375-1379
16	42375-1362	34	42375-1380
17	42375-1363	35	42375-1381
18	42375-1364	36	42375-1382
19	42375-1365		
REV: T15		ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008	
TITLE:		KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY	
SHEET No. - 15 -			
DOCUMENT NUMBER: SD- 42375-001		CREATED / REVISED BY: MKIPPER	CHECKED BY: JBELL
		APPROVED BY: FSMITH	
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC			

				42375			
ENG. NO: 42375-1720/1753				ENG. NO: 42375-1855/1889			
HEADER NUMBER:		42312-0036		HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-ABB208		PIN NUMBER:		42663-CJA154	
PIN LENGTH: L		.455 / 11.56		PIN LENGTH: L		.700 / 17.78	
MATING LENGTH: M		.240 / 6.09		MATING LENGTH: M		.488 / 12.40	
GOLD POINT: G		.140 / 3.56		GOLD POINT: G		N/A	
PC TAIL LENGTH: P		.125 / 3.18		PC TAIL LENGTH: P		.122 / 3.10	
TIN: T		.100 / 2.54		TIN: T		OVERALL	
CKTS:		3-36		CKTS:		2-36	
KINKS:		NO		KINKS:		NO	
VOIDED CKTS:		3		VOIDED CKTS:		NONE	
PACKAGING:		BULK PK-40873-0041		PACKAGING:		BULK PK-40873-0041	
CKTS	ITEM NUMBER	CKTS	ITEM NUMBER	CKTS	ITEM NUMBER	CKTS	ITEM NUMBER
02		20	42375-1737	02	42375-1855	20	42375-1873
03	42375-1720	21	42375-1738	03	42375-1856	21	42375-1874
04	42375-1721	22	42375-1739	04	42375-1857	22	42375-1875
05	42375-1722	23	42375-1740	05	42375-1858	23	42375-1876
06	42375-1723	24	42375-1741	06	42375-1859	24	42375-1877
07	42375-1724	25	42375-1742	07	42375-1860	25	42375-1878
08	42375-1725	26	42375-1743	08	42375-1861	26	42375-1879
09	42375-1726	27	42375-1744	09	42375-1862	27	42375-1880
10	42375-1727	28	42375-1745	10	42375-1863	28	42375-1881
11	42375-1728	29	42375-1746	11	42375-1864	29	42375-1882
12	42375-1729	30	42375-1747	12	42375-1865	30	42375-1883
13	42375-1730	31	42375-1748	13	42375-1866	31	42375-1884
14	42375-1731	32	42375-1749	14	42375-1867	32	42375-1885
15	42375-1732	33	42375-1750	15	42375-1868	33	42375-1886
16	42375-1733	34	42375-1751	16	42375-1869	34	42375-1887
17	42375-1734	35	42375-1752	17	42375-1870	35	42375-1888
18	42375-1735	36	42375-1753	18	42375-1871	36	42375-1889
19	42375-1736			19	42375-1872		
REV: T15		ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008		TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY			SHEET No. - 16 -
DOCUMENT NUMBER: SD- 42375-001		CREATED / REVISED BY: MKIPPER		CHECKED BY: JBELL		APPROVED BY: FSMITH	
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC							

42375									
ENG. NO: 42375-1922/1956				ENG. NO: 42375-2246/2275					
HEADER NUMBER:		42312-0036		HEADER NUMBER:		42312-0036			
PIN NUMBER:		42663-AEA154		PIN NUMBER:		42663-ABA154			
PIN LENGTH: L		.470 / 11.94		PIN LENGTH: L		.455 / 11.56			
MATING LENGTH: M		.190 / 4.83		MATING LENGTH: M		.240 / 6.09			
GOLD POINT: G		N/A		GOLD POINT: G		N/A			
PC TAIL LENGTH: P		.190 / 4.83		PC TAIL LENGTH: P		.125 / 3.18			
TIN: T		.200 / 5.08		TIN: T		OVERALL			
CKTS:		2-36		CKTS:		7-36			
KINKS:		NO		KINKS:		NO			
VOIDED CKTS:		NONE		VOIDED CKTS:		2.7			
PACKAGING:		BULK PK-40873-0041		PACKAGING:		BULK PK-40873-0041			
CKTS	ITEM NUMBER	CKTS	ITEM NUMBER	CKTS	ITEM NUMBER	CKTS	ITEM NUMBER		
02	42375-1922	20	42375-1940	02		20	42375-2259		
03	42375-1923	21	42375-1941	03		21	42375-2260		
04	42375-1924	22	42375-1942	04		22	42375-2261		
05	42375-1925	23	42375-1943	05		23	42375-2262		
06	42375-1926	24	42375-1944	06		24	42375-2263		
07	42375-1927	25	42375-1945	07	42375-2246	25	42375-2264		
08	42375-1928	26	42375-1946	08	42375-2247	26	42375-2265		
09	42375-1929	27	42375-1947	09	42375-2248	27	42375-2266		
10	42375-1930	28	42375-1948	10	42375-2249	28	42375-2267		
11	42375-1931	29	42375-1949	11	42375-2250	29	42375-2268		
12	42375-1932	30	42375-1950	12	42375-2251	30	42375-2269		
13	42375-1933	31	42375-1951	13	42375-2252	31	42375-2270		
14	42375-1934	32	42375-1952	14	42375-2253	32	42375-2271		
15	42375-1935	33	42375-1953	15	42375-2254	33	42375-2272		
16	42375-1936	34	42375-1954	16	42375-2255	34	42375-2273		
17	42375-1937	35	42375-1955	17	42375-2256	35	42375-2274		
18	42375-1938	36	42375-1956	18	42375-2257	36	42375-2275		
19	42375-1939			19	42375-2258				
REV: T15		ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008		TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY				SHEET No. - 17 -	
DOCUMENT NUMBER: SD- 42375-001				CREATED / REVISED BY: MKIPPER		CHECKED BY: JBELL		APPROVED BY: FSMITH	
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC									

42375									
ENG. NO: 42375-2486/2520					ENG. NO: 42375-2521/2555				
HEADER NUMBER:		42312-0036			HEADER NUMBER:		42312-0036		
PIN NUMBER:		42663-AFB208			PIN NUMBER:		42663-AFB228		
PIN LENGTH: L		.475 / 12.07			PIN LENGTH: L		.475 / 12.07		
MATING LENGTH: M		.232 / 5.89			MATING LENGTH: M		.232 / 5.89		
GOLD POINT: G		.150 / 3.81			GOLD POINT: G		.150 / 3.81		
PC TAIL LENGTH: P		.153 / 3.89			PC TAIL LENGTH: P		.153 / 3.89		
TIN: T		.100 / 2.54			TIN: T		.100 / 2.54		
CKTS:		2-36			CKTS:		2-36		
KINKS:		NO			KINKS:		NO		
VOIDED CKTS:		NONE			VOIDED CKTS:		NONE		
PACKAGING:		BULK PK-40873-0041			PACKAGING:		BULK PK-40873-0041		
CKTS	ITEM NUMBER	CKTS	ITEM NUMBER		CKTS	ITEM NUMBER	CKTS	ITEM NUMBER	
02	42375-2486	19	42375-2503		02	42375-2521	20	42375-2539	
03	42375-2487	20	42375-2504		03	42375-2522	21	42375-2540	
	68300-2008	21	42375-2505		04	42375-2523	22	42375-2541	
04	42375-2488	22	42375-2506		05	42375-2524	23	42375-2542	
05	42375-2489	23	42375-2507		06	42375-2525	24	42375-2543	
06	42375-2490	24	42375-2508		07	42375-2526	25	42375-2544	
07	42375-2491	25	42375-2509		08	42375-2527	26	42375-2545	
08	42375-2492	26	42375-2510		09	42375-2528	27	42375-2546	
09	42375-2493	27	42375-2511		10	42375-2529	28	42375-2547	
10	42375-2494	28	42375-2512		11	42375-2530	29	42375-2548	
11	42375-2495	29	42375-2513		12	42375-2531	30	42375-2549	
12	42375-2496	30	42375-2514		13	42375-2532	31	42375-2550	
13	42375-2497	31	42375-2515		14	42375-2533	32	42375-2551	
14	42375-2498	32	42375-2516		15	42375-2534	33	42375-2552	
15	42375-2499	33	42375-2517		16	42375-2535	34	42375-2553	
16	42375-2500	34	42375-2518		17	42375-2536	35	42375-2554	
17	42375-2501	35	42375-2519		18	42375-2537	36	42375-2555	
18	42375-2502	36	42375-2520		19	42375-2538			
REV: T15		ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008		TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY				SHEET No. - 18 -	
DOCUMENT NUMBER: SD- 42375-001				CREATED / REVISED BY: MKIPPER		CHECKED BY: JBELL		APPROVED BY: FSMITH	
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC									

42375

ENG. NO: 42375-2801/2835			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-HDB228	
PIN LENGTH: L		1.200 / 30.48	
MATING LENGTH: M		1.000 / 25.40	
GOLD POINT: G		.200 / 5.08	
PC TAIL LENGTH: P		.110 / 2.79	
TIN: T		.200 / 5.08	
CKTS:		2-36	
KINKS:		NO	
VOIDED CKTS:		NONE	
PACKAGING:		BULK PK-40873-0043	
CKTS	ITEM NUMBER	CKTS	ITEM NUMBER
02	42375-2801	20	42375-2819
03	42375-2802	21	42375-2820
04	42375-2803	22	42375-2821
05	42375-2804	23	42375-2822
06	42375-2805	24	42375-2823
07	42375-2806	25	42375-2824
08	42375-2807	26	42375-2825
09	42375-2808	27	42375-2826
10	42375-2809	28	42375-2827
11	42375-2810	29	42375-2828
12	42375-2811	30	42375-2829
13	42375-2812	31	42375-2830
14	42375-2813	32	42375-2831
15	42375-2814	33	42375-2832
16	42375-2815	34	42375-2833
17	42375-2816	35	42375-2834
18	42375-2817	36	42375-2835
19	42375-2818		

ENG. NO: 42375-2836/2870			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-EMA154	
PIN LENGTH: L		.925 / 23.50	
MATING LENGTH: M		.625 / 15.88	
GOLD POINT: G		N/A	
PC TAIL LENGTH: P		.210 / 5.33	
TIN: T		OVERALL	
CKTS:		2-36	
KINKS:		NO	
VOIDED CKTS:		NONE	
PACKAGING:		BULK PK-40873-0041	
CKTS	ITEM NUMBER	CKTS	ITEM NUMBER
02	42375-2836	20	42375-2854
03	42375-2837	21	42375-2855
04	42375-2838	22	42375-2856
05	42375-2839	23	42375-2857
06	42375-2840	24	42375-2858
07	42375-2841	25	42375-2859
08	42375-2842	26	42375-2860
09	42375-2843	27	42375-2861
10	42375-2844	28	42375-2862
11	42375-2845	29	42375-2863
12	42375-2846	30	42375-2864
13	42375-2847	31	42375-2865
14	42375-2848	32	42375-2866
15	42375-2849	33	42375-2867
16	42375-2850	34	42375-2868
17	42375-2851	35	42375-2869
18	42375-2852	36	42375-2870
19	42375-2853		

REV:
T15

ECR/ECN INFORMATION:
EC No.: UCP2009-1249
DATE: 12/2/2008

TITLE:

**KK 100 HEADER ASSY
FLAT VERTICAL
BREAKAWAY**

SHEET No.

- 19 -

DOCUMENT NUMBER:

SD- 42375-001

CREATED / REVISED BY:

MKIPPER

CHECKED BY:

JBELL

APPROVED BY:

FSMITH

TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC

				42375			
ENG. NO: 42375-3044/3078				ENG. NO: 42375-3114/3148			
HEADER NUMBER:		42312-0036		HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-KHB208		PIN NUMBER:		42663-BXA154	
PIN LENGTH: L		1.430 / 36.32		PIN LENGTH: L		.645 / 16.38	
MATING LENGTH: M		.867 / 22.02		MATING LENGTH: M		.426 / 10.82	
GOLD POINT: G		.200 / 5.08		GOLD POINT: G		N/A	
PC TAIL LENGTH: P		.473 / 12.01		PC TAIL LENGTH: P		.124 / 3.15	
TIN: T		.200 / 5.08		TIN: T		OVERALL	
CKTS:		2-36		CKTS:		2-36	
KINKS:		NO		KINKS:		NO	
VOIDED CKTS:		NONE		VOIDED CKTS:		NONE	
PACKAGING:		BULK PK-40873-0043		PACKAGING:		BULK PK-40873-0041	
CKTS	ITEM NUMBER	CKTS	ITEM NUMBER	CKTS	ITEM NUMBER	CKTS	ITEM NUMBER
02	42375-3044	20	42375-3062	02	42375-3114	20	42375-3132
03	42375-3045	21	42375-3063	03	42375-3115	21	42375-3133
04	42375-3046	22	42375-3064	04	42375-3116	22	42375-3134
05	42375-3047	23	42375-3065	05	42375-3117	23	42375-3135
06	42375-3048	24	42375-3066	06	42375-3118	24	42375-3136
07	42375-3049	25	42375-3067	07	42375-3119	25	42375-3137
08	42375-3050	26	42375-3068	08	42375-3120	26	42375-3138
09	42375-3051	27	42375-3069	09	42375-3121	27	42375-3139
10	42375-3052	28	42375-3070	10	42375-3122	28	42375-3140
11	42375-3053	29	42375-3071	11	42375-3123	29	42375-3141
12	42375-3054	30	42375-3072	12	42375-3124	30	42375-3142
13	42375-3055	31	42375-3073	13	42375-3125	31	42375-3143
14	42375-3056	32	42375-3074	14	42375-3126	32	42375-3144
15	42375-3057	33	42375-3075	15	42375-3127	33	42375-3145
16	42375-3058	34	42375-3076	16	42375-3128	34	42375-3146
17	42375-3059	35	42375-3077	17	42375-3129	35	42375-3147
18	42375-3060	36	42375-3078	18	42375-3130	36	42375-3148
19	42375-3061			19	42375-3131		
REV: T15		ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008		TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY			SHEET No. - 20 -
DOCUMENT NUMBER: SD- 42375-001		CREATED / REVISED BY: MKIPPER		CHECKED BY: JBELL		APPROVED BY: FSMITH	
TEMPLATE FILENAME: PRODUCT_SPEC[SIZE_A](V.1).DOC							

42375															
ENG. NO: 42375-3149 / 3183				ENG. NO: 42375-3184 / 3218				ENG. NO: 42375-3219 / 3253							
HEADER NUMBER:		42312-0036		HEADER NUMBER:		42312-0036		HEADER NUMBER:		42312-0036					
PIN NUMBER:		42663-BEB208		PIN NUMBER:		42663-GNB208		PIN NUMBER:		42663-BPA154					
PIN LENGTH: L		.575 / 14.61		PIN LENGTH: L		1.140 / 28.96		PIN LENGTH: L		.620 / 15.75					
MATING LENGTH: M		.350 / 8.89		MATING LENGTH: M		.913 / 23.20		MATING LENGTH: M		.280 / 7.11					
GOLD POINT: G		.200 / 5.08		GOLD POINT: G		.200 / 5.08		GOLD POINT: G		NA					
PC TAIL LENGTH: P		.135 / 3.43		PC TAIL LENGTH: P		.137 / 3.48		PC TAIL LENGTH: P		.250 / 6.35					
TIN: T		.200 / 5.08		TIN: T		.200 / 5.08		TIN: T		OVERALL					
CKTS:		2-36		CKTS:		2-36		CKTS:		2-36					
KINKS:		NO		KINKS:		NO		KINKS:		NO					
VOIDED CKTS:		NONE		VOIDED CKTS:		NONE		VOIDED CKTS:		NONE					
PACKAGING:		BULK PK-40873-0041		PACKAGING:		BULK PK-40873-0043		PACKAGING:		BULK PK-40873-0041					
CKTS	ITEM NUMBER	CKTS	ITEM NUMBER	CKTS	ITEM NUMBER	CKTS	ITEM NUMBER	CKTS	ITEM NUMBER	CKTS	ITEM NUMBER				
02	42375-3149	20	42375-3167	02	42375-3184	20	42375-3202	02	42375-3219	20	42375-3237				
03	42375-3150	21	42375-3168	03	42375-3185	21	42375-3203	03	42375-3220	21	42375-3238				
04	42375-3151	22	42375-3169	04	42375-3186	22	42375-3204	04	42375-3221	22	42375-3239				
05	42375-3152	23	42375-3170	05	42375-3187	23	42375-3205	05	42375-3222	23	42375-3240				
06	42375-3153	24	42375-3171	06	42375-3188	24	42375-3206	06	42375-3223	24	42375-3241				
07	42375-3154	25	42375-3172	07	42375-3189	25	42375-3207	07	42375-3224	25	42375-3242				
08	42375-3155	26	42375-3173	08	42375-3190	26	42375-3208	08	42375-3225	26	42375-3243				
09	42375-3156	27	42375-3174	09	42375-3191	27	42375-3209	09	42375-3226	27	42375-3244				
10	42375-3157	28	42375-3175	10	42375-3192	28	42375-3210	10	42375-3227	28	42375-3245				
11	42375-3158	29	42375-3176	11	42375-3193	29	42375-3211	11	42375-3228	29	42375-3246				
12	42375-3159	30	42375-3177	12	42375-3194	30	42375-3212	12	42375-3229	30	42375-3247				
13	42375-3160	31	42375-3178	13	42375-3195	31	42375-3213	13	42375-3230	31	42375-3248				
14	42375-3161	32	42375-3179	14	42375-3196	32	42375-3214	14	42375-3231	32	42375-3249				
15	42375-3162	33	42375-3180	15	42375-3197	33	42375-3215	15	42375-3232	33	42375-3250				
16	42375-3163	34	42375-3181	16	42375-3198	34	42375-3216	16	42375-3233	34	42375-3251				
17	42375-3164	35	42375-3182	17	42375-3199	35	42375-3217	17	42375-3234	35	42375-3252				
18	42375-3165	36	42375-3183	18	42375-3200	36	42375-3218	18	42375-3235	36	42375-3253				
19	42375-3166			19	42375-3201			19	42375-3236						
REV: T15		ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008		TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY								SHEET No. - 21 -			
DOCUMENT NUMBER: SD- 42375-001				CREATED / REVISED BY: MKIPPER				CHECKED BY: JBELL				APPROVED BY: FSMITH			
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC															

42375															
ENG. NO: 42375-3254 / 3288				ENG. NO: 42375-3289 / 3323				ENG. NO: 42375-3324 / 3358							
HEADER NUMBER:		42312-0036		HEADER NUMBER:		42312-0036		HEADER NUMBER:		42312-0036		HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-DMA154		PIN NUMBER:		42663-FNA154		PIN NUMBER:		42663-CCA154		PIN NUMBER:		42663-CCA154	
PIN LENGTH: L		.820 / 20.83		PIN LENGTH: L		1.035 / 26.29		PIN LENGTH: L		.670 / 17.02		PIN LENGTH: L		.670 / 17.02	
MATING LENGTH: M		.590 / 14.99		MATING LENGTH: M		.358 / 9.09		MATING LENGTH: M		.440 / 11.18		MATING LENGTH: M		.440 / 11.18	
GOLD POINT: G		NA		GOLD POINT: G		NA		GOLD POINT: G		NA		GOLD POINT: G		NA	
PC TAIL LENGTH: P		.140 / 3.56		PC TAIL LENGTH: P		.587 / 14.91		PC TAIL LENGTH: P		.140 / 3.56		PC TAIL LENGTH: P		.140 / 3.56	
TIN: T		OVERALL		TIN: T		OVERALL		TIN: T		OVERALL		TIN: T		OVERALL	
CKTS:		2-36		CKTS:		2-36		CKTS:		2-36		CKTS:		2-36	
KINKS:		NO		KINKS:		NO		KINKS:		NO		KINKS:		SMES-42003	
VOIDED CKTS:		NONE		VOIDED CKTS:		NONE		VOIDED CKTS:		NONE		VOIDED CKTS:		NONE	
PACKAGING:		BULK PK-40873-0041		PACKAGING:		BULK PK-40873-0043		PACKAGING:		BULK PK-40873-0043		PACKAGING:		BULK PK-40873-0041	
CKTS	ITEM NUMBER	CKTS	ITEM NUMBER	CKTS	ITEM NUMBER	CKTS	ITEM NUMBER	CKTS	ITEM NUMBER	CKTS	ITEM NUMBER	CKTS	ITEM NUMBER	CKTS	ITEM NUMBER
02	42375-3254	20	42375-3272	02	42375-3289	20	42375-3307	02	42375-3324	20	42375-3342	02	42375-3324	20	42375-3342
03	42375-3255	21	42375-3273	03	42375-3290	21	42375-3308	03	42375-3325	21	42375-3343	03	42375-3325	21	42375-3343
04	42375-3256	22	42375-3274	04	42375-3291	22	42375-3309	04	42375-3326	22	42375-3344	04	42375-3326	22	42375-3344
05	42375-3257	23	42375-3275	05	42375-3292	23	42375-3310	05	42375-3327	23	42375-3345	05	42375-3327	23	42375-3345
06	42375-3258	24	42375-3276	06	42375-3293	24	42375-3311	06	42375-3328	24	42375-3346	06	42375-3328	24	42375-3346
07	42375-3259	25	42375-3277	07	42375-3294	25	42375-3312	07	42375-3329	25	42375-3347	07	42375-3329	25	42375-3347
08	42375-3260	26	42375-3278	08	42375-3295	26	42375-3313	08	42375-3330	26	42375-3348	08	42375-3330	26	42375-3348
09	42375-3261	27	42375-3279	09	42375-3296	27	42375-3314	09	42375-3331	27	42375-3349	09	42375-3331	27	42375-3349
10	42375-3262	28	42375-3280	10	42375-3297	28	42375-3315	10	42375-3332	28	42375-3350	10	42375-3332	28	42375-3350
11	42375-3263	29	42375-3281	11	42375-3298	29	42375-3316	11	42375-3333	29	42375-3351	11	42375-3333	29	42375-3351
12	42375-3264	30	42375-3282	12	42375-3299	30	42375-3317	12	42375-3334	30	42375-3352	12	42375-3334	30	42375-3352
13	42375-3265	31	42375-3283	13	42375-3300	31	42375-3318	13	42375-3335	31	42375-3353	13	42375-3335	31	42375-3353
14	42375-3266	32	42375-3284	14	42375-3301	32	42375-3319	14	42375-3336	32	42375-3354	14	42375-3336	32	42375-3354
15	42375-3267	33	42375-3285	15	42375-3302	33	42375-3320	15	42375-3337	33	42375-3355	15	42375-3337	33	42375-3355
16	42375-3268	34	42375-3286	16	42375-3303	34	42375-3321	16	42375-3338	34	42375-3356	16	42375-3338	34	42375-3356
17	42375-3269	35	42375-3287	17	42375-3304	35	42375-3322	17	42375-3339	35	42375-3357	17	42375-3339	35	42375-3357
18	42375-3270	36	42375-3288	18	42375-3305	36	42375-3323	18	42375-3340	36	42375-3358	18	42375-3340	36	42375-3358
19	42375-3271			19	42375-3306			19	42375-3341			19	42375-3341		
REV: T15		ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008		TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY								SHEET No. - 22 -			
DOCUMENT NUMBER: SD- 42375-001				CREATED / REVISED BY: MKIPPER				CHECKED BY: JBELL				APPROVED BY: FSMITH			
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC															

42375

ENG. NO: 42375-3359 / 3393

HEADER NUMBER:42312-0036

PIN NUMBER:42663-ABB228

PIN LENGTH: L.455 / 11.56

MATING LENGTH: M.170 / 4.32

GOLD POINT: G.100 / 2.54

PC TAIL LENGTH: P.195 / 4.95

TIN: T.100 / 2.54

CKTS:2-36

KINKS:NO

VOIDED CKTS:NONE

PACKAGING:BULK PK-40873-0041

CKTSITEM NUMBERCKTSITEM NUMBER

0242375-33592042375-3377

0342375-33602142375-3378

0442375-33612242375-3379

0542375-33622342375-3380

0642375-33632442375-3381

0742375-33642542375-3382

0842375-33652642375-3383

0942375-33662742375-3384

1042375-33672842375-3385

1142375-33682942375-3386

1242375-33693042375-3387

1342375-33703142375-3388

1442375-33713242375-3389

1542375-33723342375-3390

1642375-33733442375-3391

1742375-33743542375-3392

1842375-33753642375-3393

1942375-3376

ENG. NO: 42375-3394 / 3428

HEADER NUMBER:42312-0036

PIN NUMBER:42663-EZB208

PIN LENGTH: L.970/24.64

MATING LENGTH: M.780/19.81

GOLD POINT: G.200/5.08

PC TAIL LENGTH: P.100/ 2.54

TIN: T.200/5.08

CKTS:2-36

KINKS:NO

VOIDED CKTS:NONE

PACKAGING:BULK PK-40873-0043

CKTSITEM NUMBERCKTSITEM NUMBER

0242375-33942042375-3412

0342375-33952142375-3413

0442375-33962242375-3414

0542375-33972342375-3415

0642375-33982442375-3416

0742375-33992542375-3417

0842375-34002642375-3418

0942375-34012742375-3419

1042375-34022842375-3420

1142375-34032942375-3421

1242375-34043042375-3422

1342375-34053142375-3423

1442375-34063242375-3424

1542375-34073342375-3425

1642375-34083442374-3426

1742375-34093542375-3427

1842375-34103642375-3428

1942375-3411

ENG. NO: 42375-3429 / 3463

HEADER NUMBER:42312-0036

PIN NUMBER:42663-ARA154

PIN LENGTH: L.520/13.21

MATING LENGTH: M.386/9.80

GOLD POINT: G.N/A

PC TAIL LENGTH: P.044/1.12

TIN: T.OVERALL

CKTS:2-36

KINKS:NO

VOIDED CKTS:NONE

PACKAGING:BULK PK-40873-0041

CKTSITEM NUMBERCKTSITEM NUMBER

0242375-34292042375-3447

0342375-34302142375-3448

0442375-34312242375-3449

0542375-34322342375-3450

0642375-34332442375-3451

0742375-34342542375-3452

0842375-34352642375-3453

0942375-34362742375-3454

1042375-34372842375-3455

1142375-34382942375-3456

1242375-34393042375-3457

1342375-34403142375-3458

1442375-34413242375-3459

1542375-34423342375-3460

1642375-34433442374-3461

1742375-34443542375-3462

1842375-34453642375-3463

1942375-3446

REV:T15

ECR/ECN INFORMATION:

EC No.:UCP2009-1249

DATE:12/2/2008

DOCUMENT NUMBER:SD- 42375-001

TITLE:KK 100 HEADER ASSY
FLAT VERTICAL
BREAKAWAY

CREATED / REVISED BY:MKIPPER

CHECKED BY:JBELL

APPROVED BY:FSMITH

SHEET No.- 23 -

TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC

Downloaded from Elcodis.com electronic components distributor

42375

ENG. NO: 42375-3464 / 3498

HEADER NUMBER:42312-0036

PIN NUMBER:42663-CJA154

PIN LENGTH: L.700/17.78

MATING LENGTH: M.500/12.70

GOLD POINT: GN/A

PC TAIL LENGTH: P.110/2.79

TIN: T.OVERALL

CKTS:2-36

KINKS:NO

VOIDED CKTS:# 2

PACKAGING:BULK PK-40873-0041

CKTSITEM NUMBERCKTSITEM NUMBER

0242375-34642042375-3482

0342375-34652142375-3483

0442375-34662242375-3484

0542375-34672342375-3485

0642375-34682442375-3486

0742375-34692542375-3487

0842375-34702642375-3488

0942375-34712742375-3489

1042375-34722842375-3490

1142375-34732942375-3491

1242375-34743042375-3492

1342375-34753142375-3493

1442375-34763242375-3494

1542375-34773342375-3495

1642375-34783442375-3496

1742375-34793542375-3497

1842375-34803642375-3498

1942375-3481

ENG. NO: 42375-3499/3533

HEADER NUMBER:42312-0036

PIN NUMBER:42663-ETA154

PIN LENGTH: L.950/24.13

MATING LENGTH: M.750/19.05

GOLD POINT: GN/A

PC TAIL LENGTH: P.110/2.79

TIN: T.OVERALL

CKTS:2-36

KINKS:NO

VOIDED CKTS:NONE

PACKAGING:BULK PK-40873-0043

CKTSITEM NUMBERCKTSITEM NUMBER

0242375-34992042375-3517

0342375-35002142375-3518

0442375-35012242375-3519

0542375-35022342375-3520

0642375-35032442375-3521

0742375-35042542375-3522

0842375-35052642375-3523

0942375-35062742375-3524

1042375-35072842375-3525

1142375-35082942375-3526

1242375-35093042375-3527

1342375-35103142375-3528

1442375-35113242375-3529

1542375-35123342375-3530

1642375-35133442375-3531

1742375-35143542375-3532

1842375-35153642375-3533

1942375-3516

ENG. NO: 42375-3534/3568

HEADER NUMBER:42312-0036

PIN NUMBER:42663-AWB208

PIN LENGTH: L.535/13.59

MATING LENGTH: M.235/5.97

GOLD POINT: G.200/5.08

PC TAIL LENGTH: P.210/5.33

TIN: T.100/2.54

CKTS:2-36

KINKS:NO

VOIDED CKTS:NONE

PACKAGING:BULK PK-40873-0041

CKTSITEM NUMBERCKTSITEM NUMBER

0242375-35342042375-3552

0342375-35352142375-3553

0442375-35362242375-3554

0542375-35372342375-3555

0642375-35382442375-3556

0742375-35392542375-3557

0842375-35402642375-3558

0942375-35412742375-3559

1042375-35422842375-3560

1142375-35432942375-3561

1242375-35443042375-3562

1342375-35453142375-3563

1442375-35463242375-3564

1542375-35473342375-3565

1642375-35483442375-3566

1742375-35493542375-3567

1842375-35503642375-3568

1942375-3551

REV:T15

ECR/ECN INFORMATION:

EC No.:UCP2009-1249

DATE:12/2/2008

TITLE:KK 100 HEADER ASSY
FLAT VERTICAL
BREAKAWAY

SHEET No.- 24 -

DOCUMENT NUMBER:SD- 42375-001

CREATED / REVISED BY:MKIPPER

CHECKED BY:JBELL

APPROVED BY:FSMITH

TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC

Downloaded from Elcodis.com electronic components distributor

42375									
ENG. NO: A-42375-3569/3603						ENG. NO: A-42375-2974/3008			
HEADER NUMBER:		42312-0036							
PIN NUMBER:		42663-ABB208							
PIN LENGTH: L		.455 / 11.56							
MATING LENGTH: M		.240 / 6.09							
GOLD POINT: G		.100 / 2.54							
PC TAIL LENGTH: P		.125 / 3.18							
TIN: T		.100 / 2.54							
CKTS:		4-36							
KINKS:		NO							
VOIDED CKTS:		5							
PACKAGING:		BULK PK-40873-0041							
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	ITEM NUMBER
02			20	423753587	42375-3587	02			
03			21	423753588	42375-3588	03			
04			22	423753589	42375-3589	04			
05	423753572	42375-3572	23	423753590	42375-3590	05	423752977	42375-2977	
06	423753573	42375-3573	24	423753591	42375-3591	06			
07	423753574	42375-3574	25	423753592	42375-3592	07			
08	423753575	42375-3575	26	423753593	42375-3593	08			
09	423753576	42375-3576	27	423753594	42375-3594	09			
10	423753577	42375-3577	28	423753595	42375-3595	10			
11	423753578	42375-3578	29	423753596	42375-3596	11			
12	423753579	42375-3579	30	423753597	42375-3597	12			
13	423753580	42375-3580	31	423753598	42375-3598	13			
14	423753581	42375-3581	32	423753599	42375-3599	14			
15	423753582	42375-3582	33	423753600	42375-3600	15			
16	423753583	42375-3583	34	423753601	42375-3601	16			
17	423753584	42375-3584	35	423753602	42375-3602	17			
18	423753585	42375-3585	36	423753603	42375-3603	18			
19	423753586	42375-3586				19			
REV: T15		ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008		TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY				SHEET No. - 25 -	
DOCUMENT NUMBER: SD- 42375-001				CREATED / REVISED BY: MKIPPER		CHECKED BY: JBELL		APPROVED BY: FSMITH	
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC									

42375									
ENG. NO: A-42375-3604/3637						ENG. NO: A-42375-3638/3658			
HEADER NUMBER:		42312-0036				HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-AXA154				PIN NUMBER:		42663-ABA154	
PIN LENGTH: L		.540 / 13.72				PIN LENGTH: L		.455 / 11.56	
MATING LENGTH: M		.380 / 9.65				MATING LENGTH: M		.240 / 6.09	
GOLD POINT: G		N/A				GOLD POINT: G		N/A	
PC TAIL LENGTH: P		.070 / 1.78				PC TAIL LENGTH: P		.125 / 3.18	
TIN: T		OVERALL				TIN: T		OVERALL	
CKTS:		3-36				CKTS:		2-36	
KINKS:		NO				KINKS:		NO	
VOIDED CKTS:		2				VOIDED CKTS:		2, 4, 6, 8, 10, 12, 14, 16	
PACKAGING:		BULK PK-40873-0041				PACKAGING:		BULK PK-40873-0041	
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	ITEM NUMBER
02			20			02			
03	42375-3604		21			03			
04			22			04			
05			23			05			
06			24			06			
07			25			07			
08			26			08			
09			27			09			
10			28			10			
11			29			11			
12			30			12			
13			31			13			
14			32			14			
15			33			15			
16			34			16			
17			35			17	423753639	42375-3639	
18			36			18			
19						19			
REV: T15		ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008		TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY				SHEET No. - 26 -	
DOCUMENT NUMBER: SD- 42375-001				CREATED / REVISED BY: MKIPPER		CHECKED BY: JBELL		APPROVED BY: FSMITH	
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC									

42375									
ENG. NO: 42375-3659/3693						ENG. NO: 42375-3694/3728			
HEADER NUMBER:		42312-0036				HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-AXB208				PIN NUMBER:		42663-AXB208	
PIN LENGTH: L		.540 / 13.72				PIN LENGTH: L		.540 / 13.72	
MATING LENGTH: M		.250 / 6.35				MATING LENGTH: M		.250 / 6.35	
GOLD POINT: G		.140 / 3.56				GOLD POINT: G		.140 / 3.56	
PC TAIL LENGTH: P		.200 / 5.08				PC TAIL LENGTH: P		.200 / 5.08	
TIN: T		.135 / 3.43				TIN: T		.135 / 3.43	
CKTS:		2-36				CKTS:		2-36	
KINKS:		NO				KINKS:		NO	
VOIDED CKTS:		NONE				VOIDED CKTS:		5	
PACKAGING:		BULK PK-40873-0041				PACKAGING:		BULK PK-40873-0041	
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS
02	68300-2000	42375-3659	20		42375-3677	02		42375-3694	20
03	68300-2001	42375-3660	21		42375-3678	03		42375-3695	21
04		42375-3661	22		42375-3679	04		42375-3696	22
05	68300-2006	42375-3662	23		42375-3680	05		42375-3697	23
06		42375-3663	24		42375-3681	06		42375-3698	24
07		42375-3664	25		42375-3682	07		42375-3699	25
08		42375-3665	26		42375-3683	08	68300-2002	42375-3700	26
09		42375-3666	27		42375-3684	09		42375-3701	27
10		42375-3667	28		42375-3685	10		42375-3702	28
11		42375-3668	29		42375-3686	11		42375-3703	29
12		42375-3669	30		42375-3687	12		42375-3704	30
13		42375-3670	31		42375-3688	13		42375-3705	31
14		42375-3671	32		42375-3689	14		42375-3706	32
15		42375-3672	33		42375-3690	15		42375-3707	33
16		42375-3673	34		42375-3691	16		42375-3708	34
17		42375-3674	35		42375-3692	17		42375-3709	35
18		42375-3675	36		42375-3693	18		42375-3710	36
19		42375-3676				19		42375-3711	
REV: T15		ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008			TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY				SHEET No. - 27 -
DOCUMENT NUMBER: SD- 42375-001					CREATED / REVISED BY: MKIPPER		CHECKED BY: JBELL		APPROVED BY: FSMITH
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC									

42375									
ENG. NO: 42375-3729/3763						ENG. NO: 42375-3764/3798			
HEADER NUMBER:		42312-0036				HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-AFB208				PIN NUMBER:		42663-ETA154	
PIN LENGTH: L		.475 / 12.07				PIN LENGTH: L		.950/24.13	
MATING LENGTH: M		.232 / 5.89				MATING LENGTH: M		.750/19.05	
GOLD POINT: G		.150 / 3.81				GOLD POINT: G		N/A	
PC TAIL LENGTH: P		.153 / 3.89				PC TAIL LENGTH: P		.110/2.79	
TIN: T		.150 / 3.81				TIN: T		OVERALL	
CKTS:		2-36				CKTS:		2-36	
KINKS:		NO				KINKS:		NO	
VOIDED CKTS:		5				VOIDED CKTS:		2	
PACKAGING:		BULK PK-40873-0041				PACKAGING:		BULK PK-40873-0043	
CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	MATERIAL NUMBER	ENG NUMBER	CKTS	ITEM NUMBER	CKTS	ITEM NUMBER
02		42375-3729	20		42375-3747	02		20	
03		42375-3730	21		42375-3748	03		21	
04		42375-3731	22		42375-3749	04		22	
05		42375-3732	23		42375-3750	05		23	
06		42375-3733	24		42375-3751	06		24	
07		42375-3734	25		42375-3752	07		25	
08	68300-2007	42375-3735	26		42375-3753	08	42375-3770	26	
09		42375-3736	27		42375-3754	09		27	
10		42375-3737	28		42375-3755	10		28	
11		42375-3738	29		42375-3756	11		29	
12		42375-3739	30		42375-3757	12		30	
13		42375-3740	31		42375-3758	13		31	
14		42375-3741	32		42375-3759	14		32	
15		42375-3742	33		42375-3760	15		33	
16		42375-3743	34		42375-3761	16		34	
17		42375-3744	35		42375-3762	17		35	
18		42375-3745	36		42375-3763	18		36	
19		42375-3746				19			
REV: T15		ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008		TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY				SHEET No. - 28 -	
DOCUMENT NUMBER: SD- 42375-001				CREATED / REVISED BY: MKIPPER		CHECKED BY: JBELL		APPROVED BY: FSMITH	
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC									

42375

ENG. NO: 42375-3799/3832			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-ABA154	
PIN LENGTH: L		.455 / 11.56	
MATING LENGTH: M		.240 / 6.09	
GOLD POINT: G		N/A	
PC TAIL LENGTH: P		.125 / 3.18	
TIN: T		OVERALL	
CKTS:		3-36	
KINKS:		NO	
VOIDED CKTS:		3	
PACKAGING:		BULK PK-40873-0041	
CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
02		20	
03		21	
04		22	
05	42375-3801	23	
06		24	
07		25	
08		26	
09		27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

ENG. NO: 42375-3733/3867			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-ABB208	
PIN LENGTH: L		.455 / 11.56	
MATING LENGTH: M		.250 / 6.35	
GOLD POINT: G		.100 / 2.54	
PC TAIL LENGTH: P		.115 / 2.92	
TIN: T		.100 / 3.18	
CKTS:		2-36	
KINKS:		NO	
VOIDED CKTS:		NONE	
PACKAGING:		BULK PK-40873-0041	
CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
02		20	
03		21	
04		22	
05	42375-3836	23	
06		24	
07		25	
08		26	
09		27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

ENG. NO: 42375-3868 / 3902			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-DWA154	
PIN LENGTH: L		.850 / 21.59	
MATING LENGTH: M		.640 / 16.26	
GOLD POINT: G		N/A	
PC TAIL LENGTH: P		.120 / 3.05	
TIN: T		OVERALL	
CKTS:		2-36	
KINKS:		NO	
VOIDED CKTS:		NONE	
PACKAGING:		BULK PK-40873-0041	
CKTS	ITEM NUMBER	CKTS	ITEM NUMBER
02		20	
03		21	
04	42375-3870	22	
05		23	
06	42375-3872	24	
07		25	
08		26	
09		27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

REV: T15	ECR/ECN INFORMATION:	TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY	SHEET No. - 29 -
	EC No.: UCP2009-1249 DATE: 12/2/2008		
DOCUMENT NUMBER: SD- 42375-001		CREATED / REVISED BY: MKIPPER	CHECKED BY: JBELL
		APPROVED BY: FSMITH	

TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC

42375

ENG. NO: 42375-3903/3932			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-BSA154	
PIN LENGTH: L		.630 / 16.00	
MATING LENGTH: M		.421 / 10.69	
GOLD POINT: G		N/A	
PC TAIL LENGTH: P		.119 / 3.02	
TIN: T		OVERALL	
CKTS:		7-36	
KINKS:		NO	
VOIDED CKTS:		7	
PACKAGING:		BULK PK-40873-0041	
CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
02		20	
03		21	
04		22	
05		23	
06		24	
07		25	
08	42375-3904	26	
09		27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

ENG. NO: 42375-3933/3964			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-BSA154	
PIN LENGTH: L		.630 / 16.00	
MATING LENGTH: M		.405/10.29	
GOLD POINT: G		N/A	
PC TAIL LENGTH: P		.135/3.43	
TIN: T		OVERALL	
CKTS:		5-36	
KINKS:		YES	
VOIDED CKTS:		5	
PACKAGING:		BULK PK-40873-0041	
CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
02		20	
03		21	
04		22	
05		23	
06		24	
07		25	
08		26	
09	42375-3937	27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

ENG. NO: 42375-3965/3995			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-BSA154	
PIN LENGTH: L		.630 / 16.00	
MATING LENGTH: M		.405/10.29	
GOLD POINT: G		N/A	
PC TAIL LENGTH: P		.135/3.43	
TIN: T		OVERALL	
CKTS:		6-36	
KINKS:		YES	
VOIDED CKTS:		4, 5, 6	
PACKAGING:		BULK PK-40873-0041	
CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
02		20	
03		21	
04		22	
05		23	
06		24	
07		25	
08		26	
09	42375-3968	27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

REV: T15	<u>ECR/ECN INFORMATION:</u>		<u>TITLE:</u> KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY	<u>SHEET No.</u> - 30 -
	<u>EC No.:</u> UCP2009-1249			
	<u>DATE:</u> 12/2/2008			
<u>DOCUMENT NUMBER:</u> SD- 42375-001		<u>CREATED / REVISED BY:</u> MKIPPER	<u>CHECKED BY:</u> JBELL	<u>APPROVED BY:</u> FSMITH

TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC

42375

42375															
ENG. NO: A-42375-3996/4030 HEADER NUMBER: 42312-0036 PIN NUMBER: 42663-AXA154 PIN LENGTH: L .540 / 13.72 MATING LENGTH: M .390 / 9.91 GOLD POINT: G N/A PC TAIL LENGTH: P .060 / 1.52 TIN: T OVERALL CKTS: 2-36 KINKS: NO VOIDED CKTS: NONE PACKAGING: BULK PK-40873-0041 ENG. NO: 42375-4031/4059 HEADER NUMBER: 42312-0036 PIN NUMBER: 42663-ABA154 PIN LENGTH: L .455 / 11.56 MATING LENGTH: M .240 / 6.09 GOLD POINT: G N/A PC TAIL LENGTH: P .125 / 3.18 TIN: T OVERALL CKTS: 8-36 KINKS: NO VOIDED CKTS: 2, 4, 6, 8 PACKAGING: BULK PK-40873-0041 ENG. NO: 42375-4060 / 4094 HEADER NUMBER: 42312-0036 PIN NUMBER: 42663-CGA154 PIN LENGTH: L .690 / 17.53 MATING LENGTH: M .521 / 13.23 GOLD POINT: G N/A PC TAIL LENGTH: P .079 / 2.01 TIN: T OVERALL CKTS: 2-36 KINKS: NO VOIDED CKTS: NONE PACKAGING: BULK PK-40873-0041															
CKTS	ITEM NUMBER	CKTS	ITEM NUMBER	CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
02		20		02		20		02		20		02		20	
03		21		03		21		03		21		03		21	
04		22		04		22		04		22		04		22	
05		23		05		23		05		23		05		23	
06	42375-4000	24		06		24		06	42375-4064	24		06		24	
07	42375-4001	25		07		25		07		25		07		25	
08		26		08		26		08		26		08		26	
09		27		09	42375-4032	27		09		27		09		27	
10		28		10		28		10		28		10		28	
11		29		11		29		11		29		11		29	
12		30		12		30		12		30		12		30	
13		31		13		31		13		31		13		31	
14		32		14		32		14		32		14		32	
15		33		15		33		15		33		15		33	
16		34		16		34		16		34		16		34	
17		35		17		35		17		35		17		35	
18		36		18		36		18		36		18		36	
19				19				19				19			
REV: T15 ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008 TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY SHEET No. - 31 -															
DOCUMENT NUMBER: SD- 42375-001				CREATED / REVISED BY: MKIPPER				CHECKED BY: JBELL				APPROVED BY: FSMITH			
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC															

42375

ENG. NO: A-42375-4095/4129			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-DEB228	
PIN LENGTH: L		.785 / 19.94	
MATING LENGTH: M		.470 / 11.94	
GOLD POINT: G		.250 / 6.35	
PC TAIL LENGTH: P		.225 / 5.72	
TIN: T		.200 / 5.08	
CKTS:		2-36	
KINKS:		NO	
VOIDED CKTS:		NONE	
PACKAGING:		BULK PK-40873-0041	
CKTS	ITEM NUMBER	CKTS	ITEM NUMBER
02		20	
03		21	
04		22	
05		23	
06		24	
07		25	
08		26	
09		27	
10	42375-4103	28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18	42375-4111	36	
19			

ENG. NO: A-42375-4130/4161			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-ATA154	
PIN LENGTH: L		.530/13.46	
MATING LENGTH: M		.320/8.13	
GOLD POINT: G		N/A	
PC TAIL LENGTH: P		.120/3.05	
TIN: T		OVERALL	
CKTS:		5-36	
KINKS:		YES	
VOIDED CKTS:		2, 3, 4	
PACKAGING:		BULK PK-40873-0041	
CKTS	ITEM NUMBER	CKTS	ITEM NUMBER
		20	
		21	
		22	
05	42375-4130	23	
06		24	
07		25	
08		26	
09		27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

ENG. NO: 42375-4162/4196			
HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-BSC228	
PIN LENGTH: L		.630/16.00	
MATING LENGTH: M		.400/10.16	
GOLD POINT: G		.345/8.76	
PC TAIL LENGTH: P		.140/3.56	
TIN: T		.100/2.54	
CKTS:		2-36	
KINKS:		NO	
VOIDED CKTS:		NONE	
PACKAGING:		BULK PK-40873-0041	
CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
02		20	
03		21	
04	42375-4164	22	
05	42375-4165	23	
06		24	
07		25	
08		26	
09		27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

REV: T15	<u>ECR/ECN INFORMATION:</u>		<u>TITLE:</u> KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY		<u>SHEET No.</u> - 32 -
	<u>EC No.:</u> UCP2009-1249				
	<u>DATE:</u> 12/2/2008				
<u>DOCUMENT NUMBER:</u> SD- 42375-001			<u>CREATED / REVISED BY:</u> MKIPPER	<u>CHECKED BY:</u> JBELL	<u>APPROVED BY:</u> FSMITH
TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC					

42375

ENG. NO: A-42375-1622

HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-AYB208	
PIN LENGTH: L		.545 / 13.84	
MATING LENGTH: M		.320 / 8.13	
GOLD POINT: G		.140 / 3.56	
PC TAIL LENGTH: P		.135 / 3.43	
TIN: T		.135 / 3.43	
CKTS:		2-36	
KINKS:		SMES-42003	
VOIDED CKTS:		3	
PACKAGING:		BULK	PK-40873-0041
CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
02		20	
03		21	
04		22	
05		23	
06		24	
07		25	
08		26	
09	42375-1622	27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

ENG. NO: A-42375-4199

HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-ARB228	
PIN LENGTH: L		.520 / 13.21	
MATING LENGTH: M		.230 / 5.84	
GOLD POINT: G		.140 / 3.56	
PC TAIL LENGTH: P		.200 / 5.08	
TIN: T		.135 / 3.43	
CKTS:		2-36	
KINKS:		NO	
VOIDED CKTS:		NONE	
PACKAGING:		BULK	PK-40873-0041
CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
02	42375-4199	20	
03		21	
04		22	
05		23	
06		24	
07		25	
08		26	
09		27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

ENG. NO: A-42375-4200

HEADER NUMBER:		42312-0036	
PIN NUMBER:		42663-ADB208	
PIN LENGTH: L		.465 / 11.81	
MATING LENGTH: M		.240 / 6.09	
GOLD POINT: G		.100 / 2.54	
PC TAIL LENGTH: P		.135 / 3.43	
TIN: T		.100 / 2.54	
CKTS:		2-36	
KINKS:		SMES-42003	
VOIDED CKTS:		3, 4	
PACKAGING:		BULK	PK-40873-0041
CKTS	MATERIAL NUMBER	CKTS	MATERIAL NUMBER
02		20	
03		21	
04		22	
05	42375-4200	23	
06		24	
07		25	
08		26	
09		27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

REV:

T15

ECR/ECN INFORMATION:EC No.: UCP2009-1249DATE: 12/2/2008TITLE:

**KK 100 HEADER ASSY
FLAT VERTICAL
BREAKAWAY**

SHEET No.

- 33 -

DOCUMENT NUMBER:

SD- 42375-001

CREATED / REVISED BY:

MKIPPER

CHECKED BY:

JBELL

APPROVED BY:

FSMITH

TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC

ENG. NO: 42375-4236

HEADER NUMBER:	42312-0036
PIN NUMBER:	42663-CCA118
PIN LENGTH: L	.670 / 17.02
MATING LENGTH: M	.440 / 11.18
GOLD POINT: G	NA
PC TAIL LENGTH: P	.140 / 3.56
TIN: T	OVERALL
CKTS:	2-36
KINKS:	SMES-42003
VOIDED CKTS:	NONE
PACKAGING:	BULK PK-40873-0041

CKTS	ITEM NUMBER	CKTS	ITEM NUMBER
02		20	
03		21	
04		22	
05		23	
06	42375-4236	24	
07		25	
08		26	
09		27	
10		28	
11		29	
12		30	
13		31	
14		32	
15		33	
16		34	
17		35	
18		36	
19			

REV: T15	ECR/ECN INFORMATION: EC No.: UCP2009-1249 DATE: 12/2/2008	TITLE: KK 100 HEADER ASSY FLAT VERTICAL BREAKAWAY	SHEET No. - 34 -
DOCUMENT NUMBER: SD- 42375-001	CREATED / REVISED BY: MKIPPER	CHECKED BY: JBELL	APPROVED BY: FSMITH

TEMPLATE FILENAME: PRODUCT_SPEC(SIZE_A)(V.1).DOC