

BOX MOUNT D-SUB CONNECTORS





✓ Active

<u>+</u>

PRODUCT DRAWING



3D PDF

TE CONNECTIVITY (TE)
PLUG ASSY,37 POSN,AMPLIMITE

AMPLIMITE | AMPLIMITE

206802-2

TE Internal Number: 206802-2 Mil-Spec: 311P409-4P-B-12

Always EU RoHS/ELV Compliant

Connector Style Plug

Number of Positions 37

Power/Signal/Coax Combination No

Shell Size 4

Contact Style Crimp Snap-In

Product Drawings PLUG FOR PIN CONTACTS SIZE 4, (37 POSITON)

PDF **English**

CAD Files Customer View Model

3D_IGS.ZIP English

Customer View Model

3D_STP.ZIP English

Customer View Model

2D_DXF.ZIP English

3D PDF

PDF **3D**

Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features Connector Style Plug

Shell Size

Blindmate **No**

Applies To Wire/Cable


Product Type Connector

Configuration Features Number of Positions 37

Power/Signal/Coax Combination No

Body Features	Non-Magnetic	Yes
	Insert Arrangement	MS18275-1
	Shell Material	Brass
	Shell Plating Material	Gold
	Retention Clip Material	Copper Alloy
	0 0 . !	
Contact Features	Contact Style	Crimp Snap-In
	Contact Size	20
	Contact Base Material	Copper
	Contact Type	Pin
	Contact Mating Area Plating Material	Gold
	Contact Mating Area Plating Thickness (µin)	100 – 150
Mechanical Attachment	Mounting Style	Mounting Holes
	Mounting Hole Diameter	3.05 mm [.12 in]
Operation/Application	ULTRA-LITE Connector	No
Packaging Features	Packaging Method Package	
Product Compliance	Statement of Compliance	

CUSTOMERS ALSO BOUGHT



VIEW ALL PRODUCT COMPLIANCE