




## CRIMP RINGS & SPADES



✓ Active

↓ **PRODUCT DRAWING**  
English

↓ **3D PDF**

TE CONNECTIVITY (TE)

### TERMINAL, PIDG R 26-22 2

PIDG | PIDG

2-323912-1

TE Internal Number: 2-323912-1

Always EU RoHS/ELV Compliant

Terminal Shape **Ring Tongue**

Stud Diameter **2.36 mm [ .093 in ]**

Tongue Thickness **.5 mm [ .0197 in ]**

Sealed **No**

Heavy Duty **No**

#### Product Drawings

[WIRE TERMINAL PIDG - RING TONGUE WIRE SIZE: 26-22](#)

PDF  
English

#### CAD Files

[Customer View Model](#)

3D\_IGS.ZIP  
English

[Customer View Model](#)

3D\_STP.ZIP  
English

[Customer View Model](#)

2D\_DXF.ZIP  
English

[3D PDF](#)

PDF  
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

#### Product Type Features

Sealed	<b>No</b>
Barrel Type	<b>Closed Barrel</b>
Wire/Cable Type	<b>Regular Wire</b>
Insulated	<b>Yes</b>
Insulated Wire Support	<b>Yes</b>
Support Style	<b>Insulation Support</b>
Stud Size	<b>2, M2</b>
Shape Code	<b>RING-041</b>

	Wire/Cable Composition	<b>Stranded</b>
Configuration Features	Terminal Angle	<b>Straight</b>
	Number of Holes	<b>1</b>
Electrical Characteristics	Voltage (Max) (V)	<b>300</b>
Body Features	Plating Material	<b>Copper, Tin</b>
	Insulation Sleeve Material	<b>Copper</b>
	Insulation Material	<b>Nylon</b>
	Inspection Slot	<b>No</b>
	Weight per Piece (g)	<b>.222</b>
	Insulation Type	<b>Pre-Insulated</b>
Contact Features	Terminal Shape	<b>Ring Tongue</b>
	Terminal Orientation	<b>Straight</b>
Dimensions	Stud Diameter	<b>2.36 mm [ .093 in ]</b>
	Tongue Thickness	<b>.5 mm [ .0197 in ]</b>
	Wire Insulation Diameter (Max)	<b>2.08 mm [ .082 in ]</b>
	Wire Insulation Diameter	<b>1.27 – 2.08 mm [ .05 – .082 in ]</b>
	Wire Size (AWG)	<b>26 – 22</b>
	Wire Size (mm <sup>2</sup> )	<b>.1 – .41</b>
	Wire Size (CMA)	<b>202 – 810</b>
	Overall Length	<b>13.33 mm [ .5248 in ]</b>
	Barrel Inside Diameter (Min)	<b>2.13 mm [ .084 in ]</b>
Operation/Application	Heavy Duty	<b>No</b>
Industry Standards	Government Qualified	<b>No</b>
Packaging Features	Packaging Method	<b>Tape Mounted</b>
	Packaging Quantity	<b>4000</b>
Other	Barrel Color	<b>Yellow</b>
Product Compliance	<a href="#">Statement of Compliance</a>	

