

TABLE 1


DASH No.	Dim. of Part	Dim. A	Dim. B	Dim. C	Dim. D
- 000 06 XX LF	06	2.54	8.04	1.85	4.95
- 000 08 XX LF	08	3.81	9.31	1.85	4.95
- 000 10 XX LF	10	5.08	10.58	1.85	4.95
- 000 12 XX LF	12	6.35	11.85	1.85	4.95
- 000 14 XX LF	14	7.62	13.12	1.85	4.95
- 000 16 XX LF	16	8.89	14.39	1.85	4.95
- 000 20 XX LF	20	11.43	16.93	1.85	4.95
- 000 22 XX LF	22	12.70	18.20	1.85	4.95
- 000 24 XX LF	24	13.97	19.47	1.85	4.95
- 000 26 XX LF	26	15.24	20.74	1.85	4.95
- 000 30 XX LF	30	17.78	23.28	1.85	4.95

OBS

- 000 34 XX LF	34	20.32	25.92	1.85	4.95
- 000 40 XX LF	40	24.13	29.63	1.85	4.95
- 000 44 XX LF	44	26.67	32.17	1.85	4.95
- 000 50 XX LF	50	30.48	35.98	1.85	4.95
- 000 60 XX LF	60	36.83	42.33	1.85	4.95
- 000 64 XX LF	64	38.37	44.87	1.85	4.95
- 000 66 XX LF	66	40.64	46.14	1.85	4.95
- 000 68 XX LF	68	41.91	47.41	1.85	4.95
- 000 70 XX LF	70	43.18	48.64	2.25	5.35
- 000 74 XX LF	74	45.72	51.18	2.25	5.35
- 000 76 XX LF	76	46.99	52.45	2.25	5.35
- 000 80 XX LF	80	49.53	54.99	2.25	5.35

OBS

- NOTES:
- MATERIAL:
HOUSING: LOW TEMP PLASTIC, UL94-V0, BLACK
TERMINAL: COPPER ALLOY, T=0.15MM
 - FINISH:
TERMINAL: GOLD AT CONTACT,
G/F OVER 1um(40u")MIN NI OVER ALL
 - SPEC. :
PRODUCT SPEC: GS-12-629
PACKING SPEC: GS-14-1420
THE PRODUCT IS NOT INTEND TO BE EXPOSED TO A MANUFACTURING SOLDER PROCESS.
 - 30AWG WIRE IS RECOMMENDED FOR THIS PRODUCT.
 - PRODUCT NUMBERING:
20021444 - 0 0 0 XX X X LF



mat'l. code	surface	tolerance	projection	product family
ISO1302	ISO100 ISO406		MINITEK	
1tr	ecn no	dr	date	title
A	T09-1117	S.LIN	01/22/10	1.27X1.27 CTB IDC
D	T10-0119	S.LIN	07/30/10	RECEPTACLE
E	T10-0020	S.LIN	04/21/11	scale 3:1
F	EX-N-0100	ZK	05/31/12	STERLING LIN 09/15/09
G	EX-N-0100	TIM	07/02/13	STERLING LIN 09/15/09
H	EX-N-15697	TIM	08/27/13	GARY HSEH 09/15/09
sheet index	revision	sheet	1	FCI
				Product Customer Drawing
				dwg no 20021444
				sheet: 1 of 1
				size A4