



CRIMP RINGS & SPADES



✓ Active

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

TE CONNECTIVITY (TE)
TERMINAL,SOLIS R 6HD 10
 SOLISTRAND

2-330969-1
 TE Internal Number: 2-330969-1
 Alias ID: 1238647

Always EU RoHS/ELV Compliant

Terminal Shape **Ring Tongue**

Stud Diameter **4.82 mm [.19 in]**

Sealed **No**

Heavy Duty **Yes**

Wire Size (AWG) **6**

Product Drawings

[TERMINAL, RING TONGUE, HEAVY DUTY, SOLISTRAND@PZTM@PVTM](#)
 PDF (TIFF AVAILABLE)
 English

[TERMINAL, RING TONGUE, HEAVY DUTY, SOLISTRAND@PZTM@PVTM](#)
 PDF (TIFF AVAILABLE)
 English

CAD Files

[Customer View Model](#)
 2D_DXF.ZIP
 English

[3D PDF](#)
 PDF
 English

[Customer View Model](#)
 3D_IGS.ZIP
 English

[Customer View Model](#)
 3D_STP.ZIP
 English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Sealed	No
Barrel Type	Closed Barrel
Wire/Cable Type	Regular Wire
Insulated	No
Insulated Wire Support	No
Stud Size	10

	Shape Code	RING-051
	Terminal Features	Sheared
	Barrel Style	Standard
	Wire/Cable Composition	Solid or Stranded
Configuration Features	Terminal Angle	Straight
	Number of Holes	1
Body Features	Plating Material	Copper, Tin
	Inspection Slot	No
	Weight per Piece (g)	13.033
Contact Features	Terminal Shape	Ring Tongue
	Terminal Orientation	Straight
Dimensions	Stud Diameter	4.82 mm [.19 in]
	Wire Size (AWG)	6
	Wire Size (mm ²)	13 – 15
	Wire Size (CMA)	20800 – 33100
	Barrel Inside Diameter (in)	.232 – .44
	Material Thickness	2.41 mm [.095 in]
	Overall Length (mm)	30.07
	Barrel Inside Diameter (Min)	5.89 mm [.232 in]
Usage Conditions	Operating Temperature Range (°C)	170
Operation/Application	Heavy Duty	Yes
Industry Standards	Government Qualified	No
Packaging Features	Packaging Method	Loose Piece
	Packaging Quantity	100

Product Compliance

[Statement of Compliance](#)
PDF

[VIEW ALL PRODUCT COMPLIANCE](#)

