

## **BOX MOUNT D-SUB CONNECTORS**





✓ Activ



PRODUCT DRAWING



3D PDF

TE CONNECTIVITY (TE)

**RECEPT ASSY,78 POSN,AMPLIMITE** 

AMPLIMITE | AMPLIMITE

204520-2

TE Internal Number: 204520-2 Mil-Spec: M24308/2-15F

Not EU RoHS or ELV Compliant Find Compliant Alternatives

Connector Style Receptacle

Number of Positions 78

Power/Signal/Coax Combination No

Shell Size 5

Contact Style Crimp Snap-In

Product Drawings

KIT, "HDD" SERIES RECEPTACLE, SIZE NO. 5 (78 POS)

PDF (TIFF AVAILABLE)

English

KIT, "HDD" SERIES RECEPTACLE, SIZE NO. 5 (78 POS)

PDF (TIFF AVAILABLE)

English

**CAD Files** 

Customer View Model

3D\_IGS.ZIP English

**Customer View Model** 

2D\_DXF.ZIP English

**Customer View Model** 

3D\_STP.ZIP English

3D PDF PDF English

Product Environmental Compliance

TE Material Declaration MD\_204520-2\_08032012020

PDF **English** 

REACH Substance Communication Document RSCD\_Cadmium

PDF **English** 

Instruction Sheets

Instruction Sheet (U.S.) AMPLIMITE High Density 22 (HD-22) Connectors

PDF **English** 

Product Type Features	Connector Style	Receptacle
	Shell Size	5
	Blindmate	No
	Applies To	Wire/Cable
	Product Type	Connector
Configuration Features	Number of Positions	78
	Power/Signal/Coax Combination	No
Body Features	Non-Magnetic	No
	Shell Material	Steel
	Shell Plating Material	Cadmium
	Retention Clip Material	Stainless Steel
Contact Features	Contact Style	Crimp Snap-In
	Contact Size	22
	Contact Base Material	Copper Alloy
	Contact Type	Socket
	Contact Mating Area Plating Material	Gold
Mechanical Attachment	Mounting Style	Mounting Holes
	Mounting Hole Diameter	3.17 mm [ .125 in ]
Operation/Application	ULTRA-LITE Connector	No
Industry Standards	NASA Qualification	No
Packaging Features	Packaging Method	Package
Other	Comment	"F" is stamped on connectors following M24308 part number as required. "F" designates cadmium shell plating., Size 22 sockets supplied with receptacles are loose piece.

Product Compliance

## **CUSTOMERS ALSO BOUGHT**

