
# 2183Y (Har. code HO3VV-F3) pro-POWER

### Three-Core Oval 300/300V



### **Application:**

Power supply wire, suitable for indoor small electrical instrument, or general in portable tool

### **Construction:**

<b>Conductor:</b> Material	: Stranded plain annealed copper wire
Insulation: Material Colours	: PVC : Blue, brown and yellow / green stripe
<b>Sheath:</b> Material Colour	: PVC : Any
Physical Properties:	
Operating temperature	: -15°C to 70°C
Electrical Properties:	
Voltage test Voltage rating	: Core to core : 1,500 V ac/1 min : 300/300 V

www.element14.com www.farnell.com www.newark.com www.cpc.co.uk



# 2183Y (Har. code HO3VV-F3)

## pro-**power**

### Three-Core Oval 300/300V

#### **Specification Table**

Description	Conductor Stranding (mm (mm <sup>2</sup> ))	Insulation Nominal Inner Diameter (mm)	Sheath Nominal Outer Diameter (mm)	Minimum Bend Radius (mm)	Nominal DC Resistance (Ω/km)	Current Rating (A)	Part Number
Cable, Flex, 2183Y, White, 0.5 mm, 50 m	16/0.2 (0.5)	2	5.6	56	39	3	2183Y- 0.50MMWHT50M
Cable, Flex, White, 0.5 mm, 100 m							2183Y- 0.50MMWHT100M
Cable, Flex, 2183Y, Black, 0.5 mm, 50 m							2183Y- 0.50MMBLK50M
Cable, Flex, Black, 0.5 mm, 100 m							2183Y- 0.50MMBLK100M
Cable, Flex, Grey, 0.5 mm, 100 m							2183Y- 0.50MMGRY100M
Cable, Flex, White, 0.75 mm, 50 m	24/0.2 (0.75)	2.2	6.1	61	26	6	2183Y- 0.75MMWHT50M
Cable, Flex, White, 0.75 mm, 100 m							2183Y- 0.75MMWHT100M
Cable, Flex, Black, 0.75 mm, 50 m							2183Y- 0.75MMBLK50M
Cable, Flex, Black, 0.75 mm, 100 m							2183Y- 0.75MMBLK100M
Cable, Flex, Grey, 0.75 mm, 100 m							2183Y- 0.75MMGRY100M

**Dimensions: Millimetres** 

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. Pro-POWER is the registered trademark of the Group. © Premier Farnell plc 2011.



www.element14.com www.farnell.com www.newark.com www.cpc.co.uk