

## 2-conductor ground terminal block

Item No.: 283-607



2-conductor ground terminal block

### Marking

 RoHS ✓  
 Compliant

### Business data

|                      |               |
|----------------------|---------------|
| Supplier             | WAGO          |
| Item no.             | 283-607       |
| GTIN / EAN           | 4045454084547 |
| Content              | 1             |
| Order amount         | 25            |
| Customer item number |               |

### Notes


### Technical data

#### Miscellaneous

|                                   |                                           |
|-----------------------------------|-------------------------------------------|
| Total number of connection points | 2                                         |
| Total number of potentials        | 1                                         |
| Color                             | green-yellow                              |
| Ratings according to 1            | IEC/EN 60947-7-2                          |
| Connection technology (1)         | CAGE CLAMP®                               |
| Solid sizes 1                     | 0.2 ... 16 mm <sup>2</sup> / 24 ... 6 AWG |
| Fine-stranded wires 1             | 0.2 ... 16 mm <sup>2</sup> / 24 ... 6 AWG |
| Strip length 1                    | 16 ... 17 mm / 0.63 ... 0.67 in           |
| Type of wiring                    | Front-entry wiring                        |
| Design                            | horizontal                                |

| Technical data                                 |                             |
|------------------------------------------------|-----------------------------|
| <i>Marking level</i>                           | <i>Side marking</i>         |
| <i>Insulating material</i>                     | <i>Polyamide 66 (PA 66)</i> |
| <i>Fire load [MJ]</i>                          | <i>0.449 [MJ]</i>           |
| <i>Weight [g]</i>                              | <i>42.042 [g]</i>           |
| <i>Width</i>                                   | <i>12 mm / 0.472 in</i>     |
| <i>Height from upper-edge of DIN-rail [mm]</i> | <i>37.5 [mm]</i>            |
| <i>Height from upper-edge of DIN-rail</i>      | <i>37.5 mm / 1.476 in</i>   |
| <i>Length</i>                                  | <i>80 mm / 3.15 in</i>      |
| <i>Type of mounting</i>                        | <i>DIN 35 rail</i>          |

Images & drawings



**Address**

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Telefon: 0571/887-0

Fax: 0571/887-169

<http://www.wago.com>

© WAGO Kontakttechnik GmbH & Co. KG

Technische Änderungen und Irrtümer vorbehalten.