



CRIMP D-SUB CONNECTORS



Active

PRODUCT DRAWING
English

3D PDF

TE CONNECTIVITY (TE) PLUG ASSY SIZE 4

AMPLIMITE | Crimp Snap

205210-8
TE Internal Number: 205210-8

Always EU RoHS/ELV Compliant

Connector Style **Plug**

Number of Positions **37**

Contact Size **20**

Shell Size **4**

Mating Connector Lock **With**

Product Drawings

[PLUG CONNECTOR, SIZE 4, 37 POSITION, AMPLIMITE HDP](#)

PDF
English

CAD Files

[Customer View Model](#)

2D_DXF.ZIP
English

[3D PDF](#)

PDF
3D

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

Catalog Pages/Data Sheets

[AMPLIMITE Subminiature D Connectors - Cable Connectors](#)

PDF
English

Product Specifications

Product Specification

[AMPLIMITE HDP-20 Subminiature D Connector With F Crimp Contacts](#)

PDF
English

Application Specification

[AMPLIMITE HDP-20 And Economy Crimp Snap Subminiature D Commercial Connectors](#)

PDF
English

Qualification Test Report

[AMPLIMITE HDP-20 Subminiature D Connector With F Crimp Contacts](#)

PDF
English

Product Environmental Compliance

TE Material Declaration

[MD_205210-8_111120131214_dmtec](#)

PDF
English

Instruction Sheets

Instruction Sheet (U.S.)

AMPLIMITE High Density (HDP-20) Connectors With Crimp-Type Contacts PDF English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features	Connector Style	Plug
	Shell Size	4
	Shielded	Yes
	Shell Type	Full Metal Shell
	Product Type	Connector
	Grade	Standard
	Grounding Indents	Without

Configuration Features	Number of Positions	37
------------------------	---------------------	-----------

Body Features	Shell Material	Steel
	Shell Plating Material	Zinc
	Insert Material	Thermoplastic
	Shield Material	Steel

Contact Features	Contact Size	20
------------------	--------------	-----------

Mechanical Attachment	Mating Connector Lock	With
	Mating Connector Lock Type	Mounting Holes

Operation/Application	For Use With	Crimp Snap-in
-----------------------	--------------	----------------------

Industry Standards	Insert Flammability Rating	UL 94V-0
	UL Flammability Rating	UL 94V-0

Packaging Features	Packaging Method	Carton
	Packaging Quantity	300

Other	Comment	Plugs accept size 20 DF pin contacts.
-------	---------	--

Products - 11 Results

[View All](#)

Compare 0/10

Relation Type

RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS



Connectors - Crimp D-Sub Connectors
AMPLIMITE I Crimp Snap

RECP ASSY SIZE 4
- 205209-7

TE INTERNAL NUMBER: 205209-7

Active

Always EU RoHS/ELV Compliant

Connector Style **Receptacle**

Number of Positions **37**

Contact Size **20**

Shell Size **4**

Mating Connector Lock **With**

RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS



Connectors - Crimp D-Sub Connectors
AMPLIMITE I Crimp Snap

RECP ASSY SIZE 4
- 205209-2

TE INTERNAL NUMBER: 205209-2
ALIAS ID: 010-1145-00, 2-42934-5729

Active

Always EU RoHS/ELV Compliant

Connector Style **Receptacle**

Number of Positions **37**

Contact Size **20**

Shell Size **4**

Mating Connector Lock **With**

RELATIONSHIP

Mating Products

Used to identify Mating Parts

[See All Mating Products](#)

PRODUCT - MATING PRODUCTS



Connectors - Crimp D-Sub Connectors
AMPLIMITE I Crimp Snap

RECP ASSY SIZE 4
- 205209-7

TE INTERNAL NUMBER: 205209-7

Active

Always EU RoHS/ELV Compliant

Connector Style **Receptacle**

Number of Positions **37**

Contact Size **20**

Shell Size **4**

