



TNC CONNECTORS



TE CONNECTIVITY (TE) TNC PLUG DUAL W/P

AMP | TBC Plus

225550-8
TE Internal Number: 225550-8

Always EU RoHS/ELV Compliant

Applies To **Coaxial Cable**

PCB Mount Retention **Without**

50 Ohm **Yes**

75 Ohm **No**

Connector Style **Plug**

Active

PRODUCT DRAWING
English

3D PDF

Product Drawings

[PLUG, WEATHERPROOF, SERIES TNC](#)

PDF
English

CAD Files

[3D PDF](#)

PDF
3D

[Customer View Model](#)

2D_DXF.ZIP
English

[Customer View Model](#)

3D_IGS.ZIP
English

[Customer View Model](#)

3D_STP.ZIP
English

Instruction Sheets

Instruction Sheet (U.S.)

[COAXICON 50-Ohm TNC MIL-Type Plug Connectors](#)

PDF
English

Please review product documents or [contact us](#) for the latest agency approval information. Please Note: Use the Product Drawing for all design activity.

Product Type Features

Applies To

Coaxial Cable

Connector Style

Plug

Cable Type

RG 214, RG 9, RG 9A, RG 9B

Product Type





Connector - RF

Grade

Military

	Dielectric Material	PTFE
Configuration Features	Solder Terminal	Without
Electrical Characteristics	50 Ohm	Yes
	75 Ohm	No
	Impedance (Ω)	50
Body Features	Body Style	Straight
	Body Plating Material	Silver
	Body Shape	Circular
	Body Material	Phosphor Bronze
Contact Features	Center Contact Material	Brass
	Center Contact Plating Material	Gold
Termination Features	Cable Termination Type	Crimp
	Crimp Type	Dual
Mechanical Attachment	PCB Mount Retention	Without
	Panel Mount	Without
	Safety Wire Holes	Without
Packaging Features	Packaging Method	Carton
Product Compliance	Statement of Compliance PDF VIEW ALL PRODUCT COMPLIANCE	

CUSTOMERS ALSO BOUGHT

<p>MID-RANGE RELAYS</p>  <p>FCB-405-0617M=M83536/6-017M FCB-405-0617M</p>	<p>BNC CONNECTORS</p>  <p>BNC PLUG KIT 2-330358-2</p>	<p>CRIMP RINGS & SPADES</p>  <p>TERMINAL, PIDG R 12-10 4 35148</p>	 <p>PLUG ASSY</p>
--	--	---	---

