

Distributed by:

JAMECO[®]
ELECTRONICS


www.Jameco.com ♦ 1-800-831-4242

The content and copyrights of the attached
material are the property of its owner.

Jameco Part Number 1966325

2.54mm (.100") Pitch KK[®] Solid Header

4094 Right Angle



| Circuits | Order No. | | Lead-free |
|----------|----------------------------|----------------------------|-----------|
| | Tin | Gold | |
| 2 | 22-05-2021 | 22-12-2021 | Yes |
| 3 | 22-05-2031 | 22-12-2031 | |
| 4 | 22-05-2041 | 22-12-2041 | |
| 5 | 22-05-2051 | 22-12-2051 | |
| 6 | 22-05-2061 | 22-12-2061 | |
| 7 | 22-05-2071 | 22-12-2071 | |
| 8 | 22-05-2081 | 22-12-2081 | |
| 9 | 22-05-2091 | 22-12-2091 | |
| 10 | 22-05-2101 | 22-12-2101 | |

Note: In the Far East the polyester product has different Engineering No. and Order No.

Features and Benefits

- Sizes 2 to 28 circuits
- 4094 with voids is 4494 Series
- Various pin lengths available
- Voided circuits available (contact Molex)

Reference Information

Product Specification: PS-10-07
 Packaging: Bag
 UL File No.: E29179
 CSA File No.: LR19980
 Mates With: 2695, 4455, 6471, 7720 and 7880
 Designed In: Inches

Electrical

Voltage: 250V
 Current: 4.0A
 Contact Resistance: 20 milliohms max.
 Dielectric Withstanding Voltage: 1500V
 Insulation Resistance: 50K Megohms min.

Mechanical

Durability: Tin—25 cycles max.
 Gold—100 cycles max.

Physical


Housing: Nylon, UL 94V-0
 Contact: Brass, 0.64mm (.025") square
 Plating: See Table
 Operating Temperature: 0 to +75°C

| Circuits | Order No. | | Lead-free |
|----------|----------------------------|----------------------------|-----------|
| | Tin | Gold | |
| 11 | 22-05-2111 | 22-12-2111 | Yes |
| 12 | 22-05-2121 | 22-12-2121 | |
| 13 | 22-05-2131 | 22-12-2131 | |
| 14 | 22-05-2141 | 22-12-2141 | |
| 15 | 22-05-2151 | 22-12-2151 | |
| 16 | 22-05-2161 | 22-12-2161 | |
| 17 | 22-05-2171 | 22-12-2171 | |
| 18 | 22-05-2181 | 22-12-2181 | |

| Circuits | Order No. | | Lead-free |
|----------|----------------------------|----------------------------|-----------|
| | Tin | Gold | |
| 19 | 22-05-2191 | 22-12-2191 | Yes |
| 20 | 22-05-2201 | 22-12-2201 | |
| 21 | 22-05-2211 | 22-12-2211 | |
| 22 | 22-05-2221 | 22-12-2221 | |
| 23 | 22-05-2231 | 22-12-2231 | |
| 24 | 22-05-2241 | 22-12-2241 | |
| 25 | 22-05-2251 | 22-12-2251 | |
| 28 | 22-05-2281 | 22-12-2281 | |

2.54mm (.100") Pitch KK[®] Solid Header

6373 Vertical, Friction Lock



| Circuits | Order No. | | Lead-free |
|----------|----------------------------|----------------------------|-----------|
| | Tin | Gold | |
| 2 | 22-23-2021 | 22-11-2022 | Yes |
| 3 | 22-23-2031 | 22-11-2032 | |
| 4 | 22-23-2041 | 22-11-2042 | |
| 5 | 22-23-2051 | 22-11-2052 | |
| 6 | 22-23-2061 | 22-11-2062 | |
| 7 | 22-23-2071 | 22-11-2072 | |
| 8 | 22-23-2081 | 22-11-2082 | |
| 9 | 22-23-2091 | 22-11-2092 | |
| 10 | 22-23-2101 | 22-11-2102 | |

Note: Circuit 1 designation is used to orient the header to locate the voided circuit. Review mating connector to assure correct mating orientation.

Features and Benefits

- Sizes 2 to 28 circuits
- Friction lock provides passive lock to connector with ramp
- Good in high vibration applications
- Various pin lengths available
- Voided circuits available (contact Molex)

Reference Information

Product Specification: PS-10-07
 Packaging: Bag
 UL File No.: E29179
 CSA File No.: LR19980
 Mates With: 2695, 4455, 6471, 7720 and 7880
 Designed In: Inches

Electrical

Voltage: 250V
 Current: 4.0A
 Contact Resistance: 20 milliohms max.
 Dielectric Withstanding Voltage: 1500V
 Insulation Resistance: 50K Megohms min.

Mechanical

Durability: Tin—25 cycles max.
 Gold—100 cycles max.

Physical

Housing: Nylon, UL 94V-0
 Contact: Brass, 0.64mm (.025") square
 Plating: See Table
 Operating Temperature: 0 to +75°C

| Circuits | Order No. | | Lead-free |
|----------|----------------------------|----------------------------|-----------|
| | Tin | Gold | |
| 11 | 22-23-2111 | 22-11-2112 | Yes |
| 12 | 22-23-2121 | 22-11-2122 | |
| 13 | 22-23-2131 | 22-11-2132 | |
| 14 | 22-23-2141 | 22-11-2142 | |
| 15 | 22-23-2151 | 22-11-2152 | |
| 16 | 22-23-2161 | 22-11-2162 | |
| 17 | 22-23-2171 | 22-11-2172 | |
| 18 | 22-23-2181 | 22-11-2182 | |
| 19 | 22-23-2191 | 22-11-2192 | |

| Circuits | Order No. | | Lead-free |
|----------|----------------------------|----------------------------|-----------|
| | Tin | Gold | |
| 20 | 22-23-2201 | 22-11-2202 | Yes |
| 21 | 22-23-2211 | 22-11-2212 | |
| 22 | 22-23-2221 | 22-11-2222 | |
| 23 | 22-23-2231 | 22-11-2232 | |
| 24 | 22-23-2241 | 22-11-2242 | |
| 25 | 22-23-2251 | 22-11-2252 | |
| 26 | 22-23-2261 | 22-11-2262 | |
| 27 | 22-23-2271 | 22-11-2272 | |
| 28 | 22-23-2281 | 22-11-2282 | |



PRODUCT SPECIFICATION

1.0 SCOPE

This Product Specification covers the 2.54 mm (.100 inch) centerline (pitch) 0.64 mm (.025) square pin headers when mated with either printed circuit board (PCB) connectors or connectors terminated with 22 to 28 AWG wire using crimp technology.

2.0 PRODUCT DESCRIPTION

2.1 PRODUCT NAME AND SERIES NUMBERS

Crimp Terminals: 2759, 41572, 6459
Crimp Housings: 2695
PCB Connectors: 4455, 42625
Headers: 4030, 4094, 6373, 7478, 42225, 42226, 42227, 42228, 42152, 42153, 42375, 42376, 42377, 42624.
Other products conforming to this specification are noted on the individual drawings.

2.2 DIMENSIONS, MATERIALS, PLATINGS AND MARKINGS

Terminal Material: Brass or Phos. Bronze (for Max performance use phos bronze material.)
Housing: Nylon or Polyester
Pins: Brass or Phos. Bronze
For more information on dimensions, materials, and plating see the individual drawings.

2.3 SAFETY AGENCY APPROVALS

UL File Number E29179
CSALR19980

3.0 APPLICABLE DOCUMENTS AND SPECIFICATIONS

None

4.0 RATINGS

4.1 VOLTAGE

250 Volts

4.2 CURRENT AND APPLICABLE WIRES (Current is dependent on connector size, contact material, plating, ambient temperature, printed circuit board characteristics and related factors. Actual current rating is application dependent and should be evaluated for each application.)

| AWG | Amps (Max) | Outside Insulation Diameter |
|-----|------------|-----------------------------|
| 22 | 4.00 | See Drawings |
| 24 | 3.75 | See Drawings |
| 26 | 3.50 | See Drawings |
| 28 | 3.00 | See Drawings |

4.3 TEMPERATURE (ambient + 30° temp rise)

Operating: 0°C to +75°C
Nonoperating: - 40°C to +105°C

| | | | |
|--|---|---|--------------------------------------|
| REVISION: P3 | EGR/ECN INFORMATION: EC No: UCP2008-0956 DATE: 11/6/2007 | TITLE: PRODUCT SPECIFICATION .100 CENTER KK CONNECTORS | SHEET No. 1 of 5 |
| DOCUMENT NUMBER: PS-10-07 | CREATED / REVISED BY: ADERR | CHECKED BY: JBELL | APPROVED BY: FSMITH |



PRODUCT SPECIFICATION

5.0 PERFORMANCE

5.1 ELECTRICAL REQUIREMENTS

| DESCRIPTION | TEST CONDITION | REQUIREMENT |
|--|---|--------------------------------------|
| Contact Resistance (Low Level) | Mate connectors: apply a maximum voltage of 20 mV and a current of 100 mA. | 10 milliohms MAXIMUM [initial] |
| Contact Resistance of Wire Termination (Low Level) | Terminate the applicable wire to the terminal and measure wire using a voltage of 20 mV and a current of 100 mA. | 2 milliohms MAXIMUM [initial] |
| Insulation Resistance | Unmate & unmount connectors: apply a voltage of 500 VDC between adjacent terminals and between terminals to ground. | 1000 Megohms MINIMUM |
| Dielectric Withstanding Voltage | Unmate connectors: apply a voltage of {two times the rated voltage plus 1000 volts} VAC for 1 minute between adjacent terminals and between terminals to ground. | No breakdown |
| Capacitance | Measure between adjacent terminals at 1 MHz. | 2 picofarads MAXIMUM |
| Temperature Rise (via Current Cycling) | Mate connectors: measure the temperature rise at the rated current after: 1) 96 hours (steady state) 2) 240 hours (45 minutes ON and 15 minutes OFF per hour) 3) 96 hours (steady state) | Temperature rise: +30°C MAXIMUM |

| | | | |
|-------------------------------------|--|--|-------------------------------|
| REVISION: P3 | EGR/ECN INFORMATION: EC No: UCP2008-0956 DATE: 11/6/2007 | TITLE: PRODUCT SPECIFICATION .100 CENTER KK CONNECTORS | SHEET No. 2 of 5 |
| DOCUMENT NUMBER: PS-10-07 | CREATED / REVISED BY: ADERR | CHECKED BY: JBELL | APPROVED BY: FSMITH |



PRODUCT SPECIFICATION

5.2 MECHANICAL REQUIREMENTS

| DESCRIPTION | TEST CONDITION | REQUIREMENT | | |
|---|---|--|-----------------------------------|-----------------------------------|
| Connector Mate and Unmate Forces | Per circuit when mated to an .025 Sq. pin. Mate and unmate connector (male to female) at a rate of 25 ± 6 mm (1 ± ¼ inch) per minute. | 1.95 N (0.438 lbf) MAXIMUM insertion force & 0.56 N (0.125 lbf) MINIMUM withdrawal force | | |
| Terminal Retention Force (in Housing) | Axial pullout force on the terminal in the housing at a rate of 25 ± 6 mm (1 ± ¼ inch) per minute. (Forces will change with platings and materials.) | 17.8 N (4.0 lbf) MINIMUM withdrawal force | | |
| Terminal Insertion Force (into Housing) | Apply an axial insertion force on the terminal at a rate of 25 ± 6 mm (1 ± ¼ inch) per minute. (Forces will change with platings and materials.) | 6.67 N (1.5 lbf) MAXIMUM insertion force | | |
| Durability | Mate connectors up to 25 cycles at a maximum rate of 10 cycles per minute prior to Environmental Tests. | 10 milliohms MAXIMUM (change from initial) | | |
| Vibration (Random) | Mate connectors and vibrate per EIA 364-28, test condition VII. | 10 milliohms MAXIMUM (change from initial) & Discontinuity < 1 microsecond | | |
| Shock (Mechanical) | Mate connectors and shock at 50 g's with ½ sine wave (11 milliseconds) shocks in the ±X,±Y,±Z axes (18 shocks total). | 10 milliohms MAXIMUM (change from initial) & Discontinuity < 1 microsecond | | |
| Wire Pullout Force (Axial) | Apply an axial pullout force on the wire at a rate of 25 ± 6 mm (1 ± ¼ inch) per minute. (For maximum performance use Molex application tooling with stranded tinned copper wire) | 22 awg = 44 N (10 lbf) 24 awg = 35 N (8 lbf) 26 awg = 26 N (6 lbf) 28 awg = 17 N (4 lbf) 30 awg = 13 N (3 lbf) | | |
| Normal Force | Apply a perpendicular force. | 2.94 N (300 grams) average | | |
| Kinked PC Pin Insertion Force (into PCB Hole) | Apply an axial insertion force on pins at a rate of 25 ± 6 mm (1 ± ¼ inch) per minute. | Number of kinked pins | Maximum Insertion force (per pin) | Average Insertion force (per pin) |
| | | 2 | 44.0 N (9.9 lbf) | 15.1N (3.4 lbf) |
| | | 4 | 21.4 N (4.8 lbf) | 9.8 N (2.2 lbf) |
| | | 6 | 18.2 N (4.1 lbf) | 4.9 N (1.1 lbf) |

| | | | |
|------------------------|--|--|----------------------------|
| REVISION: P3 | EGR/ECN INFORMATION: EC No: UCP2008-0956 DATE: 11/6/2007 | TITLE: PRODUCT SPECIFICATION .100 CENTER KK CONNECTORS | SHEET No. 3 of 5 |
|------------------------|--|--|----------------------------|

| | | | |
|-------------------------------------|---------------------------------------|-----------------------------|-------------------------------|
| DOCUMENT NUMBER: PS-10-07 | CREATED / REVISED BY: ADERR | CHECKED BY: JBELL | APPROVED BY: FSMITH |
|-------------------------------------|---------------------------------------|-----------------------------|-------------------------------|



PRODUCT SPECIFICATION

5.3 ENVIRONMENTAL REQUIREMENTS

| DESCRIPTION | TEST CONDITION | REQUIREMENT | | | | | | | | | | |
|----------------------------|--|---|--------------------|-----------|----|---------|-----------|------------|----|---------|-----------|---|
| Shock (Thermal) | Mate connectors; expose to 5 cycles of: <table border="1"> <thead> <tr> <th>Temperature °C</th> <th>Duration (Minutes)</th> </tr> </thead> <tbody> <tr> <td>-40 +0/-3</td> <td>30</td> </tr> <tr> <td>+25 ±10</td> <td>5 MAXIMUM</td> </tr> <tr> <td>+105 +3/-0</td> <td>30</td> </tr> <tr> <td>+25 ±10</td> <td>5 MAXIMUM</td> </tr> </tbody> </table> | Temperature °C | Duration (Minutes) | -40 +0/-3 | 30 | +25 ±10 | 5 MAXIMUM | +105 +3/-0 | 30 | +25 ±10 | 5 MAXIMUM | 10 milliohms MAXIMUM (change from initial) & Visual: No Damage |
| Temperature °C | Duration (Minutes) | | | | | | | | | | | |
| -40 +0/-3 | 30 | | | | | | | | | | | |
| +25 ±10 | 5 MAXIMUM | | | | | | | | | | | |
| +105 +3/-0 | 30 | | | | | | | | | | | |
| +25 ±10 | 5 MAXIMUM | | | | | | | | | | | |
| Thermal Aging | Mate connectors; expose to: 96 hours at 105 ± 2°C | 10 milliohms MAXIMUM (change from initial)] & Visual: No Damage | | | | | | | | | | |
| Humidity (Steady State) | Mate connectors: expose to a temperature of 40 ± 2°C with a relative humidity of 90-95% for 96 hours. Note: Remove surface moisture and air dry for 1 hour prior to measurements. | 10 milliohms MAXIMUM (change from initial) & Dielectric Withstanding Voltage: No Breakdown at 500 VAC & Insulation Resistance: 1000 Megohms MINIMUM & Visual: No Damage | | | | | | | | | | |
| Humidity (Cyclic) | Mate connectors: cycle per EIA-364-31: 24 cycles at temperature 25 ± 3°C at 80 ± 5% relative humidity and 65 ± 3°C at 50 ± 5% relative humidity; dwell time of 1.0 hour; ramp time of 0.5 hours. {Note: Remove surface moisture and air dry for 1 hour prior to measurements.} | 10 milliohms MAXIMUM (change from initial) & Dielectric Withstanding Voltage: No Breakdown at 500 VAC & Insulation Resistance: 1000 Megohms MINIMUM & Visual: No Damage | | | | | | | | | | |
| Solderability | Per SMES-152 | Solder coverage: 95% MINIMUM (per SMES-152) | | | | | | | | | | |

| | | | |
|-------------------------------------|--|--|-------------------------------|
| REVISION: P3 | EGR/ECN INFORMATION: EC No: UCP2008-0956 DATE: 11/6/2007 | TITLE: PRODUCT SPECIFICATION .100 CENTER KK CONNECTORS | SHEET No. 4 of 5 |
| DOCUMENT NUMBER: PS-10-07 | CREATED / REVISED BY: ADERR | CHECKED BY: JBELL | APPROVED BY: FSMITH |



PRODUCT SPECIFICATION

5.3 ENVIRONMENTAL REQUIREMENTS

| DESCRIPTION | TEST CONDITION | REQUIREMENT |
|--|---|---|
| Solder Resistance | Dip connector terminal tails in solder: Solder Duration: 5 ± 0.5 seconds; Solder Temperature: 230 ± 5°C | Visual: No Damage to insulator material |
| Cold Resistance | Mate connectors: Duration: 96 hours; Temperature: -40 ± 3°C | 10 milliohms MAXIMUM (change from initial) & Visual: No Damage |
| Corrosive Atmosphere: Flowing Mixed Gas (FMG) | Test per EIA-364-65, Class II, Exposure to gasses for 4 days, unmated. | 10 milliohms MAXIMUM (change from initial) & Visual: No Damage |

6.0 PACKAGING




Parts shall be packaged to protect against damage during handling, transit and storage.

7.0 GAGES AND FIXTURES

8.0 OTHER

| | | | |
|-------------------------------------|--|--|-------------------------------|
| REVISION: P3 | EGR/ECN INFORMATION: EC No: UCP2008-0956 DATE: 11/6/2007 | TITLE: PRODUCT SPECIFICATION .100 CENTER KK CONNECTORS | SHEET No. 5 of 5 |
| DOCUMENT NUMBER: PS-10-07 | CREATED / REVISED BY: ADERR | CHECKED BY: JBELL | APPROVED BY: FSMITH |

| CKT | A | B | SLOTS LOCATION |
|-----|----------------|------------------------------|----------------|
| 02 | 5.08 .200 | 2.54 ± 0.05 .100 ± .002 | NONE |
| 03 | 7.62 .300 | 5.08 ± 0.10 .200 ± .004 | NONE |
| 04 | 10.16 .400 | 7.62 ± 0.13 .300 ± .005 | NONE |
| 05 | 12.70 .500 | 10.16 ± 0.13 .400 ± .005 | NONE |
| 06 | 15.24 .600 | 12.70 ± 0.13 .500 ± .005 | 4, 5 |
| 07 | 17.78 .700 | 15.24 ± 0.13 .600 ± .005 | 4, 5 |
| 08 | 20.32 .800 | 17.78 ± 0.15 .700 ± .006 | 4, 5 |
| 09 | 22.86 .900 | 20.32 ± 0.15 .800 ± .006 | 4, 5 |
| 10 | 25.40 1.000 | 22.86 ± 0.15 .900 ± .006 | 4, 5 |
| 11 | 27.94 1.100 | 25.40 ± 0.18 1.000 ± .007 | 4, 5 8, 9 |
| 12 | 30.48 1.200 | 27.94 ± 0.18 1.100 ± .007 | 4, 5 8, 9 |
| 13 | 33.02 1.300 | 30.48 ± 0.18 1.200 ± .007 | 4, 5 8, 9 |
| 14 | 35.56 1.400 | 33.02 ± 0.18 1.300 ± .007 | 4, 5 8, 9 |
| 15 | 38.10 1.500 | 35.56 ± 0.20 1.400 ± .008 | 4, 5 12, 13 |
| 16 | 40.64 1.600 | 38.10 ± 0.20 1.500 ± .008 | 4, 5 12, 13 |
| 17 | 43.18 1.700 | 40.64 ± 0.20 1.600 ± .008 | 4, 5 12, 13 |
| 18 | 45.72 1.800 | 43.18 ± 0.20 1.700 ± .008 | 4, 5 12, 13 |
| 19 | 48.26 1.900 | 45.72 ± 0.23 1.800 ± .009 | 4, 5 16, 17 |
| 20 | 50.80 2.000 | 48.26 ± 0.23 1.900 ± .009 | 4, 5 16, 17 |
| 21 | 53.34 2.100 | 50.80 ± 0.23 2.000 ± .009 | 4, 5 16, 17 |
| 22 | 55.88 2.200 | 53.34 ± 0.23 2.100 ± .009 | 4, 5 16, 17 |
| 23 | 58.42 2.300 | 55.88 ± 0.23 2.200 ± .009 | 4, 5 20, 21 |
| 24 | 60.96 2.400 | 58.42 ± 0.25 2.300 ± .010 | 4, 5 20, 21 |
| 25 | 63.50 2.500 | 60.96 ± 0.25 2.400 ± .010 | 4, 5 20, 21 |
| 26 | 66.04 2.600 | 63.50 ± 0.25 2.500 ± .010 | 4, 5 20, 21 |
| 27 | 68.58 2.700 | 66.04 ± 0.25 2.600 ± .010 | 4, 5 24, 25 |
| 28 | 71.12 2.800 | 68.58 ± 0.25 2.700 ± .010 | 4, 5 24, 25 |



- NOTES:
- MATERIAL: NYLON, UL 94V-0, COLOR - WHITE.
 - FINISH:
 - (102) = OVERALL TIN: 0.00508/.000200 MIN OVER 0.00254/.000100 MIN COPPER.
 - (122) = OVERALL TIN: 0.00381/.000150 MIN OVER 0.00076/.000030 MIN NICKEL.
 - (501) = OVERALL GOLD: 0.00051/.000020 MIN OVER 0.00076/.000030 MIN NICKEL.
 - (503) = OVERALL GOLD: 0.00076/.000030 MIN OVER 0.00127/.000050 MIN NICKEL.
 - (509) = OVERALL GOLD: 0.00127/.000050 MIN OVER 0.00076/.000030 MIN NICKEL.
 - (516) = OVERALL GOLD: 0.00025/.000010 MIN OVER 0.00076/.000030 MIN NICKEL.
 - PRODUCT SPECIFICATION AND PROCESS PARAMETERS: PS-10-07.
 - PACKAGING INFORMATION: SEE LEGEND.
 - PARTS ARE STACKABLE END TO END ON 2.54/.100 CENTERS.
 - CIRCUIT ONE DESIGNATION IS USED TO DEFINE VOID LOCATION. CIRCUIT ONE MAY OR MAY NOT LINE UP WITH CIRCUIT ONE ON THE MATING HOUSING.
 - PIN PUSHOUT FORCE: 2 LBS MIN.
 - FOR PIN DIMENSIONS, SEE APPLICABLE DRAWING.
 - THIS PART CONFORMS TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

| | | | | | | | | |
|--|-------------------------------|---------------------------------------|--------|---|--|--|------------------------|--|
| ADD SLOTS LOC. EC NO: UCP2008-1289 DRWN:ADERR 2007/12/07 CH'KD:JBELL 2007/12/10 APPR:FSMITH 2007/12/10 | QUALITY SYMBOLS ▽=0 ◻=0 | GENERAL TOLERANCES (UNLESS SPECIFIED) | | DIMENSION STYLE | SCALE | DESIGN UNITS | THIRD ANGLE PROJECTION | |
| | | | | MM/IN | 2:1 | INCH | | |
| | | 4 PLACES ± --- | ± --- | DRAWN BY | DATE | TITLE | | |
| | | 3 PLACES ± --- | ± .010 | SAMIEC | 2004/03/31 | KK 100 HEADER ASSEMBLY FRICTION LOCK SOLID BODY | | |
| 2 PLACES ± 0.25 | ± .015 | CHECKED BY | | DATE | MOLEX INCORPORATED MOLEX INCORPORATED | | | |
| 1 PLACE ± 0.38 | ± --- | SAMIEC | | 2004/03/31 | | | | |
| ANGULAR ± 1/2° | | APPROVED BY | | DATE | DOCUMENT NO. | | | |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS | | MARGULIS | | 2004/03/31 | SD-6373-001 | | SHEET NO. | |
| | | MATERIAL NO. | | SEE CHART | | | 1 OF * | |
| | | SIZE | | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION | | | | |

| | |
|-----|-----|
| 2-* | BA9 |
| 1 | BB2 |
| SHT | REV |
| | BB2 |

| GROUP: | A-6373-NA102* | | | | | | | | | | | | | |
|---------------|------------------|---------------|-----|-----------------|------------------|------------------|-----|-----------------|------------------|-------------------|-----|-----------------|------------------|------------------------|
| PIN NUMBER: | 2766-1(102) | | | | | | | | | | | | | |
| PIN LENGTH: L | .560 / (14.22) | | | | | | | | | | | | | |
| MATING: M | .295 / (7.49) | | | | | | | | | | | | | |
| PC TAIL: P | .140 / (3.56) | | | | | | | | | | | | | |
| PACKAGING: | PK-6373-001 BULK | | | | | | | | | | | | | |
| CKT | MATERIAL NUMBER | ENG NUMBER | CKT | MATERIAL NUMBER | ENG NUMBER | VOID CKT | CKT | MATERIAL NUMBER | ENG NUMBER | VOID CKT | CKT | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | 22-23-2021 | A-6373-02A102 | 9 | 22-04-5094 | A-6373-09A102-4 | 4 | 11 | 22-04-5117 | A-6373-11A102-7 | 7 | 07 | 22-04-5076 | A-6373-07A102-2 | 2 |
| 3 | 22-23-2031 | A-6373-03A102 | 9 | 22-04-5096 | A-6373-09A102-6 | 6 | 06 | 22-04-5063 | A-6373-06A102-3 | 3 | 07 | 22-04-5077 | A-6373-07A102-6 | 6 |
| 4 | 22-23-2041 | A-6373-04A102 | 11 | 22-04-5114 | A-6373-11A102-4 | 4 | 10 | 22-04-5101 | A-6373-10A102-1 | 1 | 06 | 22-04-5069 | A-6373-06A102-54 | 4, 5 |
| 5 | 22-23-2051 | A-6373-05A102 | 11 | 22-04-5118 | A-6373-11A102-8 | 8 | 10 | 22-04-5102 | A-6373-10A102-2 | 2 | 25 | 22-04-5252 | A-6373-25A102-2 | 2 |
| 6 | 22-23-2061 | A-6373-06A102 | 08 | 22-04-5083 | A-6373-08A102-3 | 3 | 10 | 22-04-5103 | A-6373-10A102-3 | 3 | 08 | 22-04-5086 | A-6373-08A102-6 | 6 |
| 7 | 22-23-2071 | A-6373-07A102 | 08 | 22-04-5082 | A-6373-08A102-2 | 2 | 15 | 22-04-5154 | A-6373-15A102-14 | 14 | 08 | 22-04-5087 | A-6373-08A102-52 | 2,3,5,6,7 |
| 8 | 22-23-2081 | A-6373-08A102 | 10 | 22-04-5106 | A-6373-10A102-6 | 6 | 05 | 22-04-5052 | A-6373-05A102-2 | 2 | 10 | 22-04-5105 | A-6373-10A102-5 | 5 |
| 9 | 22-23-2091 | A-6373-09A102 | 04 | 22-04-5043 | A-6373-04A102-3 | 3 | 08 | 22-04-5084 | A-6373-08A102-4 | 4 | 05 | 22-04-5057 | A-6373-05A102-52 | 2, 4 |
| 10 | 22-23-2101 | A-6373-10A102 | 08 | 22-04-5081 | A-6373-08A102-51 | 2,4,6 | 06 | 22-04-5064 | A-6373-06A102-4 | 4 | 19 | 22-04-5198 | A-6373-19A102-8 | 8 |
| 11 | 22-23-2111 | A-6373-11A102 | 09 | 22-04-5093 | A-6373-09A102-3 | 3 | 03 | 22-04-5031 | A-6373-03A102-1 | 1 | 11 | 22-04-5119 | A-6373-11A102-51 | 2,4,6,8,10 |
| 12 | 22-23-2121 | A-6373-12A102 | 08 | 22-04-5085 | A-6373-08A102-5 | 5 | 05 | 22-04-5053 | A-6373-05A102-3 | 3 | 12 | 22-04-5129 | A-6373-12A102-11 | 11 |
| 13 | 22-23-2131 | A-6373-13A102 | 06 | 22-04-5065 | A-6373-06A102-5 | 5 | 11 | 22-04-5116 | A-6373-11A102-6 | 6 | 08 | 22-04-5088 | A-6373-08A102-53 | 4, 6 |
| 14 | 22-23-2141 | A-6373-14A102 | 07 | 22-04-5072 | A-6373-07A102-52 | 2,4,6 | 07 | 22-04-5074 | A-6373-07A102-4 | 4 | 04 | 22-04-5044 | A-6373-04A102-4 | 4 |
| 15 | 22-23-2151 | A-6373-15A102 | 06 | 22-04-5062 | A-6373-06A102-2 | 2 | 10 | 22-04-5079 | A-6373-10A102-52 | 2,3,5,6,8,9 | 27 | 22-04-5277 | A-6373-27A102-51 | 3,7,9,11,14,16, 21, 23 |
| 16 | 22-23-2161 | A-6373-16A102 | 07 | 22-04-5071 | A-6373-07A102-51 | 2,3,5,6 | 04 | 22-04-5049 | A-6373-04A102-51 | 2,3 | | | | |
| 17 | 22-23-2171 | A-6373-17A102 | 10 | 22-04-5100 | A-6373-10A102-10 | 10 | 04 | 22-04-5048 | A-6373-04A102-52 | 2,4 | 11 | 22-04-5115 | A-6373-11A102-52 | 5, 6 |
| 18 | 22-23-2181 | A-6373-18A102 | 10 | 22-04-5109 | A-6373-10A102-9 | 9 | 04 | 22-04-5041 | A-6373-04A102-1 | 1 | 24 | 22-23-3245 | A-6373-24A102-23 | 23 |
| 19 | 22-23-2191 | A-6373-19A102 | 10 | 22-04-5108 | A-6373-10A102-8 | 8 | 03 | 22-04-5032 | A-6373-03A102-2 | 2 | 11 | 22-23-3115 | A-6373-11A102-10 | 10 |
| 20 | 22-23-2201 | A-6373-20A102 | 05 | 22-04-5054 | A-6373-05A102-4 | 4 | 13 | 22-04-5139 | A-6373-13A102-9 | 9 | 15 | 22-23-3155 | A-6373-15A102-15 | 15 |
| 21 | 22-23-2211 | A-6373-21A102 | 03 | 22-04-5033 | A-6373-03A102-3 | 3 | 12 | 22-04-5126 | A-6373-12A102-6 | 6 | 08 | 22-04-5089 | A-6373-08A102-54 | 2, 5 |
| 22 | 22-23-2221 | A-6373-22A102 | 07 | 22-04-5075 | A-6373-07A102-5 | 5 | 13 | 22-04-5131 | A-6373-13A102-51 | 2,3,5,6,8,9,11,12 | 06 | 22-23-2069 | A-6373-06A102-55 | 2,3,4,5 |
| 23 | 22-23-2231 | A-6373-23A102 | 07 | 22-04-5073 | A-6373-07A102-3 | 3 | 06 | 22-04-5066 | A-6373-06A102-52 | 3,5 | 07 | 22-23-2079 | A-6373-07A102-53 | 2,3,4,5,6 |
| 24 | 22-23-2241 | A-6373-24A102 | 14 | 22-04-5149 | A-6373-14A102-9 | 9 | 05 | 22-04-5056 | A-6373-05A102-51 | 1,3,5 | 13 | 22-23-1137 | A-6373-13A102-53 | 3,6,10,12 |
| 25 | 22-23-2251 | A-6373-25A102 | 15 | 22-04-5152 | A-6373-15A102-2 | 2 | 06 | 22-04-5067 | A-6373-06A102-53 | 1, 5 | 10 | 22-23-1107 | A-6373-10A102-53 | 4,7 |
| 26 | 22-23-2261 | A-6373-26A102 | 11 | 50-29-1594 | A-6373-11A102-53 | 2,3,4,5,7,8,9,10 | 06 | 22-04-5068 | A-6373-06A102-6 | 6 | 18 | 22-23-1187 | A-6373-18A102-5 | 5 |
| 27 | 22-23-2271 | A-6373-27A102 | | | | | 02 | 22-04-5021 | A-6373-02A102-1 | 1 | 18 | 22-23-1188 | A-6373-18A102-7 | 7 |
| 28 | 22-23-2281 | A-6373-28A102 | 13 | 22-04-5132 | A-6373-13A102-52 | 8, 9 | 04 | 22-04-5042 | A-6373-04A102-2 | 2 | 12 | 50-29-0096 | A-6373-12A102-8 | 8 |

| | | | | |
|---|-----------------------------|--|---|--------------------------------------|
| REV: BA9 | ECR/ECN INFORMATION: | | TITLE: KK 100 HEADER ASSEMBLY FRICTION LOCK SOLID BODY | SHEET No. - 2 - |
| | EC No.: UCP2007-1744 | | | |
| | DATE: 1/24/2007 | | | |
| DOCUMENT NUMBER: SD - 6373 - 001 | | CREATED / REVISED BY: ADERR | CHECKED BY: LSCHMIDT | APPROVED BY: FSMITH |

| GROUP: | | A-6373-NC102-* | | | | |
|---------------|-----------------|------------------|------|-----------------|------------|----------|
| PIN NUMBER: | | 2766-43(102) | | | | |
| PIN LENGTH: L | | .530 / (13.46) | | | | |
| MATING: M | | .260 / (6.60) | | | | |
| PC TAIL: P | | .145 / (3.68) | | | | |
| PACKAGING: | | PK-6373-001 BULK | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CKTS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | 22-23-2023 | A-6373-02C102 | | | | |
| 3 | 22-23-2033 | A-6373-03C102 | | | | |
| 4 | 22-23-2043 | A-6373-04C102 | | | | |
| 5 | 22-23-2053 | A-6373-05C102 | | | | |
| 6 | 22-23-2063 | A-6373-06C102 | | | | |
| 7 | 22-23-2073 | A-6373-07C102 | | | | |
| 8 | 22-23-2083 | A-6373-08C102 | | | | |
| 9 | 22-23-2093 | A-6373-09C102 | | | | |
| 10 | 22-23-2103 | A-6373-10C102 | | | | |
| 11 | 22-23-2113 | A-6373-11C102 | | | | |
| 12 | 22-23-2123 | A-6373-12C102 | | | | |
| 13 | 22-23-2133 | A-6373-13C102 | | | | |
| 14 | 22-23-2143 | A-6373-14C102 | | | | |
| 15 | 22-23-2153 | A-6373-15C102 | | | | |
| 16 | 22-23-2163 | A-6373-16C102 | | | | |
| 17 | 22-23-2173 | A-6373-17C102 | | | | |
| 18 | 22-23-2183 | A-6373-18C102 | | | | |
| 19 | 22-23-2193 | A-6373-19C102 | | | | |
| 20 | 22-23-2203 | A-6373-20C102 | | | | |
| 21 | 22-23-2213 | A-6373-21C102 | | | | |
| 22 | 22-23-2223 | A-6373-22C102 | | | | |
| 23 | 22-23-2233 | A-6373-23C102 | | | | |
| 24 | 22-23-2243 | A-6373-24C102 | | | | |
| 25 | 22-23-2253 | A-6373-25C102 | | | | |
| 26 | 22-23-2263 | A-6373-26C102 | | | | |
| 27 | 22-23-2273 | A-6373-27C102 | | | | |
| 28 | 22-23-2283 | A-6373-28C102 | | | | |

| GROUP: | | A-6373-NV503-* | | | | |
|---------------|-----------------|----------------|------|-----------------|------------|----------|
| PIN NUMBER: | | 2766-43(503) | | | | |
| PIN LENGTH: L | | .530 / (13.46) | | | | |
| MATING: M | | .295 / (7.49) | | | | |
| PC TAIL: P | | .110 / (2.79) | | | | |
| PACKAGING: | | PK-6373-001 | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CKTS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | 22-15-3029 | A-6373-02V503 | | | | |
| 3 | 22-15-3039 | A-6373-03V503 | | | | |
| 4 | 22-15-3049 | A-6373-04V503 | | | | |
| 5 | 22-15-3059 | A-6373-05V503 | | | | |
| 6 | 22-15-3069 | A-6373-06V503 | | | | |
| 7 | 22-15-3079 | A-6373-07V503 | | | | |
| 8 | 22-15-3089 | A-6373-08V503 | | | | |
| 9 | 22-15-3099 | A-6373-09V503 | | | | |
| 10 | 22-15-3109 | A-6373-10V503 | | | | |
| 11 | 22-15-3119 | A-6373-11V503 | | | | |
| 12 | 22-15-3129 | A-6373-12V503 | | | | |
| 13 | 22-15-3139 | A-6373-13V503 | | | | |
| 14 | 22-15-3149 | A-6373-14V503 | | | | |
| 15 | 22-15-3159 | A-6373-15V503 | | | | |
| 16 | 22-15-3169 | A-6373-16V503 | | | | |
| 17 | 22-15-3179 | A-6373-17V503 | | | | |
| 18 | 22-15-3189 | A-6373-18V503 | | | | |
| 19 | 22-15-3199 | A-6373-19V503 | | | | |
| 20 | 22-15-3209 | A-6373-20V503 | | | | |
| 21 | 22-15-3219 | A-6373-21V503 | | | | |
| 22 | 22-15-3229 | A-6373-22V503 | | | | |
| 23 | 22-15-3239 | A-6373-23V503 | | | | |
| 24 | 22-15-3249 | A-6373-24V503 | | | | |
| 25 | 22-15-3259 | A-6373-25V503 | | | | |
| 26 | 22-15-3269 | A-6373-26V503 | | | | |
| 27 | 22-15-3279 | A-6373-27V503 | | | | |
| 28 | 22-15-3289 | A-6373-28V503 | | | | |

| | | | | |
|---|------|--|---|--------------------------------------|
| BA9 | REV: | ECR/ECN INFORMATION: | TITLE: KK 100 HEADER ASSEMBLY FRICTION LOCK SOLID BODY | SHEET No. - 3 - |
| | | EC No.: UCP2007-1744 | | |
| | | DATE: 1/24/2007 | | |
| DOCUMENT NUMBER: SD - 6373 - 001 | | CREATED / REVISED BY: ADERR | CHECKED BY: LSCHMIDT | APPROVED BY: FSMITH |

| GROUP: | | A-6373-NE102-* | | | | |
|---------------|-----------------|----------------|------|-----------------|------------|----------|
| PIN NUMBER: | | 2766-13(102) | | | | |
| PIN LENGTH: L | | .750 / (19.05) | | | | |
| MATING: M | | .260 / (6.60) | | | | |
| PC TAIL: P | | .365 / (9.27) | | | | |
| PACKAGING: | | PK-6373-001 | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CKTS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | 22-23-2025 | A-6373-02E102 | | | | |
| 3 | | A-6373-03E102 | | | | |
| 4 | | A-6373-04E102 | | | | |
| 5 | 22-23-2055 | A-6373-05E102 | | | | |
| 6 | 22-23-2065 | A-6373-06E102 | | | | |
| 7 | | A-6373-07E102 | | | | |
| 8 | | A-6373-08E102 | | | | |
| 9 | | A-6373-09E102 | | | | |
| 10 | 22-23-2105 | A-6373-10E102 | | | | |
| 11 | | A-6373-11E102 | | | | |
| 12 | | A-6373-12E102 | | | | |
| 13 | | A-6373-13E102 | | | | |
| 14 | | A-6373-14E102 | | | | |
| 15 | 22-23-2155 | A-6373-15E102 | | | | |
| 16 | | A-6373-16E102 | | | | |
| 17 | | A-6373-17E102 | | | | |
| 18 | | A-6373-18E102 | | | | |
| 19 | | A-6373-19E102 | | | | |
| 20 | | A-6373-20E102 | | | | |
| 21 | | A-6373-21E102 | | | | |
| 22 | | A-6373-22E102 | | | | |
| 23 | | A-6373-23E102 | | | | |
| 24 | | A-6373-24E102 | | | | |
| 25 | | A-6373-25E102 | | | | |
| 26 | | A-6373-26E102 | | | | |
| 27 | | A-6373-27E102 | | | | |
| 28 | | A-6373-28E102 | | | | |

| GROUP: | | A-6373-NY516-* | | | | |
|---------------|-----------------|------------------|------|-----------------|------------|----------|
| PIN NUMBER: | | 2766-28(516) | | | | |
| PIN LENGTH: L | | .625 / (15.88) | | | | |
| MATING: M | | .313 / (7.95) | | | | |
| PC TAIL: P | | .187 / (4.75) | | | | |
| PACKAGING: | | PK-6373-001 BULK | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CKTS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | 22-11-2026 | A-6373-02Y516 | | | | |
| 3 | 22-11-2036 | A-6373-03Y516 | | | | |
| 4 | 22-11-2046 | A-6373-04Y516 | | | | |
| 5 | 22-11-2056 | A-6373-05Y516 | | | | |
| 6 | 22-11-2066 | A-6373-06Y516 | | | | |
| 7 | 22-11-2076 | A-6373-07Y516 | | | | |
| 8 | 22-11-2086 | A-6373-08Y516 | | | | |
| 9 | 22-11-2096 | A-6373-09Y516 | | | | |
| 10 | 22-11-2106 | A-6373-10Y516 | | | | |
| 11 | 22-11-2116 | A-6373-11Y516 | | | | |
| 12 | 22-11-2126 | A-6373-12Y516 | | | | |
| 13 | 22-11-2136 | A-6373-13Y516 | | | | |
| 14 | 22-11-2146 | A-6373-14Y516 | | | | |
| 15 | 22-11-2156 | A-6373-15Y516 | | | | |
| 16 | 22-11-2166 | A-6373-16Y516 | | | | |
| 17 | 22-11-2176 | A-6373-17Y516 | | | | |
| 18 | 22-11-2186 | A-6373-18Y516 | | | | |
| 19 | 22-11-2196 | A-6373-19Y516 | | | | |
| 20 | 22-11-2206 | A-6373-20Y516 | | | | |
| 21 | 22-11-2216 | A-6373-21Y516 | | | | |
| 22 | 22-11-2226 | A-6373-22Y516 | | | | |
| 23 | 22-11-2236 | A-6373-23Y516 | | | | |
| 24 | 22-11-2246 | A-6373-24Y516 | | | | |
| 25 | 22-11-2256 | A-6373-25Y516 | | | | |
| 26 | 22-11-2266 | A-6373-26Y516 | | | | |
| 27 | 22-11-2276 | A-6373-27Y516 | | | | |
| 28 | 22-11-2286 | A-6373-28Y516 | | | | |

| | | | | |
|---|------------------------------------|--|---|--------------------------------------|
| REV: BA9 | <u>ECR/ECN INFORMATION:</u> | | <u>TITLE:</u> KK 100 HEADER ASSEMBLY FRICTION LOCK SOLID BODY | <u>SHEET No.</u> - 4 - |
| | <u>EC No.:</u> UCP2007-1744 | | | |
| | <u>DATE:</u> 1/24/2007 | | | |
| <u>DOCUMENT NUMBER:</u> SD - 6373 - 001 | | <u>CREATED / REVISED BY:</u> ADERR | <u>CHECKED BY:</u> LSCHMIDT | <u>APPROVED BY:</u> FSMITH |

| GROUP: | | A-6373-NA501-* | | | | |
|---------------|-----------------|------------------|------|-----------------|------------------|----------|
| PIN NUMBER: | | 2766-1(501) | | | | |
| PIN LENGTH: L | | .560 / (14.22) | | | | |
| MATING: M | | .295 / (7.49) | | | | |
| PC TAIL: P | | .140 / (3.56) | | | | |
| PACKAGING: | | PK-6373-001 BULK | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CKTS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | 22-11-2022 | A-6373-02A501 | 04 | 22-04-6044 | A-6373-04A501-2 | 2 |
| 3 | 22-11-2032 | A-6373-03A501 | 04 | 22-11-2043 | A-6373-04A501-3 | 3 |
| 4 | 22-11-2042 | A-6373-04A501 | 03 | 22-11-2037 | A-6373-03A501-2 | 2 |
| 5 | 22-11-2052 | A-6373-05A501 | 24 | 22-11-2247 | A-6373-24A501-5 | 5 |
| 6 | 22-11-2062 | A-6373-06A501 | 24 | 22-11-2248 | A-6373-24A501-17 | 17 |
| 7 | 22-11-2072 | A-6373-07A501 | 08 | 22-11-2087 | A-6373-08A501-5 | 5 |
| 8 | 22-11-2082 | A-6373-08A501 | 06 | 22-04-6064 | A-6373-06A501-5 | 5 |
| 9 | 22-11-2092 | A-6373-09A501 | 06 | 22-04-6065 | A-6373-06A501-4 | 4 |
| 10 | 22-11-2102 | A-6373-10A501 | 07 | 22-04-6074 | A-6373-07A501-1 | 1 |
| 11 | 22-11-2112 | A-6373-11A501 | 12 | 22-04-6124 | A-6373-12A501-11 | 11 |
| 12 | 22-11-2122 | A-6373-12A501 | 20 | 22-04-6204 | A-6373-20A501-19 | 19 |
| 13 | 22-11-2132 | A-6373-13A501 | 10 | 22-04-6104 | A-6373-10A501-2 | 2 |
| 14 | 22-11-2142 | A-6373-14A501 | 08 | 22-04-6084 | A-6373-08A501-6 | 6 |
| 15 | 22-11-2152 | A-6373-15A501 | 09 | 22-04-6094 | A-6373-09A501-4 | 4 |
| 16 | 22-11-2162 | A-6373-16A501 | 24 | 22-04-6244 | A-6373-24A501-23 | 23 |
| 17 | 22-11-2172 | A-6373-17A501 | 05 | 22-04-6054 | A-6373-05A501-4 | 4 |
| 18 | 22-11-2182 | A-6373-18A501 | | | | |
| 19 | 22-11-2192 | A-6373-19A501 | | | | |
| 20 | 22-11-2202 | A-6373-20A501 | | | | |
| 21 | 22-11-2212 | A-6373-21A501 | | | | |
| 22 | 22-11-2222 | A-6373-22A501 | | | | |
| 23 | 22-11-2232 | A-6373-23A501 | | | | |
| 24 | 22-11-2242 | A-6373-24A501 | | | | |
| 25 | 22-11-2252 | A-6373-25A501 | | | | |
| 26 | 22-11-2262 | A-6373-26A501 | | | | |
| 27 | 22-11-2272 | A-6373-27A501 | | | | |
| 28 | 22-11-2282 | A-6373-28A501 | | | | |

| GROUP: | | A-6373-NA102-* (continued) | | | | |
|---------------|-----------------|----------------------------|------|-----------------|------------------|-------------------------|
| PIN NUMBER: | | 2766-1(102) | | | | |
| PIN LENGTH: L | | .560 / (14.22) | | | | |
| MATING: M | | .295 / (7.49) | | | | |
| PC TAIL: P | | .140 / (3.56) | | | | |
| PACKAGING: | | PK-6373-001 BULK | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CKTS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | | | 13 | 50-29-1611 | A-6373-13A102-54 | 2,3,4,6,7 8,10,11,12 |
| 3 | | | 16 | 22-23-1189 | A-6373-16A102-2 | 2 |
| 4 | | | 10 | 22-04-5107 | A-6373-10A102-7 | 7 |
| 5 | | | 16 | 22-23-2165 | A-6373-16A102-15 | 15 |
| 6 | | | 10 | 22-04-5110 | A-6373-10A102-4 | 4 |
| 7 | | | 09 | 50-29-1766 | A-6373-09A102-8 | 8 |
| 8 | | | 09 | 50-29-1769 | A-6373-09A102-2 | 2 |
| 9 | | | | | | |
| 10 | | | | | | |
| 11 | | | | | | |
| 12 | | | | | | |
| 13 | | | | | | |
| 14 | | | | | | |
| 15 | | | | | | |
| 16 | | | | | | |
| 17 | | | | | | |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |
| 21 | | | | | | |
| 22 | | | | | | |
| 23 | | | | | | |
| 24 | | | | | | |
| 25 | | | | | | |
| 26 | | | | | | |
| 27 | | | | | | |
| 28 | | | | | | |

| | | | | | |
|--|------|---------------------------------------|--------------------------------|--|--------------|
| BA9 | REV: | ECR/ECN INFORMATION: | TITLE: | KK 100 HEADER ASSEMBLY FRICTION LOCK SOLID BODY | SHEET No. |
| | | EC No.: UCP2007-1744 | | | - 5 - |
| | | DATE: 1/24/2007 | | | |
| DOCUMENT NUMBER: SD - 6373 - 001 | | CREATED / REVISED BY: ADERR | CHECKED BY: LSCHMIDT | APPROVED BY: FSMITH | |

| GROUP: | | A-6373-NAB102-* | | | | |
|---------------|-----------------|------------------|------|-----------------|------------|----------|
| PIN NUMBER: | | 2766-54(102) | | | | |
| PIN LENGTH: L | | .703 / (17.86) | | | | |
| MATING: M | | .289 / (7.34) | | | | |
| PC TAIL: P | | .289 / (7.34) | | | | |
| PACKAGING: | | PK-6373-001 BULK | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CKTS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | | A-6373-02AB102 | | | | |
| 3 | 50-29-0052 | A-6373-03AB102 | | | | |
| 4 | 50-29-0053 | A-6373-04AB102 | | | | |
| 5 | | A-6373-05AB102 | | | | |
| 6 | | A-6373-06AB102 | | | | |
| 7 | | A-6373-07AB102 | | | | |
| 8 | 50-29-0057 | A-6373-08AB102 | | | | |
| 9 | | A-6373-09AB102 | | | | |
| 10 | 50-29-0058 | A-6373-10AB102 | | | | |
| 11 | | A-6373-11AB102 | | | | |
| 12 | | A-6373-12AB102 | | | | |
| 13 | | A-6373-13AB102 | | | | |
| 14 | | A-6373-14AB102 | | | | |
| 15 | | A-6373-15AB102 | | | | |
| 16 | | A-6373-16AB102 | | | | |
| 17 | | A-6373-17AB102 | | | | |
| 18 | | A-6373-18AB102 | | | | |
| 19 | | A-6373-19AB102 | | | | |
| 20 | | A-6373-20AB102 | | | | |
| 21 | | A-6373-21AB102 | | | | |
| 22 | | A-6373-22AB102 | | | | |
| 23 | | A-6373-23AB102 | | | | |
| 24 | | A-6373-24AB102 | | | | |
| 25 | | A-6373-25AB102 | | | | |
| 26 | | A-6373-26AB102 | | | | |
| 27 | | A-6373-27AB102 | | | | |
| 28 | | A-6373-28AB102 | | | | |

| GROUP: | | A-6373-NA509-* | | | | |
|---------------|-----------------|------------------|------|-----------------|------------|----------|
| PIN NUMBER: | | 2766-1(509) | | | | |
| PIN LENGTH: L | | .560 / 14.22) | | | | |
| MATING: M | | .295 / (7.49) | | | | |
| PC TAIL: P | | .140 / (3.56) | | | | |
| PACKAGING: | | PK-6373-001 BULK | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CKTS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | 22-04-5022 | A-6373-02A509 | | | | |
| 3 | | A-6373-03A509 | | | | |
| 4 | | A-6373-04A509 | | | | |
| 5 | | A-6373-05A509 | | | | |
| 6 | | A-6373-06A509 | | | | |
| 7 | | A-6373-07A509 | | | | |
| 8 | | A-6373-08A509 | | | | |
| 9 | | A-6373-09A509 | | | | |
| 10 | | A-6373-10A509 | | | | |
| 11 | | A-6373-11A509 | | | | |
| 12 | | A-6373-12A509 | | | | |
| 13 | | A-6373-13A509 | | | | |
| 14 | | A-6373-14A509 | | | | |
| 15 | | A-6373-15A509 | | | | |
| 16 | | A-6373-16A509 | | | | |
| 17 | | A-6373-17A509 | | | | |
| 18 | | A-6373-18A509 | | | | |
| 19 | | A-6373-19A509 | | | | |
| 20 | | A-6373-20A509 | | | | |
| 21 | | A-6373-21A509 | | | | |
| 22 | | A-6373-22A509 | | | | |
| 23 | | A-6373-23A509 | | | | |
| 24 | | A-6373-24A509 | | | | |
| 25 | | A-6373-25A509 | | | | |
| 26 | | A-6373-26A509 | | | | |
| 27 | | A-6373-27A509 | | | | |
| 28 | | A-6373-28A509 | | | | |

| | | | | |
|---|-----------------------------|--|---|--------------------------------------|
| REV: BA9 | <u>ECR/ECN INFORMATION:</u> | | <u>TITLE:</u> KK 100 HEADER ASSEMBLY FRICTION LOCK SOLID BODY | <u>SHEET No.</u> - 6 - |
| | EC No.: UCP2007-1744 | | | |
| | DATE: 1/24/2007 | | | |
| <u>DOCUMENT NUMBER:</u> SD - 6373 - 001 | | <u>CREATED / REVISED BY:</u> ADERR | <u>CHECKED BY:</u> LSCHMIDT | <u>APPROVED BY:</u> FSMITH |

| GROUP: | | A-6373-NAH501-* | | | | |
|---------------|-----------------|------------------|-------|-----------------|------------|----------|
| PIN NUMBER: | | 2766-1(501) | | | | |
| PIN LENGTH: L | | .560 / (14.22) | | | | |
| MATING: M | | .260 / (6.60) | | | | |
| PC TAIL: P | | .175 / (4.45) | | | | |
| PACKAGING: | | PK-6373-001 BULK | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CK TS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | 22-23-6024 | A-6373-02AH501 | | | | |
| 3 | 22-23-6034 | A-6373-03AH501 | | | | |
| 4 | 22-23-6044 | A-6373-04AH501 | | | | |
| 5 | 22-23-6054 | A-6373-05AH501 | | | | |
| 6 | 22-23-6064 | A-6373-06AH501 | | | | |
| 7 | 22-23-6074 | A-6373-07AH501 | | | | |
| 8 | 22-23-6084 | A-6373-08AH501 | | | | |
| 9 | 22-23-6094 | A-6373-09AH501 | | | | |
| 10 | 22-23-6104 | A-6373-10AH501 | | | | |
| 11 | 22-23-6114 | A-6373-11AH501 | | | | |
| 12 | 22-23-6124 | A-6373-12AH501 | | | | |
| 13 | 22-23-6134 | A-6373-13AH501 | | | | |
| 14 | 22-23-6144 | A-6373-14AH501 | | | | |
| 15 | 22-23-6154 | A-6373-15AH501 | | | | |
| 16 | 22-23-6164 | A-6373-16AH501 | | | | |
| 17 | 22-23-6174 | A-6373-17AH501 | | | | |
| 18 | 22-23-6184 | A-6373-18AH501 | | | | |
| 19 | 22-23-6194 | A-6373-19AH501 | | | | |
| 20 | 22-23-6204 | A-6373-20AH501 | | | | |
| 21 | 22-23-6214 | A-6373-21AH501 | | | | |
| 22 | 22-23-6224 | A-6373-22AH501 | | | | |
| 23 | 22-23-6234 | A-6373-23AH501 | | | | |
| 24 | 22-23-6244 | A-6373-24AH501 | | | | |
| 25 | 22-23-6254 | A-6373-25AH501 | | | | |
| 26 | 22-23-6264 | A-6373-26AH501 | | | | |
| 27 | 22-23-6274 | A-6373-27AH501 | | | | |
| 28 | 22-23-6284 | A-6373-28AH501 | | | | |

| GROUP: | | A-6373-NA503-* | | | | |
|---------------|-----------------|------------------|------|-----------------|-----------------|----------|
| PIN NUMBER: | | 2766-1(503) | | | | |
| PIN LENGTH: L | | .560 / 14.22) | | | | |
| MATING: M | | .295 / (7.49) | | | | |
| PC TAIL: P | | .140 / (3.56) | | | | |
| PACKAGING: | | PK-6373-001 BULK | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CKTS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | 22-11-2028 | A-6373-02A503 | 09 | 22-11-2095 | A-6373-09A503-3 | 3 |
| 3 | 22-11-2038 | A-6373-03A503 | 09 | 22-11-2097 | A-6373-09A503-5 | 5 |
| 4 | 22-11-2048 | A-6373-04A503 | 05 | 22-11-2055 | A-6373-05A503-3 | 3 |
| 5 | 22-11-2058 | A-6373-05A503 | 11 | 22-11-2117 | A-6373-11A503-5 | 5 |
| 6 | 22-11-2068 | A-6373-06A503 | | | | |
| 7 | 22-11-2078 | A-6373-07A503 | | | | |
| 8 | 22-11-2088 | A-6373-08A503 | | | | |
| 9 | 22-11-2098 | A-6373-09A503 | | | | |
| 10 | 22-11-2108 | A-6373-10A503 | | | | |
| 11 | 22-11-2118 | A-6373-11A503 | | | | |
| 12 | 22-11-2128 | A-6373-12A503 | | | | |
| 13 | 22-11-2138 | A-6373-13A503 | | | | |
| 14 | 22-11-2148 | A-6373-14A503 | | | | |
| 15 | | A-6373-15A503 | | | | |
| 16 | | A-6373-16A503 | | | | |
| 17 | 22-11-2178 | A-6373-17A503 | | | | |
| 18 | | A-6373-18A503 | | | | |
| 19 | | A-6373-19A503 | | | | |
| 20 | | A-6373-20A503 | | | | |
| 21 | | A-6373-21A503 | | | | |
| 22 | 22-11-2228 | A-6373-22A503 | | | | |
| 23 | | A-6373-23A503 | | | | |
| 24 | | A-6373-24A503 | | | | |
| 25 | | A-6373-25A503 | | | | |
| 26 | | A-6373-26A503 | | | | |
| 27 | | A-6373-27A503 | | | | |
| 28 | | A-6373-28A503 | | | | |

| | | | | |
|---|------|--|---|--------------------------------------|
| BA9 | REV: | ECR/ECN INFORMATION: | TITLE: KK 100 HEADER ASSEMBLY FRICTION LOCK SOLID BODY | SHEET No. - 7 - |
| | | EC No.: UCP2007-1744 | | |
| | | DATE: 1/24/2007 | | |
| DOCUMENT NUMBER: SD - 6373 - 001 | | CREATED / REVISED BY: ADERR | CHECKED BY: LSCHMIDT | APPROVED BY: FSMITH |

| GROUP: | | A-6373-NAD102-* | | | | |
|---------------|-----------------|------------------|------|-----------------|------------|----------|
| PIN NUMBER: | | 4166-1(102) | | | | |
| PIN LENGTH: L | | .560 / (14.22) | | | | |
| MATING: M | | .295 / (7.49) | | | | |
| PC TAIL: P | | .140 / (3.56) | | | | |
| PACKAGING: | | PK-6373-001 BULK | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CKTS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | 22-23-2028 | A-6373-02AD102 | | | | |
| 3 | 22-23-2038 | A-6373-03AD102 | | | | |
| 4 | 22-23-2048 | A-6373-04AD102 | | | | |
| 5 | 22-23-2058 | A-6373-05AD102 | | | | |
| 6 | 22-23-2068 | A-6373-06AD102 | | | | |
| 7 | 22-23-2078 | A-6373-07AD102 | | | | |
| 8 | 22-23-2088 | A-6373-08AD102 | | | | |
| 9 | 22-23-2098 | A-6373-09AD102 | | | | |
| 10 | 22-23-2108 | A-6373-10AD102 | | | | |
| 11 | 22-23-2118 | A-6373-11AD102 | | | | |
| 12 | 22-23-2128 | A-6373-12AD102 | | | | |
| 13 | 22-23-2138 | A-6373-13AD102 | | | | |
| 14 | 22-23-2148 | A-6373-14AD102 | | | | |
| 15 | 22-23-2158 | A-6373-15AD102 | | | | |
| 16 | 22-23-2168 | A-6373-16AD102 | | | | |
| 17 | 22-23-2178 | A-6373-17AD102 | | | | |
| 18 | 22-23-2188 | A-6373-18AD102 | | | | |
| 19 | 22-23-2198 | A-6373-19AD102 | | | | |
| 20 | 22-23-2208 | A-6373-20AD102 | | | | |
| 21 | 22-23-2218 | A-6373-21AD102 | | | | |
| 22 | 22-23-2228 | A-6373-22AD102 | | | | |
| 23 | 22-23-2238 | A-6373-23AD102 | | | | |
| 24 | 22-23-2248 | A-6373-24AD102 | | | | |
| 25 | 22-23-2258 | A-6373-25AD102 | | | | |
| 26 | 22-23-2268 | A-6373-26AD102 | | | | |
| 27 | 22-23-2278 | A-6373-27AD102 | | | | |
| 28 | 22-23-2288 | A-6373-28AD102 | | | | |

| GROUP: | | | | | | |
|---------------|-----------------|------------|------|-----------------|------------|----------|
| PIN NUMBER: | | | | | | |
| PIN LENGTH: L | | | | | | |
| MATING: M | | | | | | |
| PC TAIL: P | | | | | | |
| PACKAGING: | | | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CKTS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | | | | | | |
| 3 | | | | | | |
| 4 | | | | | | |
| 5 | | | | | | |
| 6 | | | | | | |
| 7 | | | | | | |
| 8 | | | | | | |
| 9 | | | | | | |
| 10 | | | | | | |
| 11 | | | | | | |
| 12 | | | | | | |
| 13 | | | | | | |
| 14 | | | | | | |
| 15 | | | | | | |
| 16 | | | | | | |
| 17 | | | | | | |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |
| 21 | | | | | | |
| 22 | | | | | | |
| 23 | | | | | | |
| 24 | | | | | | |
| 25 | | | | | | |
| 26 | | | | | | |
| 27 | | | | | | |
| 28 | | | | | | |

| | | | | | |
|--|------|---------------------------------------|--------------------------------|--|--------------|
| BA9 | REV: | ECR/ECN INFORMATION: | TITLE: | KK 100 HEADER ASSEMBLY FRICTION LOCK SOLID BODY | SHEET No. |
| | | EC No.: UCP2007-1744 | | | - 8 - |
| | | DATE: 1/24/2007 | | | |
| DOCUMENT NUMBER: SD - 6373 - 001 | | CREATED / REVISED BY: ADERR | CHECKED BY: LSCHMIDT | APPROVED BY: FSMITH | |

| GROUP: | | A-6373-NA122-* | | | | |
|--------------|-----------------|------------------|------|-----------------|-----------------|----------|
| PIN NUMBER: | | 2766-1(122) | | | | |
| PIN LENGTH L | | .560 / (14.22) | | | | |
| MATING: M | | .295 / (7.49) | | | | |
| PC TAIL: P | | .140 / (3.56) | | | | |
| PACKAGING: | | PK-6373-001 BULK | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CKTS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | 22-23-2027 | A-6373-02A122 | 5 | 22-04-6053 | A-6373-05A122-3 | 3 |
| 3 | 22-23-2037 | A-6373-03A122 | | | | |
| 4 | 22-23-2047 | A-6373-04A122 | | | | |
| 5 | 22-23-2057 | A-6373-05A122 | | | | |
| 6 | 22-23-2067 | A-6373-06A122 | | | | |
| 7 | 22-23-2077 | A-6373-07A122 | | | | |
| 8 | 22-23-2087 | A-6373-08A122 | | | | |
| 9 | 22-23-2097 | A-6373-09A122 | | | | |
| 10 | 22-23-2107 | A-6373-10A122 | | | | |
| 11 | 22-23-2117 | A-6373-11A122 | | | | |
| 12 | 22-23-2127 | A-6373-12A122 | | | | |
| 13 | 22-23-2137 | A-6373-13A122 | | | | |
| 14 | 22-23-2147 | A-6373-14A122 | | | | |
| 15 | 22-23-2157 | A-6373-15A122 | | | | |
| 16 | 22-23-2167 | A-6373-16A122 | | | | |
| 17 | 22-23-2177 | A-6373-17A122 | | | | |
| 18 | 22-23-2187 | A-6373-18A122 | | | | |
| 19 | 22-23-2197 | A-6373-19A122 | | | | |
| 20 | 22-23-2207 | A-6373-20A122 | | | | |
| 21 | 22-23-2217 | A-6373-21A122 | | | | |
| 22 | 22-23-2227 | A-6373-22A122 | | | | |
| 23 | 22-23-2237 | A-6373-23A122 | | | | |
| 24 | 22-23-2247 | A-6373-24A122 | | | | |
| 25 | 22-23-2257 | A-6373-25A122 | | | | |
| 26 | 22-23-2267 | A-6373-26A122 | | | | |
| 27 | 22-23-2777 | A-6373-27A122 | | | | |
| 28 | 22-23-2287 | A-6373-28A122 | | | | |

| GROUP: | | A-6373-NA102A-* | | | | |
|---------------|-----------------|-------------------|-------|-----------------|------------------|----------|
| PIN NUMBER: | | 2766-1(102) | | | | |
| PIN LENGTH: L | | .560 / (14.22) | | | | |
| MATING: M | | .295 / (7.49) | | | | |
| PC TAIL: P | | .140 / (3.56) | | | | |
| PACKAGING: | | PK-44743-001 BULK | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CK TS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | 22-23-6021 | A-6373-02A102A | 10 | 22-23-6106 | A-6373-10A102A-2 | 2 |
| 3 | 22-23-6031 | A-6373-03A102A | | | | |
| 4 | 22-23-6041 | A-6373-04A102A | | | | |
| 5 | 22-23-6051 | A-6373-05A102A | | | | |
| 6 | 22-23-6061 | A-6373-06A102A | | | | |
| 7 | 22-23-6071 | A-6373-07A102A | | | | |
| 8 | 22-23-6081 | A-6373-08A102A | | | | |
| 9 | 22-23-6091 | A-6373-09A102A | | | | |
| 10 | 22-23-6101 | A-6373-10A102A | | | | |
| 11 | 22-23-6111 | A-6373-11A102A | | | | |
| 12 | 22-23-6121 | A-6373-12A102A | | | | |
| 13 | 22-23-6131 | A-6373-13A102A | | | | |
| 14 | 22-23-6141 | A-6373-14A102A | | | | |
| 15 | 22-23-6151 | A-6373-15A102A | | | | |
| 16 | 22-23-6161 | A-6373-16A102A | | | | |
| 17 | 22-23-6171 | A-6373-17A102A | | | | |
| 18 | 22-23-6181 | A-6373-18A102A | | | | |
| 19 | 22-23-6191 | A-6373-19A102A | | | | |
| 20 | 22-23-6201 | A-6373-20A102A | | | | |
| 21 | 22-23-6211 | A-6373-21A102A | | | | |
| 22 | 22-23-6221 | A-6373-22A102A | | | | |
| 23 | 22-23-6231 | A-6373-23A102A | | | | |
| 24 | 22-23-6241 | A-6373-24A102A | | | | |
| 25 | 22-23-6251 | A-6373-25A102A | | | | |
| 26 | 22-23-6261 | A-6373-26A102A | | | | |
| 27 | 22-23-6271 | A-6373-27A102A | | | | |
| 28 | 22-23-6281 | A-6373-28A102A | | | | |

| | | | | | |
|--|------|---------------------------------------|--------------------------------|--|--------------|
| BA9 | REV: | ECR/ECN INFORMATION: | TITLE: | KK 100 HEADER ASSEMBLY FRICTION LOCK SOLID BODY | SHEET No. |
| | | EC No.: UCP2007-1744 | | | - 9 - |
| | | DATE: 1/24/2007 | | | |
| DOCUMENT NUMBER: SD - 6373 - 001 | | CREATED / REVISED BY: ADERR | CHECKED BY: LSCHMIDT | APPROVED BY: FSMITH | |

| GROUP: | | A-6373-NAF102-* | | | | |
|---------------|-----------------|-----------------|------|-----------------|------------|----------|
| PIN NUMBER: | | 2766-39(102) | | | | |
| PIN LENGTH: L | | .500 / (12.70) | | | | |
| MATING : M | | .260 / (6.60) | | | | |
| PC TAIL: P | | .115 / (2.92) | | | | |
| PACKAGING: | | PK-6373-001 | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CKTS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | 22-23-2020 | A-6373-02AF102 | | | | |
| 3 | 22-23-2030 | A-6373-03AF102 | | | | |
| 4 | 22-23-2040 | A-6373-04AF102 | | | | |
| 5 | 22-23-2050 | A-6373-05AF102 | | | | |
| 6 | 22-23-2060 | A-6373-06AF102 | | | | |
| 7 | 22-23-2070 | A-6373-07AF102 | | | | |
| 8 | 22-23-2080 | A-6373-08AF102 | | | | |
| 9 | 22-23-2090 | A-6373-09AF102 | | | | |
| 10 | 22-23-2100 | A-6373-10AF102 | | | | |
| 11 | 22-23-2110 | A-6373-11AF102 | | | | |
| 12 | 22-23-2120 | A-6373-12AF102 | | | | |
| 13 | 22-23-2130 | A-6373-13AF102 | | | | |
| 14 | 22-23-2140 | A-6373-14AF102 | | | | |
| 15 | 22-23-2150 | A-6373-15AF102 | | | | |
| 16 | 22-23-2160 | A-6373-16AF102 | | | | |
| 17 | 22-23-2170 | A-6373-17AF102 | | | | |
| 18 | 22-23-2180 | A-6373-18AF102 | | | | |
| 19 | 22-23-2190 | A-6373-19AF102 | | | | |
| 20 | 22-23-2200 | A-6373-20AF102 | | | | |
| 21 | 22-23-2210 | A-6373-21AF102 | | | | |
| 22 | 22-23-2220 | A-6373-22AF102 | | | | |
| 23 | 22-23-2230 | A-6373-23AF102 | | | | |
| 24 | 22-23-2240 | A-6373-24AF102 | | | | |
| 25 | 22-23-2250 | A-6373-25AF102 | | | | |
| 26 | 22-23-2260 | A-6373-26AF102 | | | | |
| 27 | 22-23-2270 | A-6373-27AF102 | | | | |
| 28 | 22-23-2280 | A-6373-28AF102 | | | | |

| GROUP: | | A-6373-NAG102-* | | | | |
|---------------|-----------------|-----------------|------|-----------------|------------|----------|
| PIN NUMBER: | | 2766-39(102) | | | | |
| PIN LENGTH: L | | .500 / (12.70) | | | | |
| MATING: M | | .301 / (7.65) | | | | |
| PC TAIL: P | | .074 / (1.88) | | | | |
| PACKAGING: | | PK-6373-001 | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CKTS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | 22-23-2022 | A-6373-02AG102 | | | | |
| 3 | 22-23-2032 | A-6373-03AG102 | | | | |
| 4 | 22-23-2042 | A-6373-04AG102 | | | | |
| 5 | 22-23-2052 | A-6373-05AG102 | | | | |
| 6 | 22-23-2062 | A-6373-06AG102 | | | | |
| 7 | 22-23-2072 | A-6373-07AG102 | | | | |
| 8 | 22-23-2082 | A-6373-08AG102 | | | | |
| 9 | 22-23-2092 | A-6373-09AG102 | | | | |
| 10 | 22-23-2102 | A-6373-10AG102 | | | | |
| 11 | 22-23-2112 | A-6373-11AG102 | | | | |
| 12 | 22-23-2122 | A-6373-12AG102 | | | | |
| 13 | 22-23-2132 | A-6373-13AG102 | | | | |
| 14 | 22-23-2142 | A-6373-14AG102 | | | | |
| 15 | 22-23-2152 | A-6373-15AG102 | | | | |
| 16 | 22-23-2162 | A-6373-16AG102 | | | | |
| 17 | 22-23-2172 | A-6373-17AG102 | | | | |
| 18 | 22-23-2182 | A-6373-18AG102 | | | | |
| 19 | 22-23-2192 | A-6373-19AG102 | | | | |
| 20 | 22-23-2202 | A-6373-20AG102 | | | | |
| 21 | 22-23-2212 | A-6373-21AG102 | | | | |
| 22 | 22-23-2222 | A-6373-22AG102 | | | | |
| 23 | 22-23-2232 | A-6373-23AG102 | | | | |
| 24 | 22-23-2242 | A-6373-24AG102 | | | | |
| 25 | 22-23-2252 | A-6373-25AG102 | | | | |
| 26 | 22-23-2262 | A-6373-26AG102 | | | | |
| 27 | 22-23-2272 | A-6373-27AG102 | | | | |
| 28 | 22-23-2282 | A-6373-28AG102 | | | | |

| | | | | |
|--|------|---------------------------------------|--|-------------------------------|
| BA9 | REV: | ECR/ECN INFORMATION: | KK 100 HEADER ASSEMBLY FRICTION LOCK SOLID BODY | SHEET No. - 10 - |
| | | EC No.: UCP2007-1744 | | |
| | | DATE: 1/24/2007 | | |
| DOCUMENT NUMBER: SD - 6373 - 001 | | CREATED / REVISED BY: ADERR | CHECKED BY: LSCHMIDT | APPROVED BY: FSMITH |

| GROUP: | | A-6373-NAH102-* | | | | |
|---------------|-----------------|-----------------|------|-----------------|------------|----------|
| PIN NUMBER: | | 2766-1(102) | | | | |
| PIN LENGTH: L | | .560 / (14.22) | | | | |
| MATING: M | | .260 / (6.60) | | | | |
| PC TAIL: P | | .175 / (4.45) | | | | |
| PACKAGING: | | PK-6373-001 | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CKTS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | 22-23-3020 | A-6373-02AH102 | | | | |
| 3 | 22-23-3030 | A-6373-03AH102 | | | | |
| 4 | 22-23-3040 | A-6373-04AH102 | | | | |
| 5 | 22-23-3050 | A-6373-05AH102 | | | | |
| 6 | 22-23-3060 | A-6373-06AH102 | | | | |
| 7 | 22-23-3070 | A-6373-07AH102 | | | | |
| 8 | 22-23-3080 | A-6373-08AH102 | | | | |
| 9 | 22-23-3090 | A-6373-09AH102 | | | | |
| 10 | 22-23-3100 | A-6373-10AH102 | | | | |
| 11 | 22-23-3110 | A-6373-11AH102 | | | | |
| 12 | 22-23-3120 | A-6373-12AH102 | | | | |
| 13 | 22-23-3130 | A-6373-13AH102 | | | | |
| 14 | 22-23-3140 | A-6373-14AH102 | | | | |
| 15 | 22-23-3150 | A-6373-15AH102 | | | | |
| 16 | 22-23-3160 | A-6373-16AH102 | | | | |
| 17 | 22-23-3170 | A-6373-17AH102 | | | | |
| 18 | 22-23-3180 | A-6373-18AH102 | | | | |
| 19 | 22-23-3190 | A-6373-19AH102 | | | | |
| 20 | 22-23-3200 | A-6373-20AH102 | | | | |
| 21 | 22-23-3210 | A-6373-21AH102 | | | | |
| 22 | 22-23-3220 | A-6373-22AH102 | | | | |
| 23 | 22-23-3230 | A-6373-23AH102 | | | | |
| 24 | 22-23-3240 | A-6373-24AH102 | | | | |
| 25 | 22-23-3250 | A-6373-25AH102 | | | | |
| 26 | 22-23-3260 | A-6373-26AH102 | | | | |
| 27 | 22-23-3270 | A-6373-27AH102 | | | | |
| 28 | 22-23-3280 | A-6373-28AH102 | | | | |

| GROUP: | | A-6373-NAJ122-* | | | | |
|---------------|-----------------|-----------------|------|-----------------|------------------|----------|
| PIN NUMBER: | | 2766-52(122) | | | | |
| PIN LENGTH: L | | .575 / (14.61) | | | | |
| MATING: M | | .295 / (7.49) | | | | |
| PC TAIL: P | | .155 / (3.94) | | | | |
| PACKAGING: | | PK-6373-001 | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CKTS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | 22-23-3023 | A-6373-02AJ122 | 05 | 22-04-6052 | A-6373-05AJ122-1 | 1 |
| 3 | 22-23-3033 | A-6373-03AJ122 | 06 | 22-04-6062 | A-6373-06AJ122-2 | 2 |
| 4 | 22-23-3043 | A-6373-04AJ122 | | | | |
| 5 | 22-23-3053 | A-6373-05AJ122 | | | | |
| 6 | 22-23-3063 | A-6373-06AJ122 | | | | |
| 7 | | A-6373-07AJ122 | | | | |
| 8 | 22-23-3083 | A-6373-08AJ122 | | | | |
| 9 | 22-23-3093 | A-6373-09AJ122 | | | | |
| 10 | 22-23-3103 | A-6373-10AJ122 | | | | |
| 11 | | A-6373-11AJ122 | | | | |
| 12 | | A-6373-12AJ122 | | | | |
| 13 | | A-6373-13AJ122 | | | | |
| 14 | | A-6373-14AJ122 | | | | |
| 15 | 22-23-3153 | A-6373-15AJ122 | | | | |
| 16 | 22-23-3163 | A-6373-16AJ122 | | | | |
| 17 | | A-6373-17AJ122 | | | | |
| 18 | | A-6373-18AJ122 | | | | |
| 19 | | A-6373-19AJ122 | | | | |
| 20 | 22-23-3203 | A-6373-20AJ122 | | | | |
| 21 | | A-6373-21AJ122 | | | | |
| 22 | | A-6373-22AJ122 | | | | |
| 23 | | A-6373-23AJ122 | | | | |
| 24 | | A-6373-24AJ122 | | | | |
| 25 | | A-6373-25AJ122 | | | | |
| 26 | | A-6373-26AJ122 | | | | |
| 27 | | A-6373-27AJ122 | | | | |
| 28 | | A-6373-28AJ122 | | | | |

| | | | | |
|---|------------------------------------|---|---------------------------------------|--------------------------------------|
| REV: BA9 | <u>ECR/ECN INFORMATION:</u> | <u>TITLE:</u> KK 100 HEADER ASSEMBLY FRICTION LOCK SOLID BODY | <u>SHEET No.</u> | |
| | <u>EC No.:</u> UCP2007-1744 | | - 11 - | |
| | <u>DATE:</u> 1/24/2007 | | | |
| <u>DOCUMENT NUMBER:</u> SD - 6373 - 001 | | <u>CREATED / REVISED BY:</u> ADERR | <u>CHECKED BY:</u> LSCHMIDT | <u>APPROVED BY:</u> FSMITH |

| GROUP: | | A-6373-NA501A-* | | | | |
|---------------|-----------------|-----------------|------|-----------------|------------|----------|
| PIN NUMBER: | | 2766-1(501) | | | | |
| PIN LENGTH: L | | .560 / (14.22) | | | | |
| MATING: M | | .295 / (7.49) | | | | |
| PC TAIL: P | | .140 / (3.56) | | | | |
| PACKAGING: | | PK-44743-001 | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CKTS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | | | | | | |
| 3 | 22-23-1035 | A-6373-03A501A | | | | |
| 4 | 22-23-1045 | A-6373-04A501A | | | | |
| 5 | 22-23-1055 | A-6373-05A501A | | | | |
| 6 | 22-23-1065 | A-6373-06A501A | | | | |
| 7 | 22-23-1075 | A-6373-07A501A | | | | |
| 8 | 22-23-1085 | A-6373-08A501A | | | | |
| 9 | 22-23-1095 | A-6373-09A501A | | | | |
| 10 | 22-23-1105 | A-6373-10A501A | | | | |
| 11 | 22-23-1115 | A-6373-11A501A | | | | |
| 12 | 22-23-1125 | A-6373-12A501A | | | | |
| 13 | 22-23-1135 | A-6373-13A501A | | | | |
| 14 | 22-23-1145 | A-6373-14A501A | | | | |
| 15 | 22-23-1155 | A-6373-15A501A | | | | |
| 16 | 22-23-1165 | A-6373-16A501A | | | | |
| 17 | 22-23-1175 | A-6373-17A501A | | | | |
| 18 | 22-23-1185 | A-6373-18A501A | | | | |
| 19 | 22-23-1195 | A-6373-19A501A | | | | |
| 20 | 22-23-1205 | A-6373-20A501A | | | | |
| 21 | 22-23-1211 | A-6373-21A501A | | | | |
| 22 | 22-23-1222 | A-6373-22A501A | | | | |
| 23 | 22-23-1233 | A-6373-23A501A | | | | |
| 24 | 22-23-1244 | A-6373-24A501A | | | | |
| 25 | 22-23-1255 | A-6373-25A501A | | | | |
| 26 | 22-23-1266 | A-6373-26A501A | | | | |
| 27 | 22-23-1277 | A-6373-27A501A | | | | |
| 28 | 22-23-1288 | A-6373-28A501A | | | | |

| GROUP: | | A-6373-NAL102-* | | | | |
|---------------|-----------------|-----------------|-------|-----------------|------------------|----------|
| PIN NUMBER: | | 4166-8(102) | | | | |
| PIN LENGTH: L | | 1.000 / (25.40) | | | | |
| MATING: M | | .295 / (7.49) | | | | |
| PC TAIL: P | | .580 / (14.73) | | | | |
| PACKAGING: | | PK-6373-001 | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CK TS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | | | 06 | 22-04-6066 | A-6373-06AL102-2 | 2 |
| 3 | 22-23-6032 | A-6373-03AL102 | 06 | 22-04-6067 | A-6373-06AL102-3 | 3 |
| 4 | 22-23-6042 | A-6373-04AL102 | | | | |
| 5 | 22-23-6052 | A-6373-05AL102 | | | | |
| 6 | 22-23-6062 | A-6373-06AL102 | | | | |
| 7 | 22-23-6072 | A-6373-07AL102 | | | | |
| 8 | 22-23-6082 | A-6373-08AL102 | | | | |
| 9 | 22-23-6092 | A-6373-09AL102 | | | | |
| 10 | 22-23-6102 | A-6373-10AL102 | | | | |
| 11 | 22-23-6112 | A-6373-11AL102 | | | | |
| 12 | 22-23-6122 | A-6373-12AL102 | | | | |
| 13 | 22-23-6132 | A-6373-13AL102 | | | | |
| 14 | 22-23-6142 | A-6373-14AL102 | | | | |
| 15 | 22-23-6152 | A-6373-15AL102 | | | | |
| 16 | 22-23-6162 | A-6373-16AL102 | | | | |
| 17 | 22-23-6172 | A-6373-17AL102 | | | | |
| 18 | 22-23-6182 | A-6373-18AL102 | | | | |
| 19 | 22-23-6192 | A-6373-19AL102 | | | | |
| 20 | 22-23-6202 | A-6373-20AL102 | | | | |
| 21 | 22-23-6212 | A-6373-21AL102 | | | | |
| 22 | 22-23-6222 | A-6373-22AL102 | | | | |
| 23 | 22-23-6232 | A-6373-23AL102 | | | | |
| 24 | 22-23-6242 | A-6373-24AL102 | | | | |
| 25 | 22-23-6252 | A-6373-25AL102 | | | | |
| 26 | 22-23-6262 | A-6373-26AL102 | | | | |
| 27 | 22-23-6272 | A-6373-27AL102 | | | | |
| 28 | 22-23-6282 | A-6373-28AL102 | | | | |

| | | | | | |
|--|------|---------------------------------------|--------------------------------|--|---------------|
| BA9 | REV: | ECR/ECN INFORMATION: | TITLE: | KK 100 HEADER ASSEMBLY FRICTION LOCK SOLID BODY | SHEET No. |
| | | EC No.: UCP2007-1744 | | | - 12 - |
| | | DATE: 1/24/2007 | | | |
| DOCUMENT NUMBER: SD - 6373 - 001 | | CREATED / REVISED BY: ADERR | CHECKED BY: LSCHMIDT | APPROVED BY: FSMITH | |

| GROUP: | | A-6373-NAM102-* | | | | |
|---------------|-----------------|-----------------|------|-----------------|------------|----------|
| PIN NUMBER: | | 2766-69(102) | | | | |
| PIN LENGTH: L | | .515 / (13.08) | | | | |
| MATING: M | | .300 / (7.62) | | | | |
| PC TAIL: P | | .090 / (2.29) | | | | |
| PACKAGING: | | PK-6373-001 | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CKTS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | 22-23-6023 | A-6373-02AM102 | | | | |
| 3 | 22-23-6033 | A-6373-03AM102 | | | | |
| 4 | 22-23-6043 | A-6373-04AM102 | | | | |
| 5 | 22-23-6053 | A-6373-05AM102 | | | | |
| 6 | 22-23-6063 | A-6373-06AM102 | | | | |
| 7 | 22-23-6073 | A-6373-07AM102 | | | | |
| 8 | 22-23-6083 | A-6373-08AM102 | | | | |
| 9 | 22-23-6093 | A-6373-09AM102 | | | | |
| 10 | 22-23-6103 | A-6373-10AM102 | | | | |
| 11 | 22-23-6113 | A-6373-11AM102 | | | | |
| 12 | 22-23-6123 | A-6373-12AM102 | | | | |
| 13 | 22-23-6133 | A-6373-13AM102 | | | | |
| 14 | 22-23-6143 | A-6373-14AM102 | | | | |
| 15 | 22-23-6153 | A-6373-15AM102 | | | | |
| 16 | 22-23-6163 | A-6373-16AM102 | | | | |
| 17 | 22-23-6173 | A-6373-17AM102 | | | | |
| 18 | 22-23-6183 | A-6373-18AM102 | | | | |
| 19 | 22-23-6193 | A-6373-19AM102 | | | | |
| 20 | 22-23-6203 | A-6373-20AM102 | | | | |
| 21 | 22-23-6213 | A-6373-21AM102 | | | | |
| 22 | 22-23-6223 | A-6373-22AM102 | | | | |
| 23 | 22-23-6233 | A-6373-23AM102 | | | | |
| 24 | 22-23-6243 | A-6373-24AM102 | | | | |
| 25 | 22-23-6253 | A-6373-25AM102 | | | | |
| 26 | 22-23-6263 | A-6373-26AM102 | | | | |
| 27 | 22-23-6273 | A-6373-27AM102 | | | | |
| 28 | 22-23-6283 | A-6373-28AM102 | | | | |

| GROUP: | | A-6373-NAM501-* | | | | |
|---------------|-----------------|-----------------|------|-----------------|------------|----------|
| PIN NUMBER: | | 2766-69(501) | | | | |
| PIN LENGTH: L | | .515 / (13.08) | | | | |
| MATING: M | | .300 / (7.62) | | | | |
| PC TAIL: P | | .090 / (2.29) | | | | |
| PACKAGING: | | PK-6373-001 | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CKTS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | 22-23-6025 | A-6373-02AM501 | | | | |
| 3 | 22-23-6035 | A-6373-03AM501 | | | | |
| 4 | 22-23-6045 | A-6373-04AM501 | | | | |
| 5 | 22-23-6055 | A-6373-05AM501 | | | | |
| 6 | 22-23-6065 | A-6373-06AM501 | | | | |
| 7 | 22-23-6075 | A-6373-07AM501 | | | | |
| 8 | 22-23-6085 | A-6373-08AM501 | | | | |
| 9 | 22-23-6095 | A-6373-09AM501 | | | | |
| 10 | 22-23-6105 | A-6373-10AM501 | | | | |
| 11 | 22-23-6115 | A-6373-11AM501 | | | | |
| 12 | 22-23-6125 | A-6373-12AM501 | | | | |
| 13 | 22-23-6135 | A-6373-13AM501 | | | | |
| 14 | 22-23-6145 | A-6373-14AM501 | | | | |
| 15 | 22-23-6155 | A-6373-15AM501 | | | | |
| 16 | 22-23-6165 | A-6373-16AM501 | | | | |
| 17 | 22-23-6175 | A-6373-17AM501 | | | | |
| 18 | 22-23-6185 | A-6373-18AM501 | | | | |
| 19 | 22-23-6195 | A-6373-19AM501 | | | | |
| 20 | 22-23-6205 | A-6373-20AM501 | | | | |
| 21 | 22-23-6215 | A-6373-21AM501 | | | | |
| 22 | 22-23-6225 | A-6373-22AM501 | | | | |
| 23 | 22-23-6235 | A-6373-23AM501 | | | | |
| 24 | 22-23-6245 | A-6373-24AM501 | | | | |
| 25 | 22-23-6255 | A-6373-25AM501 | | | | |
| 26 | 22-23-6265 | A-6373-26AM501 | | | | |
| 27 | 22-23-6275 | A-6373-27AM501 | | | | |
| 28 | 22-23-6285 | A-6373-28AM501 | | | | |

| | | | | | |
|--|------|---------------------------------------|--------------------------------|--|---------------|
| BA9 | REV: | ECR/ECN INFORMATION: | TITLE: | KK 100 HEADER ASSEMBLY FRICTION LOCK SOLID BODY | SHEET No. |
| | | EC No.: UCP2007-1744 | | | - 13 - |
| | | DATE: 1/24/2007 | | | |
| DOCUMENT NUMBER: SD - 6373 - 001 | | CREATED / REVISED BY: ADERR | CHECKED BY: LSCHMIDT | APPROVED BY: FSMITH | |

| GROUP: | | A-6373-NAN501-* | | | | |
|---------------|-----------------|-----------------|------|-----------------|------------|----------|
| PIN NUMBER: | | 2766-28(501) | | | | |
| PIN LENGTH: L | | .625 / (15.88) | | | | |
| MATING: M | | .295 / (7.49) | | | | |
| PC TAIL: P | | .205 / (5.21) | | | | |
| PACKAGING: | | PK-6373-001 | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CKTS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | | A-6373-02AN501 | | | | |
| 3 | | A-6373-03AN501 | | | | |
| 4 | 22-23-6047 | A-6373-04AN501 | | | | |
| 5 | | A-6373-05AN501 | | | | |
| 6 | | A-6373-06AN501 | | | | |
| 7 | | A-6373-07AN501 | | | | |
| 8 | | A-6373-08AN501 | | | | |
| 9 | | A-6373-09AN501 | | | | |
| 10 | | A-6373-10AN501 | | | | |
| 11 | | A-6373-11AN501 | | | | |
| 12 | | A-6373-12AN501 | | | | |
| 13 | | A-6373-13AN501 | | | | |
| 14 | | A-6373-14AN501 | | | | |
| 15 | | A-6373-15AN501 | | | | |
| 16 | | A-6373-16AN501 | | | | |
| 17 | | A-6373-17AN501 | | | | |
| 18 | | A-6373-18AN501 | | | | |
| 19 | | A-6373-19AN501 | | | | |
| 20 | | A-6373-20AN501 | | | | |
| 21 | | A-6373-21AN501 | | | | |
| 22 | | A-6373-22AN501 | | | | |
| 23 | | A-6373-23AN501 | | | | |
| 24 | | A-6373-24AN501 | | | | |
| 25 | | A-6373-25AN501 | | | | |
| 26 | | A-6373-26AN501 | | | | |
| 27 | | A-6373-27AN501 | | | | |
| 28 | | A-6373-28AN501 | | | | |

| GROUP: | | A-6373-NAB501-* | | | | |
|---------------|-----------------|-----------------|------|-----------------|------------|----------|
| PIN NUMBER: | | 2766-54(501) | | | | |
| PIN LENGTH: L | | .703 / (17.86) | | | | |
| MATING: M | | .289 / (7.34) | | | | |
| PC TAIL: P | | .289 / (7.34) | | | | |
| PACKAGING: | | PK-6373-001 | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CKTS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | 50-29-1746 | A-6373-02AB501 | | | | |
| 3 | | A-6373-03AB501 | | | | |
| 4 | | A-6373-04AB501 | | | | |
| 5 | | A-6373-05AB501 | | | | |
| 6 | | A-6373-06AB501 | | | | |
| 7 | | A-6373-07AB501 | | | | |
| 8 | 50-29-1741 | A-6373-08AB501 | | | | |
| 9 | | A-6373-09AB501 | | | | |
| 10 | 50-29-1742 | A-6373-10AB501 | | | | |
| 11 | | A-6373-11AB501 | | | | |
| 12 | | A-6373-12AB501 | | | | |
| 13 | | A-6373-13AB501 | | | | |
| 14 | | A-6373-14AB501 | | | | |
| 15 | | A-6373-15AB501 | | | | |
| 16 | | A-6373-16AB501 | | | | |
| 17 | | A-6373-17AB501 | | | | |
| 18 | | A-6373-18AB501 | | | | |
| 19 | | A-6373-19AB501 | | | | |
| 20 | | A-6373-20AB501 | | | | |
| 21 | | A-6373-21AB501 | | | | |
| 22 | | A-6373-22AB501 | | | | |
| 23 | | A-6373-23AB501 | | | | |
| 24 | | A-6373-24AB501 | | | | |
| 25 | | A-6373-25AB501 | | | | |
| 26 | | A-6373-26AB501 | | | | |
| 27 | | A-6373-27AB501 | | | | |
| 28 | | A-6373-28AB501 | | | | |

| | | | | |
|---|------------------------------------|--|---|---------------------------------------|
| REV: BA9 | <u>ECR/ECN INFORMATION:</u> | | <u>TITLE:</u> KK 100 HEADER ASSEMBLY FRICTION LOCK SOLID BODY | <u>SHEET No.</u> - 14 - |
| | <u>EC No.:</u> UCP2007-1744 | | | |
| | <u>DATE:</u> 1/24/2007 | | | |
| <u>DOCUMENT NUMBER:</u> SD - 6373 - 001 | | <u>CREATED / REVISED BY:</u> ADERR | <u>CHECKED BY:</u> LSCHMIDT | <u>APPROVED BY:</u> FSMITH |

| GROUP: | A-6373-NAN102-* | | | | | |
|---------------|-----------------|----------------|------|-----------------|------------------|----------|
| PIN NUMBER: | 2766-28(102) | | | | | |
| PIN LENGTH: L | .625 / (15.88) | | | | | |
| MATING: M | .295 / (7.49) | | | | | |
| PC TAIL: P | .205 / (5.21) | | | | | |
| PACKAGING: | PK-6373-001 | | | | | |
| CKTS | MATERIAL NUMBER | ENG NUMBER | CKTS | MATERIAL NUMBER | ENG NUMBER | VOID CKT |
| 2 | | | 9 | 50-34-8527 | A-6373-09AN102-7 | 7 |
| 3 | | | | | | |
| 4 | 50-36-1696 | A-6373-04AN102 | | | | |
| 5 | | | | | | |
| 6 | | | | | | |
| 7 | | | | | | |
| 8 | | | | | | |
| 9 | | | | | | |
| 10 | | | | | | |
| 11 | | | | | | |
| 12 | | | | | | |
| 13 | | | | | | |
| 14 | | | | | | |
| 15 | | | | | | |
| 16 | | | | | | |
| 17 | | | | | | |
| 18 | | | | | | |
| 19 | | | | | | |
| 20 | | | | | | |
| 21 | | | | | | |
| 22 | | | | | | |
| 23 | | | | | | |
| 24 | | | | | | |
| 25 | | | | | | |
| 26 | | | | | | |
| 27 | | | | | | |
| 28 | | | | | | |

| | | | | |
|---|-----------------------------|--|---|---------------------------------------|
| REV: BA9 | <u>ECR/ECN INFORMATION:</u> | | <u>TITLE:</u> KK 100 HEADER ASSEMBLY FRICTION LOCK SOLID BODY | <u>SHEET No.</u> - 15 - |
| | EC No.: UCP2007-1744 | | | |
| | DATE: 1/24/2007 | | | |
| <u>DOCUMENT NUMBER:</u> SD - 6373 - 001 | | <u>CREATED / REVISED BY:</u> ADERR | <u>CHECKED BY:</u> LSCHMIDT | <u>APPROVED BY:</u> FSMITH |