

REVISIONS					
P	LTR	DESCRIPTION	DATE	DMN	APVD
E		REV PER ECO 16-011430	8-10-16	CT	EO

- CONTACTS SHOWN LOADED FOR ILLUSTRATION ONLY; ARE INCLUDED IN A CONTAINER WITHIN CONNECTOR PACKAGE FOR SHIPMENT.
- FOR INSERT ARRANGEMENTS AND DIMENSIONS, SEE TABLES ON SHEET 2 OF 2.
- FOR CONTACT SIZE 22, B DIMENSION REPRESENTS PIN CONTACTS.
- DIMENSIONS IN BRACKETS ARE IN INCHES.
- PRELIMINARY- NOT RELEASED FOR PRODUCTION

PART NO														DESCRIPTION	ITEM NO
(200)	(200)	(201)	(201)	(200)	(200)	(201)	(200)	(200)	(200)	(200)	(201)	(200)	(200)	CUSTOMER ORDERING CODE, SEE DRAWING 205102	
	91	00				01	01	01		01	01	01	01	KEYING CODE, SEE DRAWING 204014	
00	03	00	00	00	03	00	00	00	00	03	00	00	01	MODIFICATION CODE, SEE DRAWING 205100	
106P	67S	106P	106P	106P	67S	32C2S	32C2S	57S	33C4S	33C4S	C8S	26S	CP8	INSERT B	
106P	67S	106P	106P	106P	67S	67S	67S	57S	33C4S	33C4S	26S	26P		INSERT A	
2														RETAINER PLATE - ALUMINUM; PLATED ELECTROLESS NICKEL	18
1														SHELL - ALUMINUM; PLATED ELECTROLESS NICKEL	17
					1		1	1	1					91066-4 INSERT/EXTRACT TOOL, SIZE 20 - ACETAL/BE CU; PL NICKEL	16
					1		1		1		1	1		91066-3 INSERT/EXTRACT TOOL, SIZE 16 - ACETAL/BE CU; PL NICKEL	15
1				1										91066-1 INSERT/EXTRACT TOOL, SIZE 22 - ACETAL/BE CU; PL NICKEL	14
212				212										204873-4 PIN CONT, SIZE 22 - LEADED COPPER; PL GOLD OVER NICKEL	13
													26	204978-3 PIN CONT, SIZE 16 - LEADED COPPER; PL GOLD OVER NICKEL	12
	128				128		94	114	50					205116-1 SKT CONT ASSY, SIZE 20 - LEADED COPPER; PL GOLD OVER NICKEL	11
	6				6		3		8		52			205117-1 SKT CONT ASSY, SIZE 16 - LEADED COPPER; PL GOLD OVER NICKEL	10
8	8	8	8	8	8	8	8	8	8	8	8	8	8	LOCKWASHER - STAINLESS STEEL; PASSIVATED	9
8	8	8	8	8	8	8	8	8	8	8	8	8	8	MACHINE SCREW - STAINLESS STEEL; PASSIVATED	8
	2	2	2	2	2	2	2	2	2	2	2	2	2	RETAINER PLATE - ALUMINUM; ANODIZED BLUE	7
3	3		3	3	3	3	3	3	3	3	3	3	3	POLARIZING POST NUT - BRASS; PL CADMIUM, YELLOW CHROMATE	6
3	3		3	3	3	3	3	3	3	3	3	3	3	LOCKWASHER - STAINLESS STEEL; PASSIVATED	5
3	3		3	3	3	3	3	3	3	3	3	3	3	POLARIZING POST - STAINLESS STEEL; PASSIVATED	4
	2				2	2	2	2	2	2	2	2		SOCKET INSERT ASSEMBLY - EPOXY; BLACK	3
2		2	2	2									2	PIN INSERT ASSEMBLY - EPOXY; BLACK	2
	1	1	1	1	1	1	1	1	1	1	1	1		SHELL - ALUMINUM; PL CADMIUM, YELLOW CHROMATE	1

B DIM. Δ				C DIM.				D DIM.			
CONTACT SIZE				CONTACT SIZE				CONTACT SIZE			
22	20	16	12	22	20	16	12	22	20	16	12
18.69	21.00	19.86		20.24	22.68	22.68	22.68			20.93	
17.48	19.53	18.67		19.53	21.97	21.97	21.97			18.95	
[.736]	[.827]	[.782]		[.797]	[.893]	[.893]	[.893]			[.824]	
[.688]	[.769]	[.735]		[.769]	[.865]	[.865]	[.865]			[.746]	

A DIM.	INSERT ARRANGEMENT													
	C2	C3	8	C8	D8	26	32C2	33C4	40	40C1	45	57	67	106
				36.07		30.61	36.07	36.07				30.61	30.61	24.54
				[1.420]		[1.205]	[1.420]	[1.420]				[1.205]	[1.205]	[.966]

THIS DRAWING IS A CONTROLLED DOCUMENT.

DMN: MARK HOFFECKER 3-11-87
 CHK: LARRY LAWNER 3-11-87
 APVD: LARRY LAWNER 3-11-87
 NAME: LARRY LAWNER

TE Connectivity

PLUG CONNECTOR KIT, ARINC 404, DUAL INSERT, RM2P SERIES

SIZE: A1 CASE CODE: 000779 DRAWING NO: 213437
 WEIGHT: 0

CUSTOMER DRAWING SCALE: NTS SHEET 1 OF 2 REV E

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[213437-3](#)