

Electronic housing - UM-BE 35-1 - 2956657

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Base element without snap foot, for aligning several base elements without ribs, L = 35 mm



The illustration shows a combination of versions UM-SE-1, UM 16,5-1 BE, UM-BE 35-1, UM-BEFE 35-1, UM-SE-A 60-R and UM-A/U 73 CM

Why buy this product



Key commercial data

Packing unit	10 pc
Minimum order quantity	10 pc
GTIN	 4 017918 085872
Weight per Piece (excluding packing)	18.1 g
Custom tariff number	85472000
Country of origin	Poland

Technical data

Product type	Component housing lower part
Approval	UL Recognized
Ambient temperature (operation)	-40 °C ... 105 °C
Color	green
Depth	111 mm
Width	35 mm
Functional earth ground contact	without

Electronic housing - UM-BE 35-1 - 2956657

Classifications

eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506
eCl@ss 6.0	27180802
eCl@ss 7.0	27182701
eCl@ss 8.0	27182701

ETIM

ETIM 2.0	EC001031
ETIM 3.0	EC001031
ETIM 4.0	EC001031
ETIM 5.0	EC001031

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

Approvals

Approvals

Approvals

UL Recognized

Ex Approvals

Approvals submitted

Approval details

UL Recognized
