







FRONT VIEW



LEFT SIDE VIEW



BOTTOM VIEW
(ENLARGED)



TOP VIEW

NOTES:

1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL CODES.
2. SEE PRODUCT DOCUMENTATION FOR FURTHER INFORMATION.
3. UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].
4. WEIGHT OF THE UNIT IS 40.32 KG [88.90 LBS]



THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF AMERICAN POWER CONVERSION AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM APC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.

Schneider
Electric


TITLE:
NETSHELTER
4 POST OPEN FRAME RACK
44U SQUARE HOLES
GENERAL VIEWS

PROJECT: STD SUBMITTAL DRAWINGS SHEET 1 OF 4


DWG NO:	AR203A	REV. 1
DRAWN BY: B ZAHN/S CUNHA	09-JAN-14	FIRST
ENGINEER: S RAMSAROOP	06-JUN-09	ANGLE
APPROVED BY: J KUMMER	09-JAN-14	PROJECTION



LEFT SIDE VIEW



DETAIL A
(ENLARGED)



TOP VIEW

NOTES:


1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL CODES.
2. SEE PRODUCT DOCUMENTATION FOR FURTHER INFORMATION.
3. UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].
- △4. ITEM IS OPTIONAL AND IS SOLD SEPARATELY.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF AMERICAN POWER CONVERSION AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM APC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.


Schneider
Electric

TITLE: NETSHELTER
4 POST OPEN FRAME RACK
44U SQUARE HOLES
VIEWS WITH TROUGH, TROUGH ADAPTER & 6" SPACER
PROJECT: STD SUBMITTAL DRAWINGS SHEET 2 OF 4


DWG NO:	AR203A		REV.	1
DRAWN BY:	B ZAHN/S CUNHA	09-JAN-14	FIRST	ANGLE
ENGINEER:	S RAMSAROOP	06-JUN-09	PROJECTION	
APPROVED BY:	J KUMMER	09-JAN-14		




FRONT VIEW




FRONT VIEW



LEFT SIDE VIEW



TOP VIEW



TOP VIEW

NOTES:


1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL CODES.
2. SEE PRODUCT DOCUMENTATION FOR FURTHER INFORMATION.
3. UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN MILLIMETERS [INCHES].
- △4. ITEM IS OPTIONAL AND IS SOLD SEPARATELY.
5. WEIGHT OF THE UNIT WITH AR8650 IS 91.55 KG [201.41 LBS]
WEIGHT OF THE UNIT WITH AR8651 IS 102.12 KG [224.66 LBS]

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF AMERICAN POWER CONVERSION AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM APC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.


Schneider
Electric

TITLE:
NETSHELTER
4 POST OPEN FRAME RACK
44U SQUARE HOLES
2 RACKS MECHANICAL WITH CABLE MANAGEMENT
PROJECT: STD SUBMITTAL DRAWINGS SHEET 3 OF 4


DWG NO:	AR203A		REV.	1
DRAWN BY:	B ZAHN/S CUNHA	09-JAN-14	FIRST	ANGLE
ENGINEER:	S RAMSAROOP	06-JUN-09	ANGLE	PROJECTION
APPROVED BY:	J KUMMER	09-JAN-14	PROJECTION	




ISOMETRIC VIEW



ISOMETRIC VIEW
(WITH TROUGH ADAPTER AR8450A & 6" SPACER AR8652)



ISOMETRIC VIEW
(WITH 6" VERTICAL CABLE MANAGER AR8615 & 6" SPACER AR8652)



ISOMETRIC VIEW
(WITH 12" VERTICAL CABLE MANAGER AR8665 & (2) 6" SPACERS AR8652)

NOTES:

1. INSTALLATION SHALL COMPLY WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL CODES.
2. SEE PRODUCT DOCUMENTATION FOR FURTHER INFORMATION.
3. TROUGH, TROUGH ADAPTER, CABLE MANAGER, AND SPACERS SHOWN FOR ILLUSTRATION ONLY. ALL ARE OPTIONAL AND ARE SOLD SEPARATELY.

THIS DRAWING AND SPECIFICATIONS HEREIN ARE THE PROPERTY OF AMERICAN POWER CONVERSION AND SHALL NOT BE COPIED, REPRODUCED OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT WRITTEN PERMISSION FROM APC. THIS DRAWING IS BASED UPON LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.

Schneider
Electric

TITLE:
NETSHELTER
4 POST OPEN FRAME RACK
44U SQUARE HOLES
ISOMETRIC VIEWS

PROJECT: STD SUBMITTAL DRAWINGS SHEET 4 OF 4

DWG NO: AR203A

DRAWN BY: B ZAHN/S CUNHA 09-JAN-14

ENGINEER: S RAMSAROOP 06-JUN-09

APPROVED BY: J KUMMER 09-JAN-14

REV. 1

FIRST

ANGLE

PROJECTION