KEMET Part Number: C324C103K5R5TA

(C324C103K5R5TABULK)



General Information

KEMET

X7R

General Purpose

Radial Conformal

snapincrimp

Tin (Sn)

0.01 uF 50 V

+/-10%

N/A

2.5%

125 V

-55/+125C

100 GOhm

Yes

Specifications

Supplier:

Application:

Body Type: Lead Type:

RoHS:

Capacitance:

Failure Rate:

Temperature Range:

Dissipation Factor:

Dielectric Strength:


Insulation Resistance:

Voltage: Tolerance:

Termination Type:

Temperature Coefficient:

Capacitor, ceramic, 0.01 uF, +/-10% Tol, 50 V, X7R, Lead Spacing=0.1"



Dimensions (mm)		
Symbol	Dimension	Tolerance
L	5.08	MAX
Н	5.84	MAX
т	3.18	MAX
S	2.54	NOM
LL	7	MIN
F	0.51	NOM
E	3.18	NOM

Packaging Specifications		
Package Kind:	Bulk	
Package Type:	Bag	
Package Quantity:	500	

Statements of suitability for certain applications are based on our knowledge of typical operating conditions for such applications, but are not intended to constitute - and		
we specifically disclaim - any warranty concerning suitability for a specific customer application or use. This Information is intended for use only by customers who have the 🥄		
requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by us		
with reference to the use of our products is given gratis, and we assume no obligation or liability for the advice given or results obtained.		

