

## Aluminum Electrolytic Capacitors Power Economic Printed Wiring




Fig. 1

### QUICK REFERENCE DATA

| DESCRIPTION                                            | VALUE                   |                     |
|--------------------------------------------------------|-------------------------|---------------------|
|                                                        | 051                     | 053                 |
| Nominal case size<br>(Ø D x L in mm)                   | 25 x 30 to 40 x 100     |                     |
| Rated capacitance range<br>(E6 series), C <sub>R</sub> | 680 µF to<br>150 000 µF | 68 µF to<br>2200 µF |
| Tolerance on C <sub>R</sub>                            | ± 20 %                  |                     |
| Rated voltage range, U <sub>R</sub>                    | 10 V to 100 V           | 200 V to 400 V      |
| Category temperature range                             | -40 °C to +85 °C        |                     |
| Endurance test at 85 °C                                | 5000 h                  |                     |
| Useful life at 85 °C                                   | 12 000 h                |                     |
| Useful life at 40 °C,<br>1.4 x I <sub>R</sub> applied  | 200 000 h               |                     |
| Shelf life at 0 V, 85 °C                               | 500 h                   |                     |
| Based on sectional specification                       | IEC 60384-4 / EN130300  |                     |
| Climatic category IEC 60068                            | 40 / 085 / 56           |                     |

### FEATURES

- Polarized aluminum electrolytic capacitors, non-solid electrolyte
- Large types with reduced dimensions, cylindrical aluminum case, insulated with a blue sleeve
- Provided with keyed polarity
- Long useful life: 12 000 h at 85 °C
- High ripple current capability
- High resistance to shock and vibration
- Material categorization: for definitions of compliance please see [www.vishay.com/doc?99912](http://www.vishay.com/doc?99912)


**RoHS  
COMPLIANT**

### APPLICATIONS

- General purpose, industrial, medical and audio / video systems
- Standard and switched mode power supplies
- Energy storage in pulse systems

### MARKING

The capacitors are marked (where possible) with the following information:

- Rated capacitance (in µF)
- Tolerance on rated capacitance, code letter in accordance with IEC 60062 (M for ± 20 %)
- Rated voltage (in V)
- Date code (YYMM)
- Name of manufacturer
- Code for factory of origin
- Polarity of the terminals and “-” sign to indicate the negative terminal, visible from the top and / or side of the capacitor
- Code number
- Climatic category in accordance with IEC 60068

### SELECTION CHART FOR C<sub>R</sub>, U<sub>R</sub>, AND RELEVANT NOMINAL CASE SIZES (Ø D x L in mm)

| C <sub>R</sub><br>(µF) | U <sub>R</sub> (V) |    |         |         |         |         |          |          |          |
|------------------------|--------------------|----|---------|---------|---------|---------|----------|----------|----------|
|                        | 10                 | 16 | 25      | 40      | 63      | 100     | 200      | 385      | 400      |
| 68                     | -                  | -  | -       | -       | -       | -       | -        | 25 x 30  | 25 x 30  |
| 100                    | -                  | -  | -       | -       | -       | -       | -        | 25 x 40  | 25 x 40  |
| 150                    | -                  | -  | -       | -       | -       | -       | 25 x 30  | 30 x 40  | 30 x 40  |
| 220                    | -                  | -  | -       | -       | -       | -       | 25 x 40  | 35 x 40  | 35 x 40  |
| 330                    | -                  | -  | -       | -       | -       | -       | 30 x 40  | 35 x 50  | 35 x 50  |
|                        | -                  | -  | -       | -       | -       | -       | -        | 40 x 40  | 40 x 40  |
| 470                    | -                  | -  | -       | -       | -       | -       | 35 x 40  | 40 x 50  | 40 x 50  |
| 680                    | -                  | -  | -       | -       | -       | 25 x 30 | 35 x 50  | 40 x 70  | 40 x 70  |
|                        | -                  | -  | -       | -       | -       | -       | 40 x 40  | -        | -        |
| 1000                   | -                  | -  | -       | -       | -       | 25 x 40 | 40 x 50  | 40 x 100 | 40 x 100 |
| 1500                   | -                  | -  | -       | -       | -       | 30 x 40 | 40 x 70  | -        | -        |
| 2200                   | -                  | -  | -       | -       | 25 x 30 | 35 x 40 | 40 x 100 | -        | -        |
| 3300                   | -                  | -  | -       | 25 x 30 | 25 x 40 | 35 x 50 | -        | -        | -        |
|                        | -                  | -  | -       | -       | -       | 40 x 40 | -        | -        | -        |
| 4700                   | -                  | -  | 25 x 30 | 25 x 40 | 30 x 40 | 40 x 50 | -        | -        | -        |

| <b>SELECTION CHART FOR <math>C_R</math>, <math>U_R</math>, AND RELEVANT NOMINAL CASE SIZES (<math>\varnothing D \times L</math> in mm)</b> |           |          |          |          |          |          |     |     |     |
|--------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------|----------|----------|----------|----------|-----|-----|-----|
| $C_R$<br>( $\mu F$ )                                                                                                                       | $U_R$ (V) |          |          |          |          |          |     |     |     |
|                                                                                                                                            | 10        | 16       | 25       | 40       | 63       | 100      | 200 | 385 | 400 |
| 6800                                                                                                                                       | -         | 25 x 30  | 25 x 40  | 30 x 40  | 35 x 40  | 40 x 70  | -   | -   | -   |
| 10 000                                                                                                                                     | 25 x 30   | 25 x 40  | 30 x 40  | 35 x 40  | 35 x 50  | 40 x 100 | -   | -   | -   |
|                                                                                                                                            | -         | -        | -        | -        | 40 x 40  | -        | -   | -   | -   |
| 15 000                                                                                                                                     | 25 x 40   | 30 x 40  | 35 x 40  | 35 x 50  | 40 x 70  | -        | -   | -   | -   |
|                                                                                                                                            | -         | -        | -        | 40 x 40  | -        | -        | -   | -   | -   |
| 22 000                                                                                                                                     | 30 x 40   | 35 x 40  | 35 x 50  | 40 x 50  | 40 x 100 | -        | -   | -   | -   |
|                                                                                                                                            | -         | -        | 40 x 40  | -        | -        | -        | -   | -   | -   |
| 33 000                                                                                                                                     | 35 x 40   | 35 x 50  | 40 x 50  | 40 x 70  | -        | -        | -   | -   | -   |
|                                                                                                                                            | -         | 40 x 40  | -        | -        | -        | -        | -   | -   | -   |
| 47 000                                                                                                                                     | 35 x 50   | 40 x 50  | 40 x 70  | 40 x 100 | -        | -        | -   | -   | -   |
|                                                                                                                                            | 40 x 40   | -        | -        | -        | -        | -        | -   | -   | -   |
| 68 000                                                                                                                                     | 40 x 50   | 40 x 70  | 40 x 100 | -        | -        | -        | -   | -   | -   |
| 100 000                                                                                                                                    | 40 x 70   | 40 x 100 | -        | -        | -        | -        | -   | -   | -   |
| 150 000                                                                                                                                    | 40 x 100  | -        | -        | -        | -        | -        | -   | -   | -   |


**DIMENSIONS in millimeters AND AVAILABLE FORMS**


Fig. 2 - Printed wiring pin version  
(case  $\varnothing D = 25$  mm)




Fig. 3 - Mounting hole diagram viewed from component side  
(case  $\varnothing D = 25$  mm)




Fig. 4 - Printed wiring pin version  
(case  $\varnothing D = 30$  mm)




Fig. 5 - Mounting hole diagram viewed from component side  
(case  $\varnothing D = 30$  mm)




Fig. 6 - Printed wiring pin version  
(case Ø D = 35 mm)




Fig. 7 - Mounting hole diagram viewed from component side  
(case Ø D = 35 mm)




Fig. 8 - Printed wiring pin version  
(case Ø D = 40 mm)




Fig. 9 - Mounting hole diagram viewed from component side  
(case Ø D = 40 mm)

## MOUNTING

When a number of capacitors are connected in a bank, they must not be closer together than 15 mm, when no derating of ripple current and / or temperature is applied.

**Pin number 1 is the positive terminal. Pin “-” is the negative terminal.**

**Pin numbers 2, 3 and 4 (if present) should be free from the electrical circuit or connected to the minus terminal.**

Table 1

| <b>DIMENSIONS in millimeters, MASS, AND PACKAGING QUANTITIES</b> |                           |                         |                     |                                                 |                                               |
|------------------------------------------------------------------|---------------------------|-------------------------|---------------------|-------------------------------------------------|-----------------------------------------------|
| <b>NOMINAL CASE SIZE<br/>Ø D x L</b>                             | <b>Ø D<sub>max.</sub></b> | <b>L<sub>max.</sub></b> | <b>MASS<br/>(g)</b> | <b>PACKAGING QUANTITIES<br/>(units per box)</b> | <b>CARDBOARD BOX DIMENSIONS<br/>L x W x H</b> |
| 25 x 30                                                          | 26                        | 35                      | ≈ 24                | 100                                             | 290 x 280 x 50                                |
| 25 x 40                                                          | 26                        | 45                      | ≈ 28                | 100                                             | 290 x 280 x 60                                |
| 30 x 40                                                          | 31                        | 45                      | ≈ 38                | 100                                             | 340 x 330 x 60                                |
| 35 x 40                                                          | 36                        | 45                      | ≈ 51                | 50                                              | 390 x 198 x 60                                |
| 35 x 50                                                          | 36                        | 55                      | ≈ 66                | 50                                              | 390 x 198 x 70                                |
| 40 x 40                                                          | 41                        | 45                      | ≈ 78                | 50                                              | 440 x 223 x 60                                |
| 40 x 50                                                          | 41                        | 55                      | ≈ 82                | 50                                              | 440 x 223 x 70                                |
| 40 x 70                                                          | 41                        | 75                      | ≈ 110               | 25                                              | 230 x 230 x 90                                |
| 40 x 100                                                         | 41                        | 105                     | ≈ 176               | 25                                              | 230 x 230 x 120                               |



| ELECTRICAL DATA |                                                               |
|-----------------|---------------------------------------------------------------|
| SYMBOL          | DESCRIPTION                                                   |
| $C_R$           | Rated capacitance at 100 Hz                                   |
| $I_R$           | Rated RMS ripple current at 100 Hz, 85 °C or at 20 kHz, 70 °C |
| $I_{L1}$        | Max. leakage current after 1 min at $U_R$                     |
| $I_{L5}$        | Max. leakage current after 5 min at $U_R$                     |
| ESR             | Max. equivalent series resistance at 100 Hz                   |
| Z               | Max. impedance at 10 kHz                                      |

**Note**

- Unless otherwise specified, all electrical values in tables 2 and 3 apply at  $T_{amb} = 20\text{ °C}$ ,  $P = 86\text{ kPa}$  to  $106\text{ kPa}$ ,  $RH = 45\%$  to  $75\%$

**ORDERING EXAMPLE**

Electrolytic capacitor 051 series

10 000  $\mu\text{F}$  / 25 V;  $\pm 20\%$ Nominal case size:  $\varnothing 30\text{ mm} \times 40\text{ mm}$ 

Ordering code: MAL2 051 56103 E3

Former 12NC: 2222 051 56103

Table 2

| ELECTRICAL DATA AND ORDERING INFORMATION 051 SERIES |                                      |                                                          |                                 |                                 |                           |                           |                                |                              |                               |
|-----------------------------------------------------|--------------------------------------|----------------------------------------------------------|---------------------------------|---------------------------------|---------------------------|---------------------------|--------------------------------|------------------------------|-------------------------------|
| $U_R$<br>(V)                                        | $C_R$<br>100 Hz<br>( $\mu\text{F}$ ) | NOMINAL<br>CASE SIZE<br>$\varnothing D \times L$<br>(mm) | $I_R$<br>100 Hz<br>85 °C<br>(A) | $I_R$<br>20 kHz<br>70 °C<br>(A) | $I_{L1}$<br>1 min<br>(mA) | $I_{L5}$<br>5 min<br>(mA) | ESR<br>100 Hz<br>(m $\Omega$ ) | Z<br>10 kHz<br>(m $\Omega$ ) | ORDERING CODE<br>MAL2051..... |
| 10                                                  | 10 000                               | 25 x 30                                                  | 3.1                             | 5.9                             | 0.60                      | 0.20                      | 51                             | 40                           | 54103E3                       |
|                                                     | 15 000                               | 25 x 40                                                  | 4.1                             | 7.8                             | 0.90                      | 0.30                      | 37                             | 30                           | 54153E3                       |
|                                                     | 22 000                               | 30 x 40                                                  | 5.0                             | 9.5                             | 1.32                      | 0.44                      | 30                             | 25                           | 54223E3                       |
|                                                     | 33 000                               | 35 x 40                                                  | 5.5                             | 10.4                            | 1.98                      | 0.66                      | 28                             | 24                           | 54333E3                       |
|                                                     | 47 000                               | 35 x 50                                                  | 6.8                             | 12.9                            | 2.82                      | 0.94                      | 23                             | 20                           | 54473E3                       |
|                                                     | 47 000                               | 40 x 40                                                  | 5.8                             | 10.4                            | 2.82                      | 0.94                      | 29                             | 22                           | 44473E3                       |
|                                                     | 68 000                               | 40 x 50                                                  | 7.1                             | 13.5                            | 4.08                      | 1.36                      | 24                             | 20                           | 54683E3                       |
|                                                     | 100 000                              | 40 x 70                                                  | 9.2                             | 17.4                            | 6.00                      | 2.00                      | 19                             | 16                           | 54104E3                       |
| 16                                                  | 150 000                              | 40 x 100                                                 | 12.0                            | 22.7                            | 9.00                      | 3.00                      | 16                             | 14                           | 54154E3                       |
|                                                     | 6800                                 | 25 x 30                                                  | 3.1                             | 5.9                             | 0.65                      | 0.22                      | 53                             | 42                           | 55682E3                       |
|                                                     | 10 000                               | 25 x 40                                                  | 4.0                             | 7.6                             | 0.96                      | 0.32                      | 39                             | 34                           | 55103E3                       |
|                                                     | 15 000                               | 30 x 40                                                  | 5.0                             | 9.5                             | 1.44                      | 0.48                      | 31                             | 27                           | 55153E3                       |
|                                                     | 22 000                               | 35 x 40                                                  | 5.5                             | 10.4                            | 2.12                      | 0.71                      | 29                             | 26                           | 55223E3                       |
|                                                     | 33 000                               | 35 x 50                                                  | 6.7                             | 12.7                            | 3.17                      | 1.06                      | 23                             | 21                           | 55333E3                       |
|                                                     | 33 000                               | 40 x 40                                                  | 5.7                             | 10.8                            | 3.17                      | 1.06                      | 30                             | 24                           | 45333E3                       |
|                                                     | 47 000                               | 40 x 50                                                  | 7.0                             | 13.3                            | 4.52                      | 1.51                      | 24                             | 20                           | 55473E3                       |
| 25                                                  | 68 000                               | 40 x 70                                                  | 9.2                             | 17.4                            | 6.53                      | 2.18                      | 19                             | 16                           | 55683E3                       |
|                                                     | 100 000                              | 40 x 100                                                 | 12.0                            | 22.7                            | 9.60                      | 3.20                      | 16                             | 14                           | 55104E3                       |
|                                                     | 4700                                 | 25 x 30                                                  | 2.9                             | 5.5                             | 0.71                      | 0.24                      | 60                             | 42                           | 56472E3                       |
|                                                     | 6800                                 | 25 x 40                                                  | 3.9                             | 7.4                             | 1.02                      | 0.34                      | 42                             | 34                           | 56682E3                       |
|                                                     | 10 000                               | 30 x 40                                                  | 4.8                             | 9.1                             | 1.50                      | 0.50                      | 34                             | 27                           | 56103E3                       |
|                                                     | 15 000                               | 35 x 40                                                  | 5.3                             | 10.0                            | 2.25                      | 0.75                      | 30                             | 26                           | 56153E3                       |
|                                                     | 22 000                               | 35 x 50                                                  | 6.5                             | 12.3                            | 3.30                      | 1.10                      | 24                             | 21                           | 56223E3                       |
|                                                     | 22 000                               | 40 x 40                                                  | 5.7                             | 10.8                            | 3.30                      | 1.10                      | 31                             | 24                           | 46223E3                       |
| 40                                                  | 33 000                               | 40 x 50                                                  | 7.0                             | 13.3                            | 4.95                      | 1.65                      | 25                             | 20                           | 56333E3                       |
|                                                     | 47 000                               | 40 x 70                                                  | 9.2                             | 17.4                            | 7.05                      | 2.35                      | 19                             | 16                           | 56473E3                       |
|                                                     | 68 000                               | 40 x 100                                                 | 12.0                            | 22.7                            | 10.20                     | 3.40                      | 16                             | 14                           | 56683E3                       |
|                                                     | 3300                                 | 25 x 30                                                  | 2.9                             | 5.5                             | 0.80                      | 0.27                      | 87                             | 63                           | 57332E3                       |
|                                                     | 4700                                 | 25 x 40                                                  | 3.8                             | 7.2                             | 1.13                      | 0.38                      | 62                             | 47                           | 57472E3                       |
|                                                     | 6800                                 | 30 x 40                                                  | 4.7                             | 8.9                             | 1.64                      | 0.55                      | 49                             | 38                           | 57682E3                       |
|                                                     | 10 000                               | 35 x 40                                                  | 5.2                             | 9.8                             | 2.40                      | 0.80                      | 48                             | 37                           | 57103E3                       |
|                                                     | 15 000                               | 35 x 50                                                  | 6.3                             | 11.9                            | 3.60                      | 1.20                      | 37                             | 28                           | 57153E3                       |
| 40                                                  | 15 000                               | 40 x 40                                                  | 5.6                             | 10.6                            | 3.60                      | 1.20                      | 50                             | 35                           | 47153E3                       |
|                                                     | 22 000                               | 40 x 50                                                  | 5.8                             | 11.0                            | 5.28                      | 1.76                      | 39                             | 28                           | 57223E3                       |
|                                                     | 33 000                               | 40 x 70                                                  | 7.8                             | 14.8                            | 7.92                      | 2.64                      | 28                             | 21                           | 57333E3                       |
|                                                     | 47 000                               | 40 x 100                                                 | 10.4                            | 19.7                            | 11.28                     | 3.76                      | 22                             | 17                           | 57473E3                       |



| ELECTRICAL DATA AND ORDERING INFORMATION 051 SERIES |                               |                                                     |                                 |                                 |                           |                           |                                |                              |                               |
|-----------------------------------------------------|-------------------------------|-----------------------------------------------------|---------------------------------|---------------------------------|---------------------------|---------------------------|--------------------------------|------------------------------|-------------------------------|
| $U_R$<br>(V)                                        | $C_R$<br>100 Hz<br>( $\mu$ F) | NOMINAL<br>CASE SIZE<br>$\varnothing$ D x L<br>(mm) | $I_R$<br>100 Hz<br>85 °C<br>(A) | $I_R$<br>20 kHz<br>70 °C<br>(A) | $I_{L1}$<br>1 min<br>(mA) | $I_{L5}$<br>5 min<br>(mA) | ESR<br>100 Hz<br>(m $\Omega$ ) | Z<br>10 kHz<br>(m $\Omega$ ) | ORDERING CODE<br>MAL2051..... |
| 63                                                  | 2200                          | 25 x 30                                             | 2.5                             | 4.7                             | 0.84                      | 0.28                      | 83                             | 62                           | 58222E3                       |
|                                                     | 3300                          | 25 x 40                                             | 3.3                             | 6.2                             | 1.25                      | 0.42                      | 58                             | 42                           | 58332E3                       |
|                                                     | 4700                          | 30 x 40                                             | 4.1                             | 7.8                             | 1.78                      | 0.60                      | 49                             | 38                           | 58472E3                       |
|                                                     | 6800                          | 35 x 40                                             | 4.5                             | 8.5                             | 2.57                      | 0.86                      | 48                             | 37                           | 58682E3                       |
|                                                     | 10 000                        | 35 x 50                                             | 5.4                             | 10.2                            | 3.78                      | 1.26                      | 37                             | 28                           | 58103E3                       |
|                                                     | 10 000                        | 40 x 40                                             | 4.6                             | 8.7                             | 3.78                      | 1.26                      | 52                             | 37                           | 48103E3                       |
|                                                     | 15 000                        | 40 x 70                                             | 7.5                             | 14.2                            | 5.67                      | 1.89                      | 29                             | 24                           | 58153E3                       |
|                                                     | 22 000                        | 40 x 100                                            | 10.0                            | 19.0                            | 8.32                      | 2.77                      | 22                             | 19                           | 58223E3                       |
| 100                                                 | 680                           | 25 x 30                                             | 1.74                            | 3.30                            | 0.41                      | 0.14                      | 190                            | 130                          | 59681E3                       |
|                                                     | 1000                          | 25 x 40                                             | 2.34                            | 4.44                            | 0.60                      | 0.20                      | 130                            | 90                           | 59102E3                       |
|                                                     | 1500                          | 30 x 40                                             | 2.95                            | 5.59                            | 0.90                      | 0.30                      | 95                             | 67                           | 59152E3                       |
|                                                     | 2200                          | 35 x 40                                             | 3.69                            | 7.00                            | 1.32                      | 0.44                      | 71                             | 53                           | 59222E3                       |
|                                                     | 3300                          | 35 x 50                                             | 4.37                            | 8.29                            | 1.98                      | 0.66                      | 55                             | 41                           | 59332E3                       |
|                                                     | 3300                          | 40 x 40                                             | 4.16                            | 7.89                            | 1.98                      | 0.66                      | 64                             | 48                           | 49332E3                       |
|                                                     | 4700                          | 40 x 50                                             | 5.21                            | 9.88                            | 2.82                      | 0.94                      | 49                             | 38                           | 59472E3                       |
|                                                     | 6800                          | 40 x 70                                             | 6.97                            | 13.22                           | 4.08                      | 1.36                      | 35                             | 28                           | 59682E3                       |
|                                                     | 10 000                        | 40 x 100                                            | 9.50                            | 18.00                           | 6.00                      | 2.00                      | 26                             | 21                           | 59103E3                       |

Table 3

| ELECTRICAL DATA AND ORDERING INFORMATION 053 SERIES |                               |                                                     |                                 |                                 |                           |                           |                                |                              |                               |
|-----------------------------------------------------|-------------------------------|-----------------------------------------------------|---------------------------------|---------------------------------|---------------------------|---------------------------|--------------------------------|------------------------------|-------------------------------|
| $U_R$<br>(V)                                        | $C_R$<br>100 Hz<br>( $\mu$ F) | NOMINAL<br>CASE SIZE<br>$\varnothing$ D x L<br>(mm) | $I_R$<br>100 Hz<br>85 °C<br>(A) | $I_R$<br>20 kHz<br>70 °C<br>(A) | $I_{L1}$<br>1 min<br>(mA) | $I_{L5}$<br>5 min<br>(mA) | ESR<br>100 Hz<br>(m $\Omega$ ) | Z<br>10 kHz<br>(m $\Omega$ ) | ORDERING CODE<br>MAL2053..... |
| 200                                                 | 150                           | 25 x 30                                             | 0.70                            | 1.33                            | 0.18                      | 0.06                      | 1000                           | 770                          | 52151E3                       |
|                                                     | 220                           | 25 x 40                                             | 0.94                            | 1.78                            | 0.26                      | 0.09                      | 680                            | 525                          | 52221E3                       |
|                                                     | 330                           | 30 x 40                                             | 1.27                            | 2.41                            | 0.40                      | 0.14                      | 460                            | 360                          | 52331E3                       |
|                                                     | 470                           | 35 x 40                                             | 1.66                            | 3.15                            | 0.57                      | 0.19                      | 320                            | 250                          | 52471E3                       |
|                                                     | 680                           | 35 x 50                                             | 2.19                            | 4.15                            | 0.82                      | 0.28                      | 220                            | 170                          | 52681E3                       |
|                                                     | 680                           | 40 x 40                                             | 2.17                            | 4.11                            | 0.82                      | 0.28                      | 220                            | 170                          | 42681E3                       |
|                                                     | 1000                          | 40 x 50                                             | 2.86                            | 5.42                            | 1.20                      | 0.40                      | 150                            | 115                          | 52102E3                       |
|                                                     | 1500                          | 40 x 70                                             | 3.81                            | 7.22                            | 1.80                      | 0.60                      | 110                            | 85                           | 52152E3                       |
|                                                     | 2200                          | 40 x 100                                            | 5.20                            | 9.86                            | 2.64                      | 0.88                      | 80                             | 60                           | 52222E3                       |
| 385                                                 | 68                            | 25 x 30                                             | 0.47                            | 0.89                            | 0.16                      | 0.06                      | 2200                           | 1480                         | 58689E3                       |
|                                                     | 100                           | 25 x 40                                             | 0.64                            | 1.21                            | 0.23                      | 0.08                      | 1500                           | 1020                         | 58101E3                       |
|                                                     | 150                           | 30 x 40                                             | 0.90                            | 1.71                            | 0.35                      | 0.12                      | 1000                           | 700                          | 58151E3                       |
|                                                     | 220                           | 35 x 40                                             | 1.15                            | 2.18                            | 0.51                      | 0.17                      | 680                            | 480                          | 58221E3                       |
|                                                     | 330                           | 35 x 50                                             | 1.53                            | 2.90                            | 0.77                      | 0.26                      | 450                            | 340                          | 58331E3                       |
|                                                     | 330                           | 40 x 40                                             | 1.52                            | 2.88                            | 0.77                      | 0.26                      | 450                            | 340                          | 48331E3                       |
|                                                     | 470                           | 40 x 50                                             | 1.96                            | 3.72                            | 1.09                      | 0.36                      | 320                            | 260                          | 58471E3                       |
|                                                     | 680                           | 40 x 70                                             | 2.70                            | 5.12                            | 1.58                      | 0.53                      | 220                            | 190                          | 58681E3                       |
|                                                     | 1000                          | 40 x 100                                            | 3.70                            | 7.02                            | 2.31                      | 0.78                      | 180                            | 140                          | 58102E3                       |
| 400                                                 | 68                            | 25 x 30                                             | 0.54                            | 1.02                            | 0.16                      | 0.06                      | 2100                           | 1000                         | 56689E3                       |
|                                                     | 100                           | 25 x 40                                             | 0.73                            | 1.38                            | 0.24                      | 0.08                      | 1400                           | 780                          | 56101E3                       |
|                                                     | 150                           | 30 x 40                                             | 0.98                            | 1.86                            | 0.36                      | 0.12                      | 950                            | 520                          | 56151E3                       |
|                                                     | 220                           | 35 x 40                                             | 1.28                            | 2.43                            | 0.52                      | 0.17                      | 650                            | 400                          | 56221E3                       |
|                                                     | 330                           | 35 x 50                                             | 1.67                            | 3.17                            | 0.79                      | 0.26                      | 480                            | 280                          | 56331E3                       |
|                                                     | 330                           | 40 x 40                                             | 1.67                            | 3.17                            | 0.79                      | 0.26                      | 480                            | 280                          | 46331E3                       |
|                                                     | 470                           | 40 x 50                                             | 2.12                            | 4.02                            | 1.12                      | 0.37                      | 340                            | 220                          | 56471E3                       |
|                                                     | 680                           | 40 x 70                                             | 2.90                            | 5.50                            | 1.63                      | 0.54                      | 235                            | 155                          | 56681E3                       |
|                                                     | 1000                          | 40 x 100                                            | 4.05                            | 7.68                            | 2.40                      | 0.80                      | 160                            | 110                          | 56102E3                       |

**ADDITIONAL ELECTRICAL DATA**

| PARAMETER                          | CONDITIONS                             | VALUE                                        |
|------------------------------------|----------------------------------------|----------------------------------------------|
| <b>Voltage</b>                     |                                        |                                              |
| Surge voltage                      | $\leq 250$ V versions                  | $U_s = 1.15 \times U_R$                      |
|                                    | $\geq 385$ V versions                  | $U_s = 1.1 \times U_R$                       |
| Reverse voltage                    |                                        | $U_{rev} \leq 1$ V                           |
| <b>Current</b>                     |                                        |                                              |
| Leakage current                    | After 1 min at $U_R$                   | $I_{L1} \leq 0.006 C_R \times U_R + 4 \mu A$ |
|                                    | After 5 min at $U_R$                   | $I_{L5} \leq 0.002 C_R \times U_R + 4 \mu A$ |
| <b>Inductance</b>                  |                                        |                                              |
| Equivalent series inductance (ESL) | Case $\varnothing D = 25$ mm           | Max. 25 nH                                   |
|                                    | Case $\varnothing D = 30$ mm and 35 mm | Max. 30 nH                                   |
|                                    | Case $\varnothing D = 40$ mm           | Max. 35 nH                                   |


**CAPACITANCE (C)**

Fig. 10 - Typical multiplier of capacitance as a function of ambient temperature




Fig. 11 - Typical multiplier of capacitance as a function of frequency


**EQUIVALENT SERIES RESISTANCE (ESR)**

Fig. 12 - Typical multiplier of typical ESR as a function of frequency




Fig. 13 - Typical multiplier of ESR as a function of ambient temperature




Fig. 14 - Typical multiplier of ESR as a function of ambient temperature

## IMPEDANCE (Z)




Fig. 15 - Typical multiplier of impedance as a function of ambient temperature




Fig. 16 - Typical multiplier of impedance as a function of ambient temperature




Fig. 17 - Typical impedance as a function of frequency




Fig. 18 - Typical impedance as a function of frequency




Fig. 19 - Typical impedance as a function of frequency




Fig. 20 - Typical impedance as a function of frequency




Fig. 21 - Typical impedance as a function of frequency




Fig. 22 - Typical impedance as a function of frequency




Fig. 23 - Typical impedance as a function of frequency




Fig. 24 - Typical impedance as a function of frequency

## RIPPLE CURRENT AND USEFUL LIFE

Table 4

| ENDURANCE TEST DURATION AND USEFUL LIFE |                          |
|-----------------------------------------|--------------------------|
| ENDURANCE AT 85 °C (h)                  | USEFUL LIFE AT 85 °C (h) |
| 5000                                    | 12 000                   |

### Note

- Multiplier of useful life code: MGA453

 $I_A$  = Actual ripple current at 100 Hz

 $I_R$  = Rated ripple current at 100 Hz and 85 °C


<sup>(1)</sup> Useful life at 85 °C and  $I_R$  applied: 12 000 h


Fig. 25 - Multiplier of useful life as a function of ambient temperature and ripple current load

Table 5

| MULTIPLIER OF RIPPLE CURRENT ( $I_R$ ) AS A FUNCTION OF FREQUENCY |      |      |      |      |        |
|-------------------------------------------------------------------|------|------|------|------|--------|
| FREQUENCY (Hz)                                                    |      |      |      |      |        |
| 50                                                                | 100  | 200  | 400  | 1000 | ≥ 2000 |
| $I_R$ MULTIPLIER                                                  |      |      |      |      |        |
| 0.83                                                              | 1.00 | 1.10 | 1.15 | 1.19 | 1.20   |



Table 6

| TEST PROCEDURES AND REQUIREMENTS               |                                             |                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------------|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TEST                                           |                                             | PROCEDURE<br>(quick reference)                                                                                                                       | REQUIREMENTS                                                                                                                                                                                                                                                                                                                                                                    |
| NAME OF TEST                                   | REFERENCE                                   |                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                 |
| Endurance                                      | IEC 60384-4 /<br>EN130300<br>subclause 4.13 | $T_{amb} = 85\text{ }^{\circ}\text{C}$ ; $U_R$ applied;<br>5000 h                                                                                    | $U_R \leq 100\text{ V}$ ; $\Delta C/C: \pm 15\%$<br>$U_R > 100\text{ V}$ ; $\Delta C/C: \pm 10\%$<br>$ESR \leq 1.3 \times \text{spec. limit}$<br>$Z \leq 2 \times \text{spec. limit}$<br>$I_{L5} \leq \text{spec. limit}$                                                                                                                                                       |
| Useful life                                    | CECC 30301<br>subclause 1.8.1               | $T_{amb} = 85\text{ }^{\circ}\text{C}$ ; $U_R$ and $I_R$ applied;<br>12 000 h                                                                        | $U_R \leq 100\text{ V}$ ; $\Delta C/C: \pm 45\%$<br>$U_R > 100\text{ V}$ ; $\Delta C/C: \pm 30\%$<br>$ESR \leq 3 \times \text{spec. limit}$<br>$Z \leq 3 \times \text{spec. limit}$<br>$I_{L5} \leq \text{spec. limit}$<br>no short or open circuit,<br>no visible damage<br>total failure percentage:<br>$U_R \leq 100\text{ V}: \leq 1\%$ ;<br>$U_R > 100\text{ V}: \leq 3\%$ |
| Shelf life<br>(storage at<br>high temperature) | IEC 60384-4 /<br>EN130300<br>subclause 4.17 | $T_{amb} = 85\text{ }^{\circ}\text{C}$ ; no voltage applied; 500 h<br>after test: $U_R$ to be applied for 30 min, 24 h to 48 h<br>before measurement | $\Delta C/C: \pm 10\%$<br>$ESR \leq 1.2 \times \text{spec. limit}$<br>$I_{L5} \leq 2 \times \text{spec. limit}$                                                                                                                                                                                                                                                                 |

Statements about product lifetime are based on calculations and internal testing. They should only be interpreted as estimations. Also due to external factors, the lifetime in the field application may deviate from the calculated lifetime. In general, nothing stated herein shall be construed as a guarantee of durability.



## Disclaimer

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Vishay makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Vishay disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on Vishay's knowledge of typical requirements that are often placed on Vishay products in generic applications. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Parameters provided in datasheets and / or specifications may vary in different applications and performance may vary over time. All operating parameters, including typical parameters, must be validated for each customer application by the customer's technical experts. Product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein.

Except as expressly indicated in writing, Vishay products are not designed for use in medical, life-saving, or life-sustaining applications or for any other application in which the failure of the Vishay product could result in personal injury or death. Customers using or selling Vishay products not expressly indicated for use in such applications do so at their own risk. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay. Product names and markings noted herein may be trademarks of their respective owners.