


Capacitor, tantalum, 2.2 uF, 7343, +/-20% Tol, 50V@85C



Cutout at KEMET's option (either end); see note about P and R dimensions and cutout.

**Dimensions (mm)**

**Specifications**

ID	Dimension	Tolerance	Manufacturer:	KEMET
L	7.3	+/-0.3	<b>Capacitance:</b>	2.2 uF
W	4.3	+/-0.3	<b>Voltage DC @ 85C:</b>	50V
H	2.8	+/-0.3	<b>Voltage DC @ 105C:</b>	41.5V
K	1.5	+/-0.2	<b>Voltage DC @ 125C:</b>	33V
F	2.4	+/-0.1	<b>Tolerance:</b>	+/-20%
S	1.3	+/-0.3	<b>Application:</b>	General Purpose
B	0.5	+/-0.15	<b>Body Type:</b>	Molded Chip
X	0.1	ref	<b>Temperature Range:</b>	-55/+125C
P	0.9	ref	<b>Footprint:</b>	7343
R	1	ref	<b>Termination:</b>	Tin
T	0.13	ref	<b>Leakage Current:</b>	1.1 uA
A	3.8	ref	<b>Dissipation Factor:</b>	6%
G	3.5	ref	<b>Impedance @ 100kHz:</b>	2.8 Ohm
E	3.5	ref	<b>Package Kind:</b>	T&R
			<b>Package Quantity:</b>	750

Notes:  
 -D