


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



CAD FILENAME/LAYERS

M00800AA\_DC\_05A.PRT

**PANDUIT**

CORP. TINLEY PARK, ILLINOIS

MINI-COM 2 POSITION  
SHUTTERED BOX (CBXS2C\*\*)

CUSTOMER DRAWING

UNLESS OTHERWISE SPECIFIED,  
DIMENSIONAL TOLERANCES ARE:  
(.X) ± .03 (.8) ANGLES ±  
(.XXX) ± .010 (.3)  
IN INCHES, THIRD ANGLE PROJECTION.

DRAWN BY	JSP	MAT'L	NONE
DATE	12-5-00		
CHECKED BY			

ABS

DRAWING NO.  
00800-14  
SHEET 2 OF 2


DWG  
A  
SIZE

REV	DATE	BY	CHK	DESCRIPTION	ECN	CHK	CUST	SUP
R	12-5-00	JSP		SEE SHEET 1 OF 2	00800-14			

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

PANDUIT P/N	WEIGHT
CBXS2**-A	.53 LB/10 PCS (242.5 g/10 PCS)

- NOTES:**
- SEE CURRENT CATALOG FOR ADDITIONAL PART NUMBER SUFFIXES TO INDICATE COLOR AND OR PACKAGE QUANTITY.
  - SEE CATALOG FOR A COMPLETE LIST OF PARTS APPLICABLE FOR USE WITH THIS PART.
  - DIMENSIONS IN PARENTHESES ARE IN METRIC.
  - ALSO INCLUDED WITH BOX:
    - (2) PLTIM-M PAN-TY
    - (1) STRIP OF 1.00" X .75" FOAM TAPE FOR MOUNTING
  - BASE HAS 1 POCKET FOR OPTIONAL MAGNET (CSBM-X)
  - BREAKOUTS DESIGNED TO ACCEPT LD5/LDPS TRACEWAY. (DOES NOT ENTER BOX.)



CAD FILENAME=LAYERS

M00800AA\_DC\_05A.PRT

# PANDUIT

CORP. TINLEY PARK, ILLINOIS

MINI-COM 2 POSITION  
SHUTTERED BOX (CBXS2\*\*-A)

CUSTOMER DRAWING

UNLESS OTHERWISE SPECIFIED,  
DIMENSIONAL TOLERANCES ARE:  
(.X) ± .010 (.3)  
(.XX) ± .03 (.8) ANGLES ±

UNLESS OTHERWISE SPECIFIED,  
ALL DIMENSIONS ARE GIVEN  
IN INCHES, THIRD ANGLE PROJECTION.

DRAWN BY JSP

MAT'L:

SCALE NONE

DATE 12-5-00

BOX: ABS  
DOORS: HIPS

DRAWING NO.

00800-14  
SHEET 1 OF 2

DWG  
A  
SIZE

REV	DATE	BY	CHK	DESCRIPTION	ECN	CHK	CUST	SUP
R	12-5-00	JSP		RELEASED TO PRODUCTION.	00800-14			

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Panduit:

[CBXS2IG-A](#) [CBXS2WH-A](#) [CBXS2AW-A](#) [CBXS2EI-A](#) [CBXS2BL-A](#) [CBXS2IW-A](#)