



Terminal Markers | Identification Systems


Pocket Maxicard **PMC**




PMC labelled example **FW**
(consecutive horizontal)



PMC labelled example **FS**
(consecutive vertical)



PMC labelled example **GW**
(identical horizontal)



PMC labelled example **GS**
(identical vertical)

Pocket Maxicard PMC

- Labelling strips of 10 or 12 single tags, arranged in a solid frame.
- Each strip also has room for project description data.
- Fast application of the individual labels in the label recesses of the terminal blocks.
- The labels can be removed easily from any location.
- Fast arrangement of the markers due to sorting means.
- Available in numerous white standard markers and as markers with your individual printing instructions.
- Available as neutral markers in 6 colours.
- Uncomplicated and rapid marking of all neutral Pocket Maxicards with the marking pen **BS-1** (Cat. no. 2034.0).

Type	Cat. no.	Labelling area (L x W mm)	Number of markers lines	Number of markers mat	Qty. p. pck.
Neutral					
PMC SB 4/50 neutral	4820.7	5 x 4	10	50	500
PMC SB 5/50 neutral	4600.7	5 x 5	10	50	500
PMC SB 6/50 neutral	4702.7	5 x 6	10	50	500
PMC BSTR 5/36 neutral	9000.7	5 x 10	12	36	360
PMC BSTR 6/30 neutral	9106.7	6 x 12	10	30	300
Special print					
PMC SB 4/50 Special print	4821.7	5 x 4	10	50	500
PMC SB 5/50 Special print	4819.7	5 x 5	10	50	500
PMC SB 6/50 Special print	4811.7	5 x 6	10	50	500
PMC BSTR 5/36 Special print	9001.7	5 x 10	12	36	360
PMC BSTR 6/30 Special print	9107.7	6 x 12	10	30	300
Standard print see pages 171-172					

Please specify colour variant when ordering

- white xxxx.7
- blue xxxx.5
- red xxxx.9
- yellow xxxx.8
- green xxxx.1
- orange xxxx.3

Type	Cat. no.	Qty. p. pck.	Qty./ mat
PMC SB 4/50 neutral	4820.7	500	50
PMC SB 4/50 special print	4821.7	500	50
PMC SB 4/50 FW 1-10	4822.7	500	50
PMC SB 4/50 FW 11-20	4823.7	500	50
PMC SB 4/50 FW 21-30	4824.7	500	50
PMC SB 4/50 FW 31-40	4825.7	500	50
PMC SB 4/50 FW 41-50	4826.7	500	50
PMC SB 4/50 FW 51-60	4827.7	500	50
PMC SB 4/50 FW 61-70	4828.7	500	50
PMC SB 4/50 FW 71-80	4829.7	500	50
PMC SB 4/50 FW 81-90	4830.7	500	50
PMC SB 4/50 FW 91-100	4831.7	500	50
PMC SB 4/50 FW 1-50	4832.7	500	50
PMC SB 4/50 FW 51-100	4833.7	500	50
PMC SB 4/50 FW 101-150	4834.7	500	50
PMC SB 4/50 FW 151-200	4835.7	500	50
PMC SB 4/50 FW 201-250	4836.7	500	50
PMC SB 4/50 FW 251-300	4837.7	500	50
PMC SB 4/50 FW 301-350	4838.7	500	50
PMC SB 4/50 FW 351-400	4839.7	500	50
PMC SB 4/50 FW 401-450	4840.7	500	50
PMC SB 4/50 FW 451-500	4841.7	500	50
PMC SB 4/50 FW 501-550	4842.7	500	50
PMC SB 4/50 FW 551-600	4843.7	500	50
PMC SB 4/50 FW 601-650	4844.7	500	50
PMC SB 4/50 FW 651-700	4845.7	500	50
PMC SB 4/50 FW 701-750	4846.7	500	50
PMC SB 4/50 FW 751-800	4847.7	500	50
PMC SB 4/50 FW 801-850	4848.7	500	50
PMC SB 4/50 FW 851-900	4849.7	500	50
PMC SB 4/50 FW 901-950	4850.7	500	50
PMC SB 4/50 FW L1,L2,L3,N,PE	4851.7	500	50
PMC SB 4/50 FW U1,V1,W1,N,PE	4852.7	500	50
PMC SB 4/50 FW U1,V1,W1	4853.7	500	50
PMC SB 4/50 FW U2,V2,W2,N,PE	4854.7	500	50
PMC SB 4/50 FW U2,V2,W2	4855.7	500	50
PMC SB 4/50 FW X1-X10	4856.7	500	50
PMC SB 4/50 FW 1,3,5-19	4857.7	500	50
PMC SB 4/50 FW 2,4,6-20	4858.7	500	50
PMC SB 4/50 FS 1-10	4859.7	500	50
PMC SB 4/50 FS 11-20	4860.7	500	50
PMC SB 4/50 FS 21-30	4861.7	500	50
PMC SB 4/50 FS 31-40	4862.7	500	50
PMC SB 4/50 FS 41-50	4863.7	500	50
PMC SB 4/50 FS 51-60	4864.7	500	50
PMC SB 4/50 FS 61-70	4865.7	500	50
PMC SB 4/50 FS 71-80	4866.7	500	50
PMC SB 4/50 FS 81-90	4867.7	500	50
PMC SB 4/50 FS 91-100	4868.7	500	50
PMC SB 4/50 FS 1-50	4869.7	500	50
PMC SB 4/50 FS 51-100	4870.7	500	50
PMC SB 4/50 FS 101-150	4871.7	500	50
PMC SB 4/50 FS 151-200	4872.7	500	50
PMC SB 4/50 FS 201-250	4873.7	500	50
PMC SB 4/50 FS 251-300	4874.7	500	50
PMC SB 4/50 FS 301-350	4875.7	500	50
PMC SB 4/50 FS 351-400	4876.7	500	50
PMC SB 4/50 FS 401-450	4877.7	500	50
PMC SB 4/50 FS 451-500	4878.7	500	50
PMC SB 4/50 FS 501-550	4879.7	500	50
PMC SB 4/50 FS 551-600	4880.7	500	50
PMC SB 4/50 FS 601-650	4881.7	500	50
PMC SB 4/50 FS 651-700	4882.7	500	50
PMC SB 4/50 FS 701-750	4883.7	500	50
PMC SB 4/50 FS 751-800	4884.7	500	50
PMC SB 4/50 FS 801-850	4885.7	500	50
PMC SB 4/50 FS 851-900	4886.7	500	50
PMC SB 4/50 FS L1,L2,L3,N,PE	4887.7	500	50
PMC SB 4/50 FS U1,V1,W1,N,PE	4888.7	500	50
PMC SB 4/50 FS U1,V1,W1	4889.7	500	50
PMC SB 4/50 FS U2,V2,W2,N,PE	4890.7	500	50
PMC SB 4/50 FS U2,V2,W2	4891.7	500	50
PMC SB 4/50 FS X1-X10	4892.7	500	50
PMC SB 4/50 FS 1,3,5-19	4893.7	500	50
PMC SB 4/50 FS 2,4,6-20	4894.7	500	50
PMC SB 4/50 GW 1	4895.7	500	50
PMC SB 4/50 GW 2	4896.7	500	50
PMC SB 4/50 GW 3	4897.7	500	50
PMC SB 4/50 GW 4	4898.7	500	50
PMC SB 4/50 GW 5	4899.7	500	50
PMC SB 4/50 GW 6	4916.7	500	50
PMC SB 4/50 GW 7	4917.7	500	50
PMC SB 4/50 GW 8	4918.7	500	50
PMC SB 4/50 GW 9	4919.7	500	50
PMC SB 4/50 GW 0	4920.7	500	50
PMC SB 4/50 GW X	4921.7	500	50
PMC SB 4/50 GW PE	4922.7	500	50
PMC SB 4/50 GW L1	4923.7	500	50
PMC SB 4/50 GW L2	4924.7	500	50
PMC SB 4/50 GW L3	4925.7	500	50

Type	Cat. no.	Qty. p. pck.	Qty./ mat
PMC SB 4/50 GW N	4926.7	500	50
PMC SB 4/50 GW +	4927.7	500	50
PMC SB 4/50 GW -	4928.7	500	50
PMC SB 4/50 GS 1	4929.7	500	50
PMC SB 4/50 GS 2	4930.7	500	50
PMC SB 4/50 GS 3	4931.7	500	50
PMC SB 4/50 GS 4	4932.7	500	50
PMC SB 4/50 GS 5	4933.7	500	50
PMC SB 4/50 GS 6	4934.7	500	50
PMC SB 4/50 GS 7	4935.7	500	50
PMC SB 4/50 GS 8	4936.7	500	50
PMC SB 4/50 GS 9	4937.7	500	50
PMC SB 4/50 GS 0	4938.7	500	50
PMC SB 4/50 GS X	4939.7	500	50
PMC SB 4/50 GS PE	4940.7	500	50
PMC SB 4/50 GS L1	4941.7	500	50
PMC SB 4/50 GS L2	4942.7	500	50
PMC SB 4/50 GS L3	4943.7	500	50
PMC SB 4/50 GS N	4944.7	500	50
PMC SB 4/50 GS -	4945.7	500	50
PMC SB 5/50 neutral	4600.7	500	50
PMC SB 5/50 special print	4819.7	500	50
PMC SB 5/50 FW 1-10	4601.7	500	50
PMC SB 5/50 FW 11-20	4602.7	500	50
PMC SB 5/50 FW 21-30	4603.7	500	50
PMC SB 5/50 FW 31-40	4604.7	500	50
PMC SB 5/50 FW 41-50	4605.7	500	50
PMC SB 5/50 FW 51-60	4606.7	500	50
PMC SB 5/50 FW 61-70	4607.7	500	50
PMC SB 5/50 FW 71-80	4608.7	500	50
PMC SB 5/50 FW 81-90	4609.7	500	50
PMC SB 5/50 FW 91-100	4610.7	500	50
PMC SB 5/50 FW 1-50	4611.7	500	50
PMC SB 5/50 FW 51-100	4612.7	500	50
PMC SB 5/50 FW 101-150	4613.7	500	50
PMC SB 5/50 FW 151-200	4614.7	500	50
PMC SB 5/50 FW 201-250	4615.7	500	50
PMC SB 5/50 FW 251-300	4616.7	500	50
PMC SB 5/50 FW 301-350	4617.7	500	50
PMC SB 5/50 FW 351-400	4618.7	500	50
PMC SB 5/50 FW 401-450	4619.7	500	50
PMC SB 5/50 FW 451-500	4620.7	500	50
PMC SB 5/50 FW 501-550	4621.7	500	50
PMC SB 5/50 FW 551-600	4622.7	500	50
PMC SB 5/50 FW 601-650	4623.7	500	50
PMC SB 5/50 FW 651-700	4624.7	500	50
PMC SB 5/50 FW 701-750	4625.7	500	50
PMC SB 5/50 FW 751-800	4626.7	500	50
PMC SB 5/50 FW 801-850	4627.7	500	50
PMC SB 5/50 FW 851-900	4628.7	500	50
PMC SB 5/50 FW 901-950	4629.7	500	50
PMC SB 5/50 FW L1,L2,L3,N,PE	4630.7	500	50
PMC SB 5/50 FW U1,V1,W1,N,PE	4631.7	500	50
PMC SB 5/50 FW U1,V1,W1	4632.7	500	50
PMC SB 5/50 FW U2,V2,W2,N,PE	4633.7	500	50
PMC SB 5/50 FW U2,V2,W2	4634.7	500	50
PMC SB 5/50 FW X1-X10	4635.7	500	50
PMC SB 5/50 FW 1,3,5-19	4818.7	500	50
PMC SB 5/50 FW 2,4,6-20	4817.7	500	50
PMC SB 5/50 FS 1-10	4636.7	500	50
PMC SB 5/50 FS 11-20	4637.7	500	50
PMC SB 5/50 FS 21-30	4638.7	500	50
PMC SB 5/50 FS 31-40	4639.7	500	50
PMC SB 5/50 FS 41-50	4640.7	500	50
PMC SB 5/50 FS 51-60	4641.7	500	50
PMC SB 5/50 FS 61-70	4642.7	500	50
PMC SB 5/50 FS 71-80	4643.7	500	50
PMC SB 5/50 FS 81-90	4644.7	500	50
PMC SB 5/50 FS 91-100	4645.7	500	50
PMC SB 5/50 FS 1-50	4646.7	500	50
PMC SB 5/50 FS 51-100	4647.7	500	50
PMC SB 5/50 FS 101-150	4648.7	500	50
PMC SB 5/50 FS 151-200	4649.7	500	50
PMC SB 5/50 FS 201-250	4650.7	500	50
PMC SB 5/50 FS 251-300	4651.7	500	50
PMC SB 5/50 FS 301-350	4652.7	500	50
PMC SB 5/50 FS 351-400	4653.7	500	50
PMC SB 5/50 FS 401-450	4654.7	500	50
PMC SB 5/50 FS 451-500	4655.7	500	50
PMC SB 5/50 FS 501-550	4656.7	500	50
PMC SB 5/50 FS 551-600	4657.7	500	50
PMC SB 5/50 FS 601-650	4658.7	500	50
PMC SB 5/50 FS 651-700	4659.7	500	50
PMC SB 5/50 FS 701-750	4660.7	500	50
PMC SB 5/50 FS 751-800	4661.7	500	50
PMC SB 5/50 FS 801-850	4662.7	500	50
PMC SB 5/50 FS 851-900	4663.7	500	50
PMC SB 5/50 FS L1,L2,L3,N,PE	4664.7	500	50
PMC SB 5/50 FS U1,V1,W1,N,PE	4665.7	500	50
PMC SB 5/50 FS U1,V1,W1	4666.7	500	50

Type	Cat. no.	Qty. p. pck.	Qty./ mat
PMC SB 5/50 FS U2,V2,W2,N,PE	4667.7	500	50
PMC SB 5/50 FS U2,V2,W2	4668.7	500	50
PMC SB 5/50 FS X1-X10	4669.7	500	50
PMC SB 5/50 FS 1,3,5-19	4816.7	500	50
PMC SB 5/50 FS 2,4,6-20	4815.7	500	50
PMC SB 5/50 GW 1	4670.7	500	50
PMC SB 5/50 GW 2	4671.7	500	50
PMC SB 5/50 GW 3	4672.7	500	50
PMC SB 5/50 GW 4	4673.7	500	50
PMC SB 5/50 GW 5	4674.7	500	50
PMC SB 5/50 GW 6	4675.7	500	50
PMC SB 5/50 GW 7	4676.7	500	50
PMC SB 5/50 GW 8	4677.7	500	50
PMC SB 5/50 GW 9	4678.7	500	50
PMC SB 5/50 GW 0	4679.7	500	50
PMC SB 5/50 GW X	4680.7	500	50
PMC SB 5/50 GW PE	4681.7	500	50
PMC SB 5/50 GW L1	4682.7	500	50
PMC SB 5/50 GW L2	4683.7	500	50
PMC SB 5/50 GW L3	4684.7	500	50
PMC SB 5/50 GW N	4685.7	500	50
PMC SB 5/50 GW +	4814.7	500	50
PMC SB 5/50 GW -	4813.7	500	50
PMC SB 5/50 GS 1	4686.7	500	50
PMC SB 5/50 GS 2	4687.7	500	50
PMC SB 5/50 GS 3	4688.7	500	50
PMC SB 5/50 GS 4	4689.7	500	50
PMC SB 5/50 GS 5	4690.7	500	50
PMC SB 5/50 GS 6	4691.7	500	50
PMC SB 5/50 GS 7	4692.7	500	50
PMC SB 5/50 GS 8	4693.7	500	50
PMC SB 5/50 GS 9	4694.7	500	50
PMC SB 5/50 GS 0	4695.7	500	50
PMC SB 5/50 GS X	4696.7	500	50
PMC SB 5/50 GS PE	4697.7	500	50
PMC SB 5/50 GS L1	4698.7	500	50
PMC SB 5/50 GS L2	4699.7	500	50
PMC SB 5/50 GS L3	4700.7	500	50
PMC SB 5/50 GS N	4701.7	500	50
PMC SB 5/50 GS -	4812.7	500	50
PMC SB 6/50 neutral	4702.7	500	50
PMC SB 6/50 special print	4811.7	500	50
PMC SB 6/50 FW 1-10	4703.7	500	50
PMC SB 6/50 FW 11-20	4704.7	500	50
PMC SB 6/50 FW 21-30	4705.7	500	50
PMC SB 6/50 FW 31-40	4706.7	500	50
PMC SB 6/50 FW 41-50	4707.7	500	50
PMC SB 6/50 FW 51-60	4708.7	500	50
PMC SB 6/50 FW 61-70	4709.7	500	50
PMC SB 6/50 FW 71-80	4710.7	500	50
PMC SB 6/50 FW 81-90	4711.7	500	50
PMC SB 6/50 FW 91-100	4712.7	500	50
PMC SB 6/50 FW 1-50	4713.7	500	50
PMC SB 6/50 FW 51-100	4714.7	500	50
PMC SB 6/50 FW 101-150	4715.7	500	50
PMC SB 6/50 FW 151-200	4716.7	500	50
PMC SB 6/50 FW 201-250	4717.7	500	50
PMC SB 6/50 FW 251-300	4718.7	500	50
PMC SB 6/50 FW 301-350	4719.7	500	50
PMC SB 6/50 FW 351-400	4720.7	500	50
PMC SB 6/50 FW 401-450	4721.7	500	50
PMC SB 6/50 FW 451-500	4722.7	500	50
PMC SB 6/50 FW 501-550	4723.7	500	50
PMC SB 6/50 FW 551-600	4724.7	500	50
PMC SB 6/50 FW 601-650	4725.7	500	50
PMC SB 6/50 FW 651-700	4726.7	500	50
PMC SB 6/50 FW 701-750	4727.7	500	50
PMC SB 6/50 FW 751-800	4728.7	500	50
PMC SB 6/50 FW 801-850	4729.7	500	50
PMC SB 6/50 FW 851-900	4730.7	500	50
PMC SB 6/50 FW 901-950	4731.7	500	50
PMC SB 6/50 FW L1,L2,L3,N,PE	4732.7	500	50
PMC SB 6/50 FW U1,V1,W1,N,PE	4733.7	500	50
PMC SB 6/50 FW U1,V1,W1	4734.7	500	50
PMC SB 6/50 FW U2,V2,W2,N,PE	4735.7	500	50
PMC SB 6/50 FW U2,V2,W2	4736.7	500	50
PMC SB 6/50 FW X1-X10	4737.7	500	50
PMC SB 6/50 FW 1,3,5-19	4810.7	500	50
PMC SB 6/50 FW 2,4,6-20	4809.7	500	50
PMC SB 6/50 FS 1-10	4738.7	500	50
PMC SB 6/50 FS 11-20	4739.7	500	50
PMC SB 6/50 FS 21-30	4740.7	500	50
PMC SB 6/50 FS 31-40	4741.7	500	50
PMC SB 6/50 FS 41-50	4742.7	500	50
PMC SB 6/50 FS 51-60	4743.7	500	50
PMC SB 6/50 FS 61-70	4744.7	500	50
PMC SB 6/50 FS 71-80	4745.7	500	50
PMC SB 6/50 FS 81-90	4746.7	500	50
PMC SB 6/50 FS 91-100	4747.7	500	50
PMC SB 6/50 FS 1-50	4748.7	500	50

Type	Cat. no.	Qty. P. pck.	Qty./ mat
PMC SB 6/50 FS 51-100	4749.7	500	50
PMC SB 6/50 FS 101-150	4750.7	500	50
PMC SB 6/50 FS 151-200	4751.7	500	50
PMC SB 6/50 FS 201-250	4752.7	500	50
PMC SB 6/50 FS 251-300	4753.7	500	50
PMC SB 6/50 FS 301-350	4754.7	500	50
PMC SB 6/50 FS 351-400	4755.7	500	50
PMC SB 6/50 FS 401-450	4756.7	500	50
PMC SB 6/50 FS 451-500	4757.7	500	50
PMC SB 6/50 FS 501-550	4758.7	500	50
PMC SB 6/50 FS 551-600	4759.7	500	50
PMC SB 6/50 FS 601-650	4760.7	500	50
PMC SB 6/50 FS 651-700	4761.7	500	50
PMC SB 6/50 FS 701-750	4762.7	500	50
PMC SB 6/50 FS 751-800	4763.7	500	50
PMC SB 6/50 FS 801-850	4764.7	500	50
PMC SB 6/50 FS 851-900	4765.7	500	50
PMC SB 6/50 FS L1,L2,L3,N,PE	4766.7	500	50
PMC SB 6/50 FS U1,V1,W1,N,PE	4767.7	500	50
PMC SB 6/50 FS U1,V1,W1	4768.7	500	50
PMC SB 6/50 FS U2,V2,W2,N,PE	4769.7	500	50
PMC SB 6/50 FS U2,V2,W2	4770.7	500	50
PMC SB 6/50 FS X1-X10	4771.7	500	50
PMC SB 6/50 FS 1,3,5-19	4808.7	500	50
PMC SB 6/50 FS 2,4,6-20	4807.7	500	50
PMC SB 6/50 GW 1	4772.7	500	50
PMC SB 6/50 GW 2	4773.7	500	50
PMC SB 6/50 GW 3	4774.7	500	50
PMC SB 6/50 GW 4	4775.7	500	50
PMC SB 6/50 GW 5	4776.7	500	50
PMC SB 6/50 GW 6	4777.7	500	50
PMC SB 6/50 GW 7	4778.7	500	50
PMC SB 6/50 GW 8	4779.7	500	50
PMC SB 6/50 GW 9	4780.7	500	50
PMC SB 6/50 GW 0	4781.7	500	50
PMC SB 6/50 GW X	4782.7	500	50
PMC SB 6/50 GW PE	4783.7	500	50
PMC SB 6/50 GW L1	4784.7	500	50
PMC SB 6/50 GW L2	4785.7	500	50
PMC SB 6/50 GW L3	4786.7	500	50
PMC SB 6/50 GW N	4787.7	500	50
PMC SB 6/50 GW +	4806.7	500	50
PMC SB 6/50 GW -	4805.7	500	50
PMC SB 6/50 GS 1	4788.7	500	50
PMC SB 6/50 GS 2	4789.7	500	50
PMC SB 6/50 GS 3	4790.7	500	50
PMC SB 6/50 GS 4	4791.7	500	50
PMC SB 6/50 GS 5	4792.7	500	50
PMC SB 6/50 GS 6	4793.7	500	50
PMC SB 6/50 GS 7	4794.7	500	50
PMC SB 6/50 GS 8	4795.7	500	50
PMC SB 6/50 GS 9	4796.7	500	50
PMC SB 6/50 GS 0	4797.7	500	50
PMC SB 6/50 GS X	4798.7	500	50
PMC SB 6/50 GS PE	4799.7	500	50
PMC SB 6/50 GS L1	4800.7	500	50
PMC SB 6/50 GS L2	4801.7	500	50
PMC SB 6/50 GS L3	4802.7	500	50
PMC SB 6/50 GS N	4803.7	500	50
PMC SB 6/50 GS -	4804.7	500	50
PMC BSTR 5/36 neutral	9000.7	360	36
PMC BSTR 5/36 special print	9001.7	360	36
PMC BSTR 5/36 FW 1-12	9002.7	360	36
PMC BSTR 5/36 FW 13-24	9003.7	360	36
PMC BSTR 5/36 FW 25-36	9004.7	360	36
PMC BSTR 5/36 FW 37-48	9005.7	360	36
PMC BSTR 5/36 FW 49-60	9006.7	360	36
PMC BSTR 5/36 FW 61-72	9007.7	360	36
PMC BSTR 5/36 FW 73-84	9008.7	360	36
PMC BSTR 5/36 FW 85-96	9009.7	360	36
PMC BSTR 5/36 FW 97-108	9010.7	360	36
PMC BSTR 5/36 FW 109-120	9011.7	360	36
PMC BSTR 5/36 FW 1-36	9012.7	360	36
PMC BSTR 5/36 FW 37-72	9013.7	360	36
PMC BSTR 5/36 FW 73-108	9014.7	360	36
PMC BSTR 5/36 FW 109-144	9015.7	360	36
PMC BSTR 5/36 FW 145-180	9016.7	360	36
PMC BSTR 5/36 FW 181-216	9017.7	360	36
PMC BSTR 5/36 FW 217-252	9018.7	360	36
PMC BSTR 5/36 FW 253-288	9019.7	360	36
PMC BSTR 5/36 FW 289-324	9020.7	360	36
PMC BSTR 5/36 FW 325-360	9021.7	360	36
PMC BSTR 5/36 FW 361-396	9022.7	360	36
PMC BSTR 5/36 FW 397-432	9023.7	360	36
PMC BSTR 5/36 FW 433-468	9024.7	360	36
PMC BSTR 5/36 FW 469-504	9025.7	360	36
PMC BSTR 5/36 FW 505-540	9026.7	360	36
PMC BSTR 5/36 FW 541-576	9027.7	360	36
PMC BSTR 5/36 FW 577-612	9028.7	360	36
PMC BSTR 5/36 FW 613-648	9029.7	360	36
PMC BSTR 5/36 FW 649-684	9030.7	360	36


Type	Cat. no.	Qty. P. pck.	Qty./ mat
PMC BSTR 5/36 FW L1,L2,L3,N,PE	9031.7	360	36
PMC BSTR 5/36 FW U1,V1,W1,N,PE	9032.7	360	36
PMC BSTR 5/36 FW U1,V1,W1	9033.7	360	36
PMC BSTR 5/36 FW U2,V2,W2,N,PE	9034.7	360	36
PMC BSTR 5/36 FW U2,V2,W2	9035.7	360	36
PMC BSTR 5/36 FW X1-X12	9036.7	360	36
PMC BSTR 5/36 FS 1-12	9037.7	360	36
PMC BSTR 5/36 FS 13-24	9038.7	360	36
PMC BSTR 5/36 FS 25-36	9039.7	360	36
PMC BSTR 5/36 FS 37-48	9040.7	360	36
PMC BSTR 5/36 FS 49-60	9041.7	360	36
PMC BSTR 5/36 FS 61-72	9042.7	360	36
PMC BSTR 5/36 FS 73-84	9043.7	360	36
PMC BSTR 5/36 FS 85-96	9044.7	360	36
PMC BSTR 5/36 FS 97-108	9045.7	360	36
PMC BSTR 5/36 FS 109-120	9046.7	360	36
PMC BSTR 5/36 FS 1-36	9047.7	360	36
PMC BSTR 5/36 FS 37-72	9048.7	360	36
PMC BSTR 5/36 FS 73-108	9049.7	360	36
PMC BSTR 5/36 FS 109-144	9050.7	360	36
PMC BSTR 5/36 FS 145-180	9051.7	360	36
PMC BSTR 5/36 FS 181-216	9052.7	360	36
PMC BSTR 5/36 FS 217-252	9053.7	360	36
PMC BSTR 5/36 FS 253-288	9054.7	360	36
PMC BSTR 5/36 FS 289-324	9055.7	360	36
PMC BSTR 5/36 FS 325-360	9056.7	360	36
PMC BSTR 5/36 FS 361-396	9057.7	360	36
PMC BSTR 5/36 FS 397-432	9058.7	360	36
PMC BSTR 5/36 FS 433-468	9059.7	360	36
PMC BSTR 5/36 FS 469-504	9060.7	360	36
PMC BSTR 5/36 FS 505-540	9061.7	360	36
PMC BSTR 5/36 FS 541-576	9062.7	360	36
PMC BSTR 5/36 FS 577-612	9063.7	360	36
PMC BSTR 5/36 FS 613-648	9064.7	360	36
PMC BSTR 5/36 FS L1,L2,L3,N,PE	9065.7	360	36
PMC BSTR 5/36 FS U1,V1,W1,N,PE	9066.7	360	36
PMC BSTR 5/36 FS U1,V1,W1	9067.7	360	36
PMC BSTR 5/36 FS U2,V2,W2,N,PE	9068.7	360	36
PMC BSTR 5/36 FS U2,V2,W2	9069.7	360	36
PMC BSTR 5/36 FS X1-X12	9070.7	360	36
PMC BSTR 5/36 GW 1	9071.7	360	36
PMC BSTR 5/36 GW 2	9072.7	360	36
PMC BSTR 5/36 GW 3	9073.7	360	36
PMC BSTR 5/36 GW 4	9074.7	360	36
PMC BSTR 5/36 GW 5	9075.7	360	36
PMC BSTR 5/36 GW 6	9076.7	360	36
PMC BSTR 5/36 GW 7	9077.7	360	36
PMC BSTR 5/36 GW 8	9078.7	360	36
PMC BSTR 5/36 GW 9	9079.7	360	36
PMC BSTR 5/36 GW 0	9080.7	360	36
PMC BSTR 5/36 GW X	9081.7	360	36
PMC BSTR 5/36 GW PE	9082.7	360	36
PMC BSTR 5/36 GW L1	9083.7	360	36
PMC BSTR 5/36 GW L2	9084.7	360	36
PMC BSTR 5/36 GW L3	9085.7	360	36
PMC BSTR 5/36 GW N	9086.7	360	36
PMC BSTR 5/36 GW +	9087.7	360	36
PMC BSTR 5/36 GW -	9088.7	360	36
PMC BSTR 5/36 GS 1	9089.7	360	36
PMC BSTR 5/36 GS 2	9090.7	360	36
PMC BSTR 5/36 GS 3	9091.7	360	36
PMC BSTR 5/36 GS 4	9092.7	360	36
PMC BSTR 5/36 GS 5	9093.7	360	36
PMC BSTR 5/36 GS 6	9094.7	360	36
PMC BSTR 5/36 GS 7	9095.7	360	36
PMC BSTR 5/36 GS 8	9096.7	360	36
PMC BSTR 5/36 GS 9	9097.7	360	36
PMC BSTR 5/36 GS 0	9098.7	360	36
PMC BSTR 5/36 GS X	9099.7	360	36
PMC BSTR 5/36 GS PE	9100.7	360	36
PMC BSTR 5/36 GS L1	9101.7	360	36
PMC BSTR 5/36 GS L2	9102.7	360	36
PMC BSTR 5/36 GS L3	9103.7	360	36
PMC BSTR 5/36 GS N	9104.7	360	36
PMC BSTR 5/36 GS -	9105.7	360	36
PMC BSTR 6/30 neutral	9106.7	300	30
PMC BSTR 6/30 special print	9107.7	300	30
PMC BSTR 6/30 FW 1-10	9108.7	300	30
PMC BSTR 6/30 FW 11-20	9109.7	300	30
PMC BSTR 6/30 FW 21-30	9110.7	300	30
PMC BSTR 6/30 FW 31-40	9111.7	300	30
PMC BSTR 6/30 FW 41-50	9112.7	300	30
PMC BSTR 6/30 FW 51-60	9113.7	300	30
PMC BSTR 6/30 FW 61-70	9114.7	300	30
PMC BSTR 6/30 FW 71-80	9115.7	300	30
PMC BSTR 6/30 FW 81-90	9116.7	300	30
PMC BSTR 6/30 FW 91-100	9117.7	300	30
PMC BSTR 6/30 FW 1-30	9118.7	300	30
PMC BSTR 6/30 FW 31-60	9119.7	300	30
PMC BSTR 6/30 FW 61-90	9120.7	300	30
PMC BSTR 6/30 FW 91-120	9121.7	300	30

Type	Cat. no.	Qty. P. pck.	Qty./ mat
PMC BSTR 6/30 FW 121-150	9122.7	300	30
PMC BSTR 6/30 FW 151-180	9123.7	300	30
PMC BSTR 6/30 FW 181-210	9124.7	300	30
PMC BSTR 6/30 FW 211-240	9125.7	300	30
PMC BSTR 6/30 FW 241-270	9126.7	300	30
PMC BSTR 6/30 FW 271-300	9127.7	300	30
PMC BSTR 6/30 FW 301-330	9128.7	300	30
PMC BSTR 6/30 FW 331-360	9129.7	300	30
PMC BSTR 6/30 FW 361-390	9130.7	300	30
PMC BSTR 6/30 FW 391-420	9131.7	300	30
PMC BSTR 6/30 FW 421-450	9132.7	300	30
PMC BSTR 6/30 FW 451-480	9133.7	300	30
PMC BSTR 6/30 FW 481-510	9134.7	300	30
PMC BSTR 6/30 FW 511-540	9135.7	300	30
PMC BSTR 6/30 FW 541-570	9136.7	300	30
PMC BSTR 6/30 FW L1,L2,L3,N,PE	9137.7	300	30
PMC BSTR 6/30 FW U1,V1,W1,N,PE	9138.7	300	30
PMC BSTR 6/30 FW U1,V1,W1	9139.7	300	30
PMC BSTR 6/30 FW U2,V2,W2,N,PE	9140.7	300	30
PMC BSTR 6/30 FW U2,V2,W2	9141.7	300	30
PMC BSTR 6/30 FW X1-X10	9142.7	300	30
PMC BSTR 6/30 FS 1-10	9143.7	300	30
PMC BSTR 6/30 FS 11-20	9144.7	300	30
PMC BSTR 6/30 FS 21-30	9145.7	300	30
PMC BSTR 6/30 FS 31-40	9146.7	300	30
PMC BSTR 6/30 FS 41-50	9147.7	300	30
PMC BSTR 6/30 FS 51-60	9148.7	300	30
PMC BSTR 6/30 FS 61-70	9149.7	300	30
PMC BSTR 6/30 FS 71-80	9150.7	300	30
PMC BSTR 6/30 FS 81-90	9151.7	300	30
PMC BSTR 6/30 FS 91-100	9152.7	300	30
PMC BSTR 6/30 FS 1-30	9153.7	300	30
PMC BSTR 6/30 FS 31-60	9154.7	300	30
PMC BSTR 6/30 FS 61-90	9155.7	300	30
PMC BSTR 6/30 FS 91-120	9156.7	300	30
PMC BSTR 6/30 FS 121-150	9157.7	300	30
PMC BSTR 6/30 FS 151-180	9158.7	300	30
PMC BSTR 6/30 FS 181-210	9159.7	300	30
PMC BSTR 6/30 FS 211-240	9160.7	300	30
PMC BSTR 6/30 FS 241-270	9161.7	300	30
PMC BSTR 6/30 FS 271-300	9162.7	300	30
PMC BSTR 6/30 FS 301-330	9163.7	300	30
PMC BSTR 6/30 FS 331-360	9164.7	300	30
PMC BSTR 6/30 FS 361-390	9165.7	300	30
PMC BSTR 6/30 FS 391-420	9166.7	300	30
PMC BSTR 6/30 FS 421-450	9167.7	300	30
PMC BSTR 6/30 FS 451-480	9168.7	300	30
PMC BSTR 6/30 FS 481-510	9169.7	300	30
PMC BSTR 6/30 FS 511-540	9170.7	300	30
PMC BSTR 6/30 FS L1,L2,L3,N,PE	9171.7	300	30
PMC BSTR 6/30 FS U1,V1,W1,N,PE	9172.7	300	30
PMC BSTR 6/30 FS U1,V1,W1	9173.7	300	30
PMC BSTR 6/30 FS U2,V2,W2,N,PE	9174.7	300	30
PMC BSTR 6/30 FS U2,V2,W2	9175.7	300	30
PMC BSTR 6/30 FS X1-X10	9176.7	300	30
PMC BSTR 6/30 GW 1	9177.7	300	30
PMC BSTR 6/30 GW 2	9178.7	300	30
PMC BSTR 6/30 GW 3	9179.7	300	30
PMC BSTR 6/30 GW 4	9180.7	300	30
PMC BSTR 6/30 GW 5	9181.7	300	30
PMC BSTR 6/30 GW 6	9182.7	300	30
PMC BSTR 6/30 GW 7	9183.7	300	30
PMC BSTR 6/30 GW 8	9184.7	300	30
PMC BSTR 6/30 GW 9	9185.7	300	30
PMC BSTR 6/30 GW 0	9186.7	300	30
PMC BSTR 6/30 GW X	9187.7	300	30
PMC BSTR 6/30 GW PE	9188.7	300	30
PMC BSTR 6/30 GW L1	9189.7	300	30
PMC BSTR 6/30 GW L2	9190.7	300	30
PMC BSTR 6/30 GW L3	9191.7	300	30
PMC BSTR 6/30 GW N	9192.7	300	30
PMC BSTR 6/30 GW +	9193.7	300	30
PMC BSTR 6/30 GW -	9194.7	300	30
PMC BSTR 6/30 GS 1	9195.7	300	30
PMC BSTR 6/30 GS 2	9196.7	300	30
PMC BSTR 6/30 GS 3	9197.7	300	30
PMC BSTR 6/30 GS 4	9198.7	300	30
PMC BSTR 6/30 GS 5	9199.7	300	30
PMC BSTR 6/30 GS 6	9200.7	300	30
PMC BSTR 6/30 GS 7	9201.7	300	30
PMC BSTR 6/30 GS 8	9202.7	300	30
PMC BSTR 6/30 GS 9	9203.7	300	30
PMC BSTR 6/30 GS 0	9204.7	300	30
PMC BSTR 6/30 GS X	9205.7	300	30
PMC BSTR 6/30 GS PE	9206.7	300	30
PMC BSTR 6/30 GS L1	9207.7	300	30
PMC BSTR 6/30 GS L2	9208.7	300	30
PMC BSTR 6/30 GS L3	9209.7	300	30
PMC BSTR 6/30 GS N	9210.7	300	30
PMC BSTR 6/30 GS -	9211.7	300	30


Maxicard MC




Maxicard SB 4/200




Maxicard SB 5/200



Maxicard SB 6/200



Maxicard BSTR 5/144



Maxicard BSTR 6/120

Maxicard MC

The Maxicards **BSTR 5** and **BSTR 6** are particularly suitable for long lines of characters. Due to their longer dimensions, they guarantee a clear label even when several lines and characters are needed.


- Labelling strips of 10 or 12 single tags, arranged in a solid frame.
- Each strip also has room for project description data.
- Fast application of the individual labels in the label recesses of the terminal blocks.
- The labels can be removed easily from any location.
- Fast arrangement of the markers due to clear means of sorting.
- Available as neutral markers in 6 colours.
- Uncomplicated and rapid marking of all Maxicards with the marking pen **BS-1**.
- Professional marking of all Maxicards with the plotter system **EMS**.
- One universal inlay for the labelling of all MC variations.

Type	Cat. no.	Labelling area (L x W mm)	Number of markers/line	Number of markers/mat	No. of characters lines when using PlotterPen 0,25 mm		Qty. p. pck.
					horizontally	vertically	
MC SB 4/200	4946.7	5 x 4	10	200	2 characters 2 lines	3 characters 2 lines	1000
MC SB 5/200	3300.7	5 x 5	10	200	3 characters 2 lines	3 characters 2 lines	1000
MC SB 6/200	3301.7	5 x 6	10	200	3 characters 2 lines	3 characters 2 lines	1000
MC BSTR 5/144	3309.7	5 x 10	12	144	3 characters 2 lines	6 characters 2 lines	720
MC BSTR 5/144 MI	3310.7	5 x 10	12	144	3 characters 2 lines	6 characters 2 lines	720
MC BSTR 6/120	3314.7	6 x 12	10	120	4 characters 3 lines	8 characters 2 lines	600

Please specify colour variant when ordering

- white xxxx.7
- blue xxxx.5
- red xxxx.9
- yellow xxxx.8
- green xxxx.1
- orange xxxx.3

Terminal Markers / Identification Systems



Quick marking System SB

The quick marking system **SB** combines the advantage of quick, easy handling with the advantage of an inexpensive price. The **SB** strips consist of polyamide 6.6, the overprint is black, heat-imprinted and completely smudge-proof.

An **SB** strip consists of 10 individual labels which can be pressed quickly into the marker recesses in the terminal blocks. The **SB** strip can be divided anywhere. The SB strips can be labelled easily and neatly by hand using the marking pen **BS 1** Order no. 2034.0. The strips are supplied in bags of 50 strips = 500 individual labels, for 3 or more characters in bags of 25 strips = 250 individual labels.

SB 5/10 = 5 mm width

As an individual label for all terminals with 5 mm or greater module width. As strip label for all terminals with 5 mm module width. Print max. 3 horizontal characters, 3 vertical characters.

SB 6/10 = 6 mm width

As an individual label for all terminals with 6 mm or greater module width. As strip label for all terminals with 6 mm module width. Print max. 3 horizontal characters, 3 vertical characters.

SB 8/10 = 8 mm width

As an individual label for all terminals with 8 mm or greater module width. As strip label for all terminals with 8 mm module width. Print max. 3 horizontal characters, 3 vertical characters.

SB 7.5 /10 = 7.5 mm width

As individual label and strip label for all transformer terminals with 7.5 mm modular width.

Labelling for horizontally mounted terminals:

FW = consecutive horizontal

GW = identical horizontal

Labelling for vertically mounted terminals:

FS = consecutive vertical

GS = identical vertical

SB Special print

Special prints can be delivered upon request.

Minimum order 250 strips = 2,500 labels.

SB Colour

SB strips can also be supplied in the following colours: red, yellow, green, blue, orange. The print is black. Please indicate the desired colour in your order. Minimum order of coloured and printed per colour: 250 strips = 2,500 labels.

SB strips not printed / for individual printing

for terminal width ≥ 5 mm

for terminal width ≥ 6 mm

for terminal width = 7,5 mm

for terminal width ≥ 8 mm

Print

SB material

Type

Qty. p. pck. Cat. no.



SB 5/10	500	2430.0
SB 6/10	500	2035.0
SB 7,5/10	500	2838.0
SB 8/10	250	2940.0
Print	without	
SB material	white	

SB strips, printed, consecutive, horizontal


for terminal width ≥ 5 mm

for terminal width ≥ 6 mm

for terminal width ≥ 8 mm

Print

SB material



SB 5/10 FW	500	2431.0
SB 6/10 FW	500	2036.0
SB 8/10 FW	250	2941.0
Print	1...10 to 91...100	
SB material	white	

SB strips, printed, consecutive, horizontal

for terminal width ≥ 5 mm


for terminal width ≥ 6 mm

for terminal width ≥ 8 mm

Print

or print

SB material



SB 5/10 FW	500	2404.0
SB 6/10 FW	500	2989.0
SB 8/10 FW	250	2971.0
Print	X1; Y1; Z1 to X10; Y10; Z10	
or print	R1; S1; T1 to R10; S10; T10	
SB material	white	

SB strips, printed, consecutive, vertical


for terminal width ≥ 5 mm

for terminal width ≥ 6 mm

for terminal width ≥ 8 mm

Print

SB material



SB 5/10 FS	500	2433.0
SB 6/10 FS	500	2037.0
SB 8/10 FS	250	2942.0
Print	1...10 to 91...100	
SB material	white	

SB strips, printed, consecutive, vertical

for terminal width ≥ 5 mm


for terminal width ≥ 6 mm

for terminal width ≥ 8 mm

Print

or print

SB material



SB 5/10 FS	500	2472.0
SB 6/10 FS	500	2990.0
SB 8/10 FS	250	2973.0
Print	X1; Y1; Z1 bis X10; Y10; Z10	
or print	R1; S1; T1 bis R10; S10; T10	
SB material	white	

SB strips, printed, identical, horizontal


for terminal width ≥ 5 mm

for terminal width ≥ 6 mm

for terminal width ≥ 8 mm

Print

SB material



SB 5/10 GW	500	2432.0
SB 6/10 GW	500	2102.0
SB 8/10 GW	250	2943.0
Print	1, 2, 3 or 4 to 100	
SB material	white	

SB strips, printed, identical, horizontal

for terminal width ≥ 5 mm

for terminal width ≥ 6 mm

for terminal width ≥ 8 mm

Print

or print

SB material



SB 5/10 GW	500	2474.0
SB 6/10 GW	500	2157.0
SB 8/10 GW	250	2975.0
Print	A, B, C or D to Z	
or print	a, b, c or d to z	
SB material	white	

SB strips, printed, identical, vertical


for terminal width ≥ 5 mm

for terminal width ≥ 6 mm

for terminal width ≥ 8 mm

Print

SB material



SB 5/10 GS	500	2434.0
SB 6/10 GS	500	2103.0
SB 8/10 GS	250	2944.0
Print	1, 2, 3 or 4 to 100	
SB material	white	

SB strips, printed, identical, vertical

for terminal width ≥ 5 mm


for terminal width ≥ 6 mm

for terminal width ≥ 8 mm

Print

or print

SB material



SB 5/10 GS	500	2475.0
SB 6/10 GS	500	2161.0
SB 8/10 GS	250	2976.0
Print	A, B, C or D to Z	
or print	a, b, c or d to z	
SB material	white	

Type	Qty. p. pck.	Cat. no.
K U N D E N S P E Z.		
SB 5/10	250	2431.7
SB 6/10	250	2036.7
SB 7,5/10	500	2839.0
SB 8/10	250	2941.7
customized		
white		

101 102 103 104 105 106 107 108 109 110

SB 5/10 FW	250	2431.1
SB 6/10 FW	250	2036.1
SB 8/10 FW	250	2941.0
101...110 to 991...999		
white		

U1 V1 W1 U1 V1 W1 U1 V1 W1

SB 5/10 FW	500	2404.0
SB 6/10 FW	500	2989.0
SB 8/10 FW	250	2971.0
U1; V1; W1 to U10; V10; W10		
white		

101 102 103 104 105 106 107 108 109 110

SB 5/10 FS	250	2433.1
SB 6/10 FS	250	2037.1
SB 8/10 FS	250	2942.0
101...110 to 991...999		
white		

101 102 103 104 105 106 107 108 109 110

SB 5/10 FS	500	2472.0
SB 6/10 FS	500	2990.0
SB 8/10 FS	250	2973.0
U1; V1; W1 to U10; V10; W10		
white		

101 102 103 104 105 106 107 108 109 110

SB 5/10 GW	250	2432.1
SB 6/10 GW	250	2102.1
SB 8/10 GW	250	2943.0
101, 102, 103 or 104 to 400		
white		

PE PE PE PE PE PE PE PE PE PE

SB 5/10 GW	500	2474.0
SB 6/10 GW	500	2157.0
SB 8/10 GW	250	2975.0
PE, PEN, MP, SL, T1, T2 or T3		
white		

101 102 103 104 105 106 107 108 109 110

SB 5/10 GS	250	2434.1
SB 6/10 GS	250	2103.1
SB 8/10 GS	250	2944.0
101, 102, 103 or 104 bis 400		
white		

101 102 103 104 105 106 107 108 109 110

SB 5/10 GS	500	2475.0
SB 6/10 GS	500	2161.0
SB 8/10 GS	250	2976.0
PE, PEN, MP, SL, T1, T2 or T3		
white		

Type	Qty. p. pck.	Cat. no.
SB 5/10 F	500	2259.0
SB 6/10 F	500	2291.0
SB 8/10 F	250	2947.0
without		
red, yellow, green, blue or orange		

1 2 3 4 5 6 7 8 9 10

SB 5/10 FW F	500	2358.0
SB 6/10 FW F	500	2359.0
SB 8/10 FW F	250	2948.0
1...10 to 91...100		
red, yellow, green, blue or orange		

U V W N PE U V W N PE

SB 5/10 FW	500	2471.0
SB 6/10 FW	500	2040.0
SB 8/10 FW	250	2972.0
U; V; W; N; PE		
R; S; T; N; ☹		
white		

1 2 3 4 5 6 7 8 9 10

SB 5/10 FS F	500	2507.0
SB 6/10 FS F	500	2508.0
SB 8/10 FS F	250	2949.0
1...10 to 91...100		
red, yellow, green, blue or orange		

101 102 103 104 105 106 107 108 109 110

SB 5/10 FS	500	2473.0
SB 6/10 FS	500	2149.0
SB 8/10 FS	250	2974.0
U; V; W; N; PE		
R; S; T; N; ☹		
white		

1 1 1 1 1 1 1 1 1 1

SB 5/10 GW F	500	2509.0
SB 6/10 GW F	500	2363.0
SB 8/10 GW F	250	2950.0
1, 2, 3 or 4 bis 100		
red, yellow, green, blue or orange		

+ + + + + + + + + +

SB 5/10 GW	500	2474.0
SB 6/10 GW	500	2175.0
SB 8/10 GW	250	2975.0
+, -, ~, ± or ☹		
white		

1 1 1 1 1 1 1 1 1 1

SB 5/10 GS F	500	2364.0
SB 6/10 GS F	500	2476.0
SB 8/10 GS F	250	2951.0
1, 2, 3 or 4 bis 100		
white		

1 1 1 1 1 1 1 1 1 1

SB 5/10 GS	500	2475.0
SB 6/10 GS	500	2161.0
SB 8/10 GS	250	2976.0
+, -, ~, ± or ☹		
white		

Type	Qty. p. pck.	Cat. no.
K U N D E N S P E Z.		
SB 5/10 F SO	250	2358.9
SB 6/10 F SO	250	2359.9
SB 8/10 F	250	2948.9
customized		
red, yellow, green, blue or orange		

101 102 103 104 105 106 107 108 109 110

SB 5/10 FW F	250	2358.1
SB 6/10 FW F	250	2359.1
SB 8/10 FW F	250	2948.0
101...110 to 991...999		
red, yellow, green, blue or orange		

L1 L2 L3 N PE L1 L2 L3 N PE

SB 5/10 FW	500	2471.0
SB 6/10 FW	500	2040.0
SB 8/10 FW	250	2972.0
L1; L2; L3; N; PE		
L1; L2; L3; N; ☹		
white		

101 102 103 104 105 106 107 108 109 110

SB 5/10 FS F	500	2507.1
SB 6/10 FS F	500	2508.1
SB 8/10 FS F	250	2949.0
101...110 to 991...999		
red, yellow, green, blue or orange		

101 102 103 104 105 106 107 108 109 110

SB 5/10 FS	500	2473.0
SB 6/10 FS	500	2149.0
SB 8/10 FS	250	2974.0
L1, L2, L3, N, PE		
L1; L2; L3; N; ☹		
white		

1 1 1 1 1 1 1 1 1 1

+ + + + + + + + + +


	500	2991.0
SB 5/10 GW F	500	2992.0
SB 6/10 GW F	250	2978.0
SB 8/10 GW F		
+ or -		
red or blue		

1 1 1 1 1 1 1 1 1 1

1 1 1 1 1 1 1 1 1 1

SB 5/10 GS F	500	2523.0
SB 5/10 GS F	500	2524.0
SB 6/10 GS F	250	2977.0
SB 8/10 GS F		
+ or -		
red or blue		

Terminal Markers / Identification Systems



Quick marking System BSTR

The quick marking system **BSTR** was developed to meet the ever increasing demands on labelling possibilities. The BSTR strips consist of polyamide 6.6, the overprint is black, heat-imprinted and completely smudge-proof. A strip consists of 10 individual labels which can be pressed quickly into the marker recesses in the terminal blocks. The SB strip can be divided anywhere. The SB strips can be labelled easily and neatly by hand using the marking pen **BS 1 Cat. no. 2034.0**. The strips are supplied in bags of 20 strips = 200 individual labels.

BSTR 10/5

As an individual label for all terminals with 5 mm or greater module width. As strip label for all terminals with 5 mm module width.

BSTR 12/6

As an individual label for all terminals with 6 mm or greater module width. As strip label for all terminals with 6 mm module width.

BSTR Special Prints

Special prints are available upon request. Minimum order 250 strips=2,500 labels.

BSTR 10/5 horizontally printed

Print max. 3 characters | 2 lines

BSTR 12/6 horizontally printed

Print max. 4 characters | 3 lines

BSTR 10/5 vertically printed

Print max. 6 characters | 1 line


BSTR 12/6 vertically printed

Print max. 8 characters | 2 line

BSTR Colour

BSTR strips can also be supplied in the following colours: red, yellow, green, blue, orange. The print is black. Please indicate the desired colour in your order.

Type	Qty. p. pck.	Cat. no.
BSTR strips, not printed / for individual printing for terminal width ≥ 5 mm for terminal width ≥ 6 mm Print SB material	200 200	2610.0 2613.0
BSTR strips, not printed / for individual printing for terminal width ≥ 5 mm for terminal width ≥ 6 mm Print SB material	200 200	2701.0 2702.0
BSTR strips, customized for terminal width ≥ 5 mm for terminal width ≥ 6 mm Print SB material	200 200	2779.0 2780.0
BSTR strips, customized for terminal width ≥ 5 mm for terminal width ≥ 6 mm Print SB material	200 200	2706.0 2707.0
BSTR strips, printed, consecutive, horizontal for terminal width ≥ 5 mm for terminal width ≥ 6 mm Print SB material	200 200	2611.0 2614.0
BSTR strips, printed, identical, horizontal for terminal width ≥ 5 mm for terminal width ≥ 6 mm Print or print SB material	200 200	2781.0 2739.0
BSTR strips, printed, consecutive, vertical for terminal width ≥ 5 mm for terminal width ≥ 6 mm Print SB material	200 200	2612.0 2615.0
BSTR strips, printed, identical, vertical for terminal width ≥ 5 mm for terminal width ≥ 6 mm Print or print SB material	200 200	2744.0 2745.0



Quick marking System AS 3/10

The identification system **AS 3 /10** is characterized by its great universality and extremely low space requirement. The **AS 3** strips consist of white polyamide 6.6, the print is single-character black, heat-imprinted and absolutely smudge-proof.

An **AS 3** strip consists of 10 individual vertically-read labels which can be pressed individually into the marker recesses in the terminal blocks, 2 to 4 characters depending on the type of terminal block. The **SB** strip can be divided anywhere. The **SB** strips can be labelled easily and neatly by hand using the marking pen **BS 1 Cat. no. 2034.0**.

The strips are supplied in bags of 50 strips = 500 individual labels.
AS 3/10 coloured **AS 3/10** strips can also be supplied in the following colours: red, yellow, green, blue, orange. The print is black. Please indicate the desired colour in your order. Minimum order of coloured and printed per colour: 250 strips = 2,500 labels.

Label Holders SchT

The vertically-read **AS 3/10** strips with 3 to 6 characters can be clicked onto the label holders **SchT**. The label holders have a foot which is clicked into place in the label recess of the terminal blocks.

SB strips, not printed for individual printing

for terminal width ≥ 5 mm

Print

SB material

Type

Qty. p. pck. Cat. no.



AS 3/10 500 **2571.0**
 without
 white

SB strips, not printed, consecutive, vertical

for terminal width ≥ 5 mm

Print

SB material




AS 3/10 F 500 **2571.0**
 without
 red, yellow, green, blue or orange

SB strips, printed, consecutive, vertical

for terminal width ≥ 5 mm

Print

SB material



AS 3/10 F 500 **2572.0**
 0...9
 white

SB strips, printed, identical, vertical

for terminal width ≥ 5 mm

Print

or print

SB material



AS 3/10 G 500 **2573.0**
 0, 1, 2 or 3 to 9 / A, B, C
 or D to Z
 a, b, c or d to z / +, -, ~, ⊕
 white



Type	Cat. no.	Qty. p. pck.	Dimensions a/mm
SchT 3	2616.0	100	9,5
SchT 4	2617.0	100	12,5
SchT 5	2618.0	100	15,8
SchT 6	2619.0	100	19,0

