




LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
DF	DO	-	-	SEE SHEET 1	-	-




RECOMMENDED P.C. BOARD LAYOUT
SHELL SIZE 3 (25 POSITION) ⚠




SHELL SIZE 3
CONTACT CONFIGURATION
BOARDLOCK REMOVED
FOR CLARITY



SHELL SIZE 5
CONTACT CONFIGURATION
BOARDLOCK REMOVED
FOR CLARITY



RECOMMENDED P.C. BOARD LAYOUT
SHELL SIZE 5 (50 POSITION) ⚠



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C.C.THOMAS 5-1-00	TE Connectivity	
DIMENSIONS: INCHES		CHK C.BAKER 5-1-00		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD C.BAKER 5-1-00	NAME	
	0 PLC ± -	PRODUCT SPEC	PLUG ASSY,AMPLIMITE RIGHT ANGLE,SERIES 109, WITH ONE PIECE INSERT	
	1 PLC ± -	APPLICATION SPEC		
	2 PLC ± -	WEIGHT		
MATERIAL SEE CALLOUTS		SIZE A1	CAGE CODE 00779	RESTRICTED TO
SEE CALLOUTS		DRAWING NO 1218538	SCALE 4:1	SHEET 2 OF 2
CUSTOMER DRAWING		REV H		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[5-1218538-5](#)