



Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.	ROWS	POWER										SIGNAL										E1
		E2	P11	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1	8	7	6	5	4	3	2	1	
51915-122-- NOTE 3	D C B A		PA	PA	PA	PA	PA	PA	PA	PA	PA	PA	PA	XH	XH	XH	XH	XH	XH	XH	XH	
														XG	XG	XG	XG	XG	XG	XG	XG	
															XF	XF	XF	XF	XF	XF	XF	XF
														XE	XE	XE	XE	XE	XE	XE	XE	



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
PA	[1.07]	POWER
H	[N/A]	SIGNAL
G	[N/A]	SIGNAL
F	[N/A]	SIGNAL
E	[N/A]	SIGNAL
X	OMITTED	OMITTED

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI	
litr	ecn no.	dr	date	linear	0.X ± 0.3	COPY		www.fciconnect.com	
A	DG06-0447	JMG	10/20/06	angles	0.XX ± 0.13	projection		title 32s+1lp	
					0.XXX ± 0.051			Right Angle Solder Receptacle	
				dr	0° ± 2°			product family PwrBlade	
				engr	JM GUO 10/20/06			code 213	
				chr	SALLY LUO 10/20/06			size dwg no	
				appd	BEER FU 10/20/06			A 51915-122	
					JOSEPH HSIA 10/20/06			sheet 1 of 4	
sheet index	revision sheet	A	A	A	A				
		1	2	3	4				



cage code 22526

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.




All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51915-122--
NOTE 3




BROKEN-OUT SECTION A-A
SCALE 2:1



SECTION C-C

BROKEN-OUT SECTION B-B
SCALE 2:1



PARTIAL SECTION E-E

mat'l code SEE NOTE 2				tolerances unless otherwise specified		CUSTOMER		FCI	
litr	ecn no.	dr	date	linear	0.X ±0.3	COPY		www.fciconnect.com	
A					0.XX ±0.13	projection		title	
				angles	0.XXX ±0.051	MIM		32s+1lp	
				dr	0° ±2°	scale		Right Angle Solder Receptacle	
				enr	JM GUO 10/20/06	product family		PwrBlade	code
				chr	SALLY LUO 10/20/06	size		dwg no	213
				appd	BEER FU 10/20/06	A		51915-122	sheet
					JOSEPH HSIA 10/20/06	1:1			2 of 4
sheet index	revision sheet								

cage code 22526


Pro/E

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51915-122--
NOTE 3



mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		FCI	
litr	ecn no.	dr	date			linear	0.X ± 0.3	COPY		www.fciconnect.com	
A						angles	0.XX ± 0.13	projection		title 32s+1lp	
						dr	0.XXX ± 0.051			Right Angle Solder Receptacle	
						enr	0° ± 2°			product family PwrBlade	
						chr	JM GUO 10/20/06			code 213	
						appd	SALLY LUO 10/20/06			size dwg no	
							BEER FU 10/20/06			A 51915-122	
							JOSEPH HSIA 10/20/06			sheet 3 of 4	
sheet index	revision sheet							scale	1:1		

cage code 22526

Pro/E

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriete de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER																																																																																																															
51915-122-- NOTE 3																																																																																																															
NOTES:																																																																																																															
1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.																																																																																																															
CONNECTOR NOTES:																																																																																																															
2. HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC POWER CONTACT MATERIAL: COPPER ALLOY SIGNAL PIN MATERIAL: COPPER ALLOY																																																																																																															
3. PLATING: 51915-122,51915-122LF PLATING SPEC. WAS SHOWN IN THE PRINT OF 10064183.																																																																																																															
4. MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE.																																																																																																															
5. PRODUCT SPECIFICATION GS-12-149. APPLICATION SPECIFICATION BUS-20-067.																																																																																																															
6. PACKAGED IN TRAYS.																																																																																																															
PCB NOTES:																																																																																																															
7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.																																																																																																															
8. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.																																																																																																															
9. $\varnothing 1.151 \pm 0.025$ DRILLED HOLES PLATED WITH 0.008 MIN SnPb OR Sn OVER 0.03 TO 0.08 Cu PLATING TO ACHIEVE $\varnothing 1.02 \pm .07$ HOLE.																																																																																																															
10. "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.																																																																																																															
11. CONNECTOR KEEP-OUT ZONE.																																																																																																															
<table><thead><tr><th colspan="4">mat'l code</th><th colspan="2">SEE NOTE 2</th><th colspan="2">tolerances unless otherwise specified</th><th colspan="2">CUSTOMER</th><th colspan="2">FCI</th></tr><tr><th>ltr</th><th>ecn no.</th><th>dr</th><th>date</th><th>linear</th><th>angles</th><th>dr</th><th>enrg</th><th>chr</th><th>appd</th><th>projection</th><th>title</th></tr></thead><tbody><tr><td>A</td><td></td><td></td><td></td><td>$0.X \pm 0.3$</td><td></td><td>$0.XX \pm 0.13$</td><td></td><td></td><td></td><td></td><td>32s+1lp</td></tr><tr><td></td><td></td><td></td><td></td><td>$0.XXX \pm 0.051$</td><td></td><td>$0^\circ \pm 2^\circ$</td><td></td><td></td><td></td><td></td><td>Right Angle Solder Receptacle</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>JM GUO 10/20/06</td><td></td><td></td><td></td><td>MIM</td><td>product family PwrBlade</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>SALLY LUO 10/20/06</td><td></td><td></td><td></td><td>scale</td><td>code 213</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>BEER FU 10/20/06</td><td></td><td></td><td></td><td>1:1</td><td>size A</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>JOSEPH HSIA 10/20/06</td><td></td><td></td><td></td><td></td><td>dwg no 51915-122</td></tr><tr><td>sheet index</td><td>revision sheet</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>sheet 4 of 4</td></tr></tbody></table>				mat'l code				SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		FCI		ltr	ecn no.	dr	date	linear	angles	dr	enrg	chr	appd	projection	title	A				$0.X \pm 0.3$		$0.XX \pm 0.13$					32s+1lp					$0.XXX \pm 0.051$		$0^\circ \pm 2^\circ$					Right Angle Solder Receptacle							JM GUO 10/20/06				MIM	product family PwrBlade							SALLY LUO 10/20/06				scale	code 213							BEER FU 10/20/06				1:1	size A							JOSEPH HSIA 10/20/06					dwg no 51915-122	sheet index	revision sheet										sheet 4 of 4
mat'l code				SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		FCI																																																																																																					
ltr	ecn no.	dr	date	linear	angles	dr	enrg	chr	appd	projection	title																																																																																																				
A				$0.X \pm 0.3$		$0.XX \pm 0.13$					32s+1lp																																																																																																				
				$0.XXX \pm 0.051$		$0^\circ \pm 2^\circ$					Right Angle Solder Receptacle																																																																																																				
						JM GUO 10/20/06				MIM	product family PwrBlade																																																																																																				
						SALLY LUO 10/20/06				scale	code 213																																																																																																				
						BEER FU 10/20/06				1:1	size A																																																																																																				
						JOSEPH HSIA 10/20/06					dwg no 51915-122																																																																																																				
sheet index	revision sheet										sheet 4 of 4																																																																																																				
cage code 22526																																																																																																															