


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

PART#	DESCRIPTION	WEIGHT*
CJSK688TG**	8 POSITION, 8 WIRE SHIELDED MODULE WITH INTEGRAL SHIELD. TERMINATION CAP IS COLOR CODED FOR T568A AND T568B WIRING SCHEMES.	3.314 LB/100 PCS (1503g/100 PCS)



*WEIGHT IS APPROXIMATE
** = JACK COLOR/KEY SUFFIX
(SEE SHEET 2)



NOTES:

1. WHITE WIRE CAP DESIGNATES CATEGORY 6 PERFORMANCE.
2. MATERIAL:
MODULE HOUSING-ABS
NOMINAL WALL THICKNESS .078(2.0).
WIRE CAP-PC/ZINC
3. ALL MINI-COM TX6 PLUS 8 POSITION, 8 WIRE, KEYED JACK MODULES ARE NOT UNIVERSAL IN DESIGN. EACH MODULE ACCEPTS ONLY ONE SPECIFIC KEYED PLUG THAT MATCHES THE JACK KEYED CONFIGURATION.
4. DIMENSIONS IN PARENTHESES ARE IN METRIC.
5. .187 x .010" GROUNDING TAB PROVIDED AS OPTIONAL CONDUCTIVE PATH FOR GROUNDING.

KEYED FEATURE
(SEE SHEET 2)




ACTUAL SIZE

MODEL FILENAME		M03011AA/01	SIZE A
DRAWING FILENAME		M03011E1_DC58/01C	
TITLE MINI-COM TX6 PLUS SHIELDED KEYED JACK MODULE CUSTOMER DRAWING			
	PANDUIT TM CORP. TINLEY PARK, ILL 60477		I.I. NUMBER
			PRODUCT SPEC
	ALL DIMENSIONS ARE GIVEN IN INCHES, UNLESS OTHERWISE SPECIFIED. DIMENSIONAL TOLERANCES ARE: (.X) ± (.XXX) ±.010(.3) (.XX) ±.03(.8) ANGLES ±		WORK INSTRUCTION
			SCALE FULL
DRAWN BY MDJr	REVIEW DRAWING NUMBERS		PART NO. CJSK688TG**
DATE 10-22-08			DRAWING NO. 03011-58 SHEET 1 OF 2
CHK'D BMBA			

REV	DATE	BY	CHK	DESCRIPTION	ECN	R	CUST	SUP	OTH
2	6-21-10	MDJr	SK	B. ADDED JACK MODULES FOR VIOLET AND INTERNATIONAL GRAY KEYS.	03011-58		480		
1	1-27-09	MDJr	PBD	A. UPDATED JACK MODELS ON SHEET 2.	03011-58		VMB		
R	12-01-08	MDJr	BMBA	RELEASED TO PRODUCTION	03011-58		VMB		

A



B - RED

C - GREEN

D - YELLOW

E - ORANGE


F - BLUE



A triangle with the letter 'B' inside it.



CJSK688TGIG

MODEL FILENAME M03011AA/01		SIZE A
DRAWING FILENAME M03011E1_DC58/01C		
TITLE MINI-COM TX6 PLUS SHIELDED KEYED JACK MODULE CUSTOMER DRAWING		
 PANDUIT ™ CORP. TINLEY PARK, ILL 60477		I.I. NUMBER PRODUCT SPEC
 THIRD ANGLE PROJECTION		WORK INSTRUCTION SCALE FULL
ALL DIMENSIONS ARE GIVEN IN INCHES, UNLESS OTHERWISE SPECIFIED. DIMENSIONAL TOLERANCES ARE: (.X) ± (.XXX) ± .010(1.3) (.XX) ± .03(1.8) ANGLES ±		PART NO. CJSK688TG**
DRAWN BY MDJr		DRAWING NO. 03011-58 SHEET 2 OF 2
DATE 10-22-08		
CHK'D BMBA		
REVIEW DRAWING NUMBERS		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Panduit:

[CJSK688TGGR](#) [CJSK688TGOR](#) [CJSK688TGYL](#) [CJSK688TGBU](#) [CJSK688TGRD](#) [CJSK688TGBL](#)