

NOTES:


1. MATERIALS AND FINISHES:

BODY, & RING = BRASS, NICKEL PLATED
 CONTACT PIN = BERYLLIUM COPPER, GOLD PLATED (TINNED)
 INSULATOR = PTFE
 SOLDER = Sn60 OR Sn63



2. ELECTRICAL:

FREQUENCY RANGE = DC-12.4 GHz
 VSWR = 1.400 MAX.
 INSERTION LOSS = 0.25 dB MAX.
 DWV = 1,000 VAC MIN.
 I.R. = 5,000 MEGOHMS MIN.

901-10065		REVISIONS			
DRAWING NO.	REV	DESCRIPTION	DATE	ECO	APPR
THIRD ANGLE PROJ.	A	RELEASE TO MFG.	6/21/02	44085	KJC



SCALE 2.000



CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 0.5 - 6mm ±0.2mm 6 - 30mm ±0.4mm 30 - 120mm ±0.6mm	MATERIAL	DRAWN C. McGRATH	DATE 3/1/02	TITLE SMA PANEL RECEPTACLE JACK	Amphenol Amphenol Corporation Communication and Network Products Division Danbury, CT U.S.A. 06810
	REFERENCE EAR 508 GEN# 901-9887-RFX_ASSY 615X-1778-100	ENGINEER B. GLEISSNER	DATE 3/1/02		
NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.		APPROVED O. BARTHELMES	DATE 6/21/02	CODE ID 74868	DWG SIZE B
				DRAWING NO. 901-10065	REV A